WOOLIES



TRIM AND UPHOLSTERY FOR VINTAGE AND CLASSIC MOTOR ENTHUSIASTS WORLDWIDE

Open 0830-1700 Monday to Friday (closed lunch 1300-1400).



WOOLIES (I & C Woolstenholmes Ltd) Whitley Way, Northfields Industrial Estate, MARKET DEEPING, PETERBOROUGH, England, PE6 8AR

Tel: (01778) 347347 Fax: (01778) 341847 http://www.woolies-trim.co.uk Email: info@woolies-trim.co.uk

20th Edition



Welcome to the 20th edition of the WOOLIES catalogue. We have been supplying both the individual enthusiast and the Trade for over 34 years with upholstery, trimmings and body fittings for vehicles pre-1990 back through the Classic/Thoroughbred period to the Vintage/Veteran era pre-1930.

The majority of our business is via our Worldwide mail order service, but you can also see us at a few selected shows. We are open Monday-Friday 8.30am until 5pm (closed 1.00-2.00pm for lunch). There is plenty of free parking and we are easy to find (see map on back cover).

WOOLIES was started by lan and Caroline Woolstenholmes in October 1976 from a double garage with a nominal stock, ultra keen prices and lots of enthusiasm. The Company has a dedicated team lead by Directors Duncan Allen and Louise Woolstenholmes, who will ensure that the original company policy of good, prompt, friendly service along with keen prices is maintained and built on.

The comprehensive WOOLIES website www.woolies-trim.co.uk is a great tool to use in conjunction with the catalogue. There are many photographs on the website and it gives you the freedom to order securely when you want to. The website will also keep you up to date with new products and the shows we will be attending.

We look forward to helping all customers new and old and sincerely thank you for contributing to the success of WOOLIES.

IMCAM (ouse

Duncan Allen

Louise Woolstenholmes

December 2010

www.woolies-trim.co.uk



INDEX

INDEX
Acoustic foam
Badge bar and clips 29 Battery master switch 29 Bedford cord 9 Bonnet corners 30 Bonnet catches/handles 25/26/27 Boot handle 26 Bot seals 5 Brake light switch 29 Brass taps and fittings 35 Brudet locks and key 28 Budget locks and key 30
Calico and platform cloth 10 Carriage key 28 Carpets and binding 13 Celluloid 8 Chalk 9 Chrome strips (self adhesive) 6 Clevis pins 30 Coach lacing 5 Cool It Mat 11 Copper tube 35
Door buffers 28 Door draught excluders 4/5 Door check straps 28 Door handles 26 Door locks and strikers 26 Drain tubing 21 Dum Dum putty 20
Eyelets (brass)3 Exhaust insulating wrap12
Fasteners/clips 2/3/13/15/24 Felt strips (black) 15 Floor lifting ring 30 Foam cushion/sheet+scrim 10
Gasket materials 14 GB letters 28 Gimp pins 9 Glue gun 12 Goggles 31 Grease nipples (hex only) 30 Guttering 23
Hardura felts
Headinings (wool, FVC and nylon)
and Leathercloth)

Interior pipings
Key hole covers28
Leather renovation kits 31/32/33/34
Millboard (for trim panels)10 Moquette and moleskin9 Mudguard bolts
Over centre catches27 Overrider beading22
Pin beading (alloy)24 Piping cord
Reflectors
Screws (wood & self-tap)24/25 Shears (scissors)
Tacks and escutcheon pins9 Thread9 Tools (fitting)3/21
Underfelts
Velcro tape
Wadding 10 Webbing 7 Window channels 14/15 Window weatherstrips 15 Window winder 26 Windox channels 20 Windscreen filler inserts 20 Wing pipings 22
Zips9

ALL RIGHTS RESERVED. No part of this catalogue may be reproduced or transmitted in any form without the permission of I & C Woolstenholmes Ltd t/a "WOOLIES"



229 CLASSIC CAR INTERIOR RESTORATION MANUAL

by Kim Henson, published by Haynes Publishing, Sparkford, Nr Yeovil, Somerset, BA22 7JJ. 270 \times 210mm. A well illustrated, hardback book of 192 pages and almost 700 black and white pictures presented as a step-by-step guide. Kim Henson combines a realistic, hands-on approach and rather than 'gloss' over potential problems, he encourages use of 'test' or practice pieces before plunging in on a major task.

The title misleads slightly, as pre-war era seats, hoods and headlinings are covered as well! Very useful contact addresses are included in the appendices. Probably the best way to whet the appetite for this Interior Restoration Manual is to quote from the contents contained in the 12 chapters.

- 1 First Steps Tools and equipment Adhesives General upholstery supplies Conclusions
- 2 Cleaning and Tidying
- 3 Stripping an Interior
- 4 Maintaining Leather Clean it and feed it The Connolly tradition Connolly Classic The Connolly system Woolies' DIY leather renovation kit Leather repair? Embossed leather
- 5 Recolouring Trim Paints Penetrating colour Changing colours

- 6 Seats 14 sections
- Facias and Cappings 7 7 sections
- Trim Panels 8 2 sections
- 9 Headlinings General tips Pre-war headlinings Framed headlinings List rail headlinings One-piece headlinings
- 10 Carpets 3 sections
- 11 Soft Tops and Sun Roofs 13 sections
- 12 Sundry Items 5 sections

Classic Car Interior Restoration Manual Per copy zero rate ALL-IN COST per copy UK post paid



Federation of British Historic Vehicle Clubs

We are pleased to be members of the Trade Support Scheme of the FBHVC, who strive to "ensure that club members and their vehicles continue to enjoy the freedom of the use of the roads in the United Kingdom and Europe".



Lift the Dot Fasteners (Plated)

07	Socket with backplate	Pkt 10
07a	Long-pronged socket with backplate (NOT shown)	Pkt 10
80	Single thickness screw base stud	Pkt 10
09	Double thickness screw base stud	Pkt 10
10	Single thickness wood screw stud	Pkt 10
10a	As 10 but shorter thread approx. 10mm (3%")	Pkt 10
12	Single thickness metal stud	Pkt 10
14	Single clinch stud (cloth mounted) with backplate	Pkt 10



Durable Dot Fasteners (Plated)

	Durable Dor Fasteriers (Flated)	
15	Button and socket 13mm (1/2") dia Pkt 10	
15a	Button and socket 15mm (%16") (NOT shown) Pkt 10	
15b	As 15a but LONGER shank for thicker fabric Pkt 10	
15c	As 15a but black PVC coated button top Pkt 10	
16	Stud for wood or metal Pkt 10	
17	Stud and eyelet for cloth mounting. 6mm shank Pkt 10	
17a	As 17 but 9mm shank for thicker fabric Pkt 10	



Turnbuckle Fasteners (Plated)

01	Single thickness screw base stud Pkt 10
02	Double thickness screw base stud Pkt 10
03	Single clinch stud (cloth mounted) with backplate Pkt 10
04	Socket with backplate Pkt 10



Tenax Snap Fasteners (Plated)

20	Spring loaded socket with nut	Pkt 10
20a	Extra length socket for THICKER fabric (NOT shown)	Pkt 10
21	Key for tightening above	Each
22	Wood screw stud with 'shoulder' as shown	Pkt 10
332	Wood screw stud WITHOUT 'shoulder'	Pkt 10
333	Metal screw stud WITHOUT 'shoulder'	Pkt 10
333a	As 333 with thread 25mm (1") long	Pkt 10
351	Single clinch stud (cloth mounted) with backplate	Pkt 10
41	Platform stud WITHOUT 'shoulder'	Pkt 10
42	Platform stud with 'shoulder' as shown	Pkt 10
	All the metal screw studs on this page have a 2BA threa	ad or similar
	and we can supply supply nuts/washers to suit (see	239 below).
239	Steel nuts and spring washers (NOT shown)	Pkt 10



331	Black plastic trim button. 15mm (9/16") dia. head with serrated body
	16mm (5/8") long. For thin or nominally padded panels Pkt 10
260	For hole or edge fitting 15mm (%16") reach Pkt 10
261	Spring Clip 11mm (7/16") reach for weatherstrips etc Pkt 10
262	'U' Spring Clip 4.7mm (3/16") gap Pkt 10
314	'U' Spring clip. Narrow fitting for use in conjunction with 235 and 138
	push-on edge trims on the opposite page Pkt 10

TOOLS & EYELETS



236	Turnbuckle Punch for fitting 04 Eacl
237	Lift-the-Dot Punch for fitting 07 and 07a Eacl
238	Durable-Dot double sided bed and punch. One side is used for the 15 and 15a button and the other for the 17 stud Per set
324	Magnetic Hammer. 26.7cm $(10\frac{1}{2})$ overall length. Wooden shaft 13mm $(\frac{1}{2})$ dia. head. For 'tacking' the professional way Eacl
364	Hog Ring Pliers. Angled head. Spring-loaded, grooved jaws grip the hog ring. A firm squeeze clamps the ring
365	Hog Rings. Supplied in sticks of approx. 60 Per stick
	Per 10 stick. Per bulk box approx. 8800

Refer to page 21 for Universal Fitting Tool for windscreen rubbers



389	Brass Eyelet Kits. Complete with punch and die. 25 brass eyelets & rings 10mm (¾") dia. hole Per kit 15 brass eyelets & rings 13mm (½") dia. hole Per kit
390	Brass Eyelets ONLY.
	25 brass eyelets & rings 10mm (3%") dia. hole Per pack
	15 brass eyelets & rings 13mm (1/2") dia. hole Per pack
391	5/16" Hole Cutting Punch for 3/8" dia. eyelets or No. 20 TenaxEach
	7/16" Hole Cutting Punch for 1/2" dia. eyelets Each
392	Heavy Duty Staple Gun Tacker Rapid 33 Each
393	Staples to suit above gun. 4mm leg length Per box 5000
	6mm leg length Per box 5000
	8mm leg length Per box 5000
394	Tailors Shears as used by the Trade. 10" Each
	12″ Each

DOOR/BOOT SEALS & EDGE TRIMS



- 138 Woven Snappon and Rubber. Same soft alloy inner and rubber bead as 235, but covered in woven repp material. As fitted to Morris Minors, A30/35 etc. Stocked in black, red, grey, green and standard blue. Needs 314 spring clip for tight 'grip'
- 139a LARGER Plush Snappon Edge Trim. 22mm (7/6") overall height and 17mm (11/16") overall width. Same 'U' shaped steel as 139 plus integral rubber padding. Stocked in black. NOT shown...... Per mtr
- 26 Furflex Draught Excluder. Plush wool moquette covered bead approx. 16mm (%") OD with canvas flange 24mm (15/ne") wide. Used on Vintage cars and Classics like the Jaguar MkII saloon. Stocked in black, red, mulbery, brown, dark and suede green, Jaguar navy, standard blue, light beige, dark beige, cinnamon and grey Per mtr



- 264 Plush and Sponge Snappon with 18mm (¹¹/₁₆") OD sponge piping attached. Inner spring wire 'U' carrier for a tight push-on fit. Black, light blue, grey, beige, brown and red Per mtr
- 265A Rubber covered Snappon with Sponge Flap protruding 11mm (7/16"). Useful for tight fitting doors, as flap will crush easily .. Per mtr
- 266 PVC Snappon with Sponge Bead 16mm (5%") dia. Black herringbone pattern embossed PVC carrier Per mtr
- 266A Rubber covered Snappon with Very Large Sponge Bead 19mm (¾") dia. Similar to 266 but with larger sponge bead and 'squarer' push-on that will cope with up to a 4mm thick flange Per mtr
- 113 Miniature rubber covered door seal 6mm (1/4") dia. bead. Self gripping. Very bendable for tight corners Per mtr



- 363 Hollow Self Adhesive 'D' Sponge. Very collapsible. Can work with 139, 303 and 267 edge trims to convert into DOOR seal. Approx. 13mm (½") wide Per mtr
- R123 Split Tube Rubber Draught Excluder. As used on the MG 'Y' type, Morris series 'E' and similar. Shown with beige coach lacing. Supplied under this part number as RUBBER ONLY Per mtr
- 306 Beige Coach Lacing. Approx. 75mm (3") wide. Cotton-type woven lacing available in beige only. Can be dyed to choice. For making pipings, edgings or to cover the R123 as shown Per mtr
- 306A Heavy Cotton Lacing. 54mm (2¹/₈") wide. Black, grey and red only. Ideal for making pipings, using 29 piping cord on page 22 or 254 sponge cord on page 18, even covering the bead on R123..Per mtr



- 302 Jaguar XJ6 Draught Excluder for fitting onto horizontal flange. Ex-stock in black, light beige, grey and cinnamon Per mtr
 288 Mud flap push-on (or tall boot seal). Rubber covered. Vertical
- flange protrudes 29mm (11/4") Per mtr 268 Rubber and Sponge Boot Seal. Inner spring wire carrier covered
- in black rubber. Bead standing up 13mm (1/2") Per mtr 268a Rubber and Sponge Smaller Boot Seal. Inner spring wire carrier covered in black rubber. Small sponge bead standing up
- carrier covered in black rubber. Small sponge bead standing up 8mm (﴿هُوْ") Per mtr 40 Flap and Bead Sponge Boot Seal. Self gripping. Flap 16mm (﴿»







387	'Chrome' Plastic Edge Trim in 2 sizes: 4.7mm (%/6") tall for 1mm thick flange 11mm (%/6") tall for 2.5mm thick flange
397	Mini Wheelarch plastic edge trims 'Chrome' finish Per mtr Black finish Per mtr
430	' Chrome' Self Adhesive Edge Trim. High shine finish. 9mm ($^{11/32''}$) tall for up to 3mm ($^{16''}$) thick flange. Small "tacky" strip inside to help it grip onto edge Per mtr
431	Self Adhesive 'Chrome' Plastic Strip. 4mm (5/32") wide. High shine finish Per mtr
432	Self Adhesive 'Chrome' Plastic Strip. 9mm (11/32") wide. High shine finish Per mtr
433	Self Adhesive 'Chrome' Plastic Strip. 12mm ($\rlap{W2''}$) wide. High shine finish Per mtr



Larger Black PVC Edge Trims. SQUARER carrier and different grained finish to existing trims on facing page. Very durable.

- 401 12.5mm (1/2") tall to fit 6.3mm (1/4") thick flange Per mtr
- 402 16.5mm (11/16") tall to fit 8mm (5/16") thick flange Per mtr
- 403 15mm (1%2") tall to fit 12.5mm (1/2") thick flange Per mtr Large rolls, approx. 76mtr. Please enquire for roll discounts.

VINYLS & LEATHERCLOTHS

25	Expanded Vinyl. 137cm (54") wide. For all interior work, with just the right amount of stretch. Stocked in black, red, maroon, brown, grey, dark blue, mid blue, green, beige, biscuit, barley, cream and off-white. Colour samples on request
25a	Black 'Clearance' Expanded Vinyl. 137cm (54") wide. A good value product but stock can vary Per mtr
242	Non-stretch Vynide. 127cm (50") wide. Ideal for trim panels and thin enough for pipings. Stocked in prussian blue, oatmeal, grenadine (maroon), cherry red, dark green, light brown, tan, dark red, blue/grey and black
18	Special Jaguar non-stretch Vinyl. 127cm (50") wide with a good grain. Stocked in magnolia, old beige, dark beige, barley, doeskin, blue/grey, grey, cinnamon, mulberry, red, suede green, dark blue, dark green and cream
19	Special Jaguar Ambla, colour coded to the above vinyl. 127cm (50") wide. Stocked in beige, suede green, cinnamon, magnolia and county tan Per mtr. Also, original navy blue and saville grey (limited stocks) Per mtr
250	Old Fashioned vinyl leathercloth with a sparse grain. Non-stretch. Mottled green (Evergreen) and a mottled brown (Spice) usually ex-stock. 127cm (50") wide Per mtr
286	Antique Grained Leathercloth. 127cm (50") wide. A really firm, rexine-type of leathercloth with heavy grain. Limited stocks these days in black only Per mtr
100	Special Mini Cooper Light Green Vinyl. 127cm (50") wide. Good arain Per mtr

- 323 Perforated and Fluted Black Expanded Vinyl. Ready made heatformed flutes 32mm (1¼") wide. Nominal 3mm (¼") thick foam backing. The small 'square' perforations do NOT penetrate surface completely. 140cm (55") wide Per mtr
- 370 Basketweave Black Expanded Vinyl. 141cm (55½") wide. Ideal for Classic seat inserts Per mtr

HOODING MATERIALS

24	Exterior Quality Leathercloth for hooding, tonneau covers and body fabric. Width varies from 127cm to 137cm (50-54"). Stocked with grained finish in black, red, dark blue, very dark green, beige, biscuit, grey, maroon, off-white and cream. Black only Per mtr
	Colours Per mtr
	The grain and texture of 24 exterior quality are comparable to some of the early rexine-type materials and customers with earlier vehicles may prefer to use this for interior work.
415	Ribbed Exterior Leathercloth 150cm (59") wide. Stocked in black with ribbed effect. For hooding, tonneau covers and body fabric. Very limited stretch, needs warming up to stretch over curves. Can be used as internal vinyl Per mtr
183	CABRIO VINYL HOODING IN BLACK. 150cm (59") wide. Heavy vinyl coated hooding with fine pebble grain. Water repellent black underside of cotton-based cloth
269	Heavy Double Duck hooding 190cm (75") wide. Stocked in black. Comparable to the pre-war quality duck Per mtr
	Fawn 170-178 cm (67"-70") wide, ex stock Per mtr
30	Wigan Weave Double Duck hooding 178/183cm (70/72") wide. Finer weave and generally lighter weight than No. 269. Stocked in black only Per mtr
	Both Duck hoodings are produced from vat-dyed cloth therefore a certain amount of shade variation and general fading may occur. FAWN duck is particularly prone to sun fading.
	NOTE THAT SHRINKAGE ON THE COTTON DUCK HOODINGS IS LIABLE TO BE 2%, so please make allowance when fitting
141	'Mohair' Hooding 150cm (59") wide. Sonnenland: the original double texture hooding. 100% polyester outer layer, with underside in 100% cotton Dobby lining in beige (discreet herringbone type pattern).

HOODCARE, WEBBING & WINDOWS

- 407 Black Twillfast Hood Binding. 32mm (11/4") wide. Single thickness Twillfast without the herringbone backing Per mtr
- 31 Hood Webbing. 50mm (2") wide. Black and beige Per mtr





- 404 Renovo VINYL Soft Top Cleaner. For PVC hoods/tonneaus. Needs 405 Ultra Proofer to complete the renovation Per 500ml
- 405 Renovo VINYL Ultra Proofer. Helps prevent build-up of road grime, salt, leaf gum and bird dirt and resists weathering with UV inhibitor. Ideally needs 404 cleaner to prepare surface Per 500ml
- 35 Celluloid. A rigid clear material that gives minimum distortion when used for sidescreens. Stocked in sheets. 127cm × 66cm × 0.8mm (50" × 26" × .030") Per sheet
- 34 Vybak. Flexible window sheeting. Durable, heavy-duty clear material for rear windows in folding hoods: ½ sheet 41cm × 125cm × 0.8mm (16" × 49" × .030") Per sheet Full sheet 125cm × 125cm × 0.8mm (49" × 49" × .030") ... Per sheet

HEADLININGS

270	PVC Headlining. 127cm (50") wide. Light grey and white with lightly embossed pattern as used on Morris Minors and similar Per mtr
334	Perforated PVC Headlinings. 127cm (50") wide. Choice of off-white and black Per mtr
285	Nylon Headlining Foam backed. 127cm (50") wide. As used on Jaguars and similar from the 50's and on. Stocked in Dove Grey (mid grey) Per mtr Empire Grey (light grey) Per mtr
285a	Special Nylon Headlining. Approx. 127cm (50") wide. Thin foam inner layer backed with woven nylon fabric. Stocked in Cashmere (beige)
32	Headlining. A good, basic quality Union Melton cloth 147cm/150cm (58/59") wide. 80% wool 20% nylon mix. Open weave with sparse nap. Stocked in beige, grey, black and light green Per mtr
142	Headlining. All wool 'West of England' type cloth 152/157cm (60/62") wide. One of our better quality plain cloths available from stock in beige, navy and light grey Per mtr
33a	Headlining. All wool cloth in dark red 2mtr (78%4") wide. A really top quality cloth Per mtr

SEATING CLOTHS

143	Heavy All Wool Cloth. Heavy enough for seating AND he quality, stocks may vary.	adlining
	Dark green 198cm (78") wide	Per mtr
	Dark grey 152cm (60") wide	
	Beige 143cm (56") wide	Per mtr

- 406 'Alicante'. 1½mtr (59") wide. Suede-type seating fabric stocked in charcoal black, blue, beige and light green Per mtr

TRIMMING SUNDRIES

148	Zip. Heavy duty 107cm (42") zip with closed end. Nickel on brass. Black and fawn
148a	Zip. As above but 92cm (36") long Each
29	Piping Cord. 3mm (1%") dia. For seat piping or making hidem ie. can be covered with headlining material or thin leathercloth Per mtr
273	Velcro 'Touch and Close Fastener'. An alternative to conventional fasteners where two overlapping surfaces need a positive location and yet be easily detachable ie., tonneau cover, carpet, inspection flaps. 16mm (%") wide. Black Per mtr 25mm (1") wide. Black Per mtr 50mm (2") wide. Black Per mtr
273a	Self Adhesive Velcro. As above, but with good quality pressure sensitive adhesive suitable for a wide range of surfaces. Sample snippets can be supplied for TESTING adhesion. 16mm (5⁄a'') wide. Black Per mtr 25mm (1'') wide. Black Per mtr 50mm (2'') wide. Black Per mtr
149	Chalk. Tailor's marking chalk, various colours Each
147	Tacks. Blue cut 13mm (1/2") Per 35g (11/2oz) pkt
219	Escutcheon Pins. 13mm (1/2") long. 16g. Nickel/Brass Pkt/50
220	Escutcheon Pins. 19mm (3/4") long. 16g. Nickel/Brass Pkt/50
396	Gimp pins. 13mm (½") Per 100grm bag 19mm (¾") Per 100grm bag
45	Upholstery Needle. Curved Each
39c	Thread. Grade 36 poly-cotton. 800mtr spool. Good range of colours for all work, please enquire Each
412	Thread. Thick heavy grade 20 bonded nylon. Large spool ideal for trade users. 1500mtr. Stocked in black, beige and grey Each
422	Pirelli Webbing. Beige rubberised strip used for seat bases. Approx. 10% stretch. Can be tacked, stapled or use wire clips, see 423 and 424 below. Stretch. Stretch. Stretch. Per mtr Stretch. Per mtr Per mtr S0mm (1 ¹ / ₂ '') wide
423	Pirelli Webbing Wire Clips. Use in conjunction with 424 staple/ plates. Wire clips fix to holes in seat frame. Samm (1½") wide Per mtr
	50mm (2") wide Per mtr
424	$\label{eq:pirelli} \begin{array}{llllllllllllllllllllllllllllllllllll$
	Federation of British Historic Vehicle Clubs



We are pleased to be members of the Trade Support Scheme of the FBHVC, who strive to "ensure that club members and their vehicles continue to enjoy the freedom of the use of the roads in the United Kingdom and Europe".

FILLINGS, FOAM & MILLBOARD

37	Wadding. In $10mtr \times 46cm (11yd \times 18'')$ bundles. White cotton wool type material. Used as single or multiple layers and for stuffing seat flutes Per bundle
38	Hessian. 183cm (72") wide for covering seat frames or similar before trimming
244	Calico. 137cm (54") wide. Off-white colour Per mtr
94	Platform Cloth. 137cm (54") wide. Thin BLACK calico-type fabric for covering non-wearing surfaces ie. under seats Per mtr
328	High Resilient Foam Sheeting. Combustion Mod. to BS 5852. Available in full sheets 239cm \times 203cm (94" \times 80") and in 13mm, 25mm, 38mm, 50mm, 75mm and 100mm thickness. Half AND quarter sheets available <i>pro-rata</i> . Makes a very good combination of firmness plus comfort when used with our No. 36 rubberised horsehair. 239cm \times 203cm \times 13mm (94" \times 80" \times 12")
133	Foam Sheeting. 6mm (¼") thick and approx. 2.1mtr (84") wide. A very collapsible foam ideal for nominal padding Per mtr
380	$\begin{array}{llllllllllllllllllllllllllllllllllll$
48	Millboard. 2.3mm ($\frac{3}{2}$ ") thick. Compressed card consistency with one side faced black and lightly grained. Ideal for trim panels. Stocked in sheets approx. 155cm \times 124cm (61 " \times 49") Per sheet
36	$\begin{array}{llllllllllllllllllllllllllllllllllll$

HIDEM BANDING



- 27 Hidem Banding 16mm (%") wide. Grained leathercloth. Stocked in biscuit, black, red, marcon, brown, green, beige, blue and grey ________ Per mtr
 140 Hidem Banding 13mm (½") wide. Grained leathercloth finish, stocked in black and beige only _______ Per mtr
 181 Duck Hidem Banding. Black Cotton Duck. Used as a finisher across the front of hoods. 16mm (%") wide ______ Per mtr
 240 Hidem Banding Cloth Covered. 16mm (%") wide. Beige and grey that complement No. 32 and 142 headlinings ______ Per mtr
 28 Hidem End Caps to suit 16mm (%") hidem only. Nickel plated on
 - BRASS so suitable for exterior work Each

FELTS & SOUND DAMPING



Colours also available in dark blue, red and biscuit 137cm (54") wide Per mtr

- 292 Sound Deadening Felt. Approx. 13mm (½") thick, 137cm (54") wide. One side coated in black latex solution. Fire resistant to FMVSS 302. A really good dense felt Per mtr
- 429 Foil Faced Sound and Vibration Damping Pads. Approx. 1.5mm (¼6") thick bitumen based self adhesive sound damping sheet with diamond shaped aluminium foil facing on one side for improved fire performance. Application details as per 135 above. Pad approx. 50cm × 18cm (20" × 7") Fach

Pad approx. Soci \times 18cm (20 \times 7)	Each
Half sheet 75cm \times 1mtr (29½" \times 39")	Each
Full sheet 1.5mtr × 1mtr (59" × 39")	Each

- 409 Acoustic Foam. 12mm (approx. ½") thick. Fire retardent (self extinguishing FMVSS302). Bonded to a self adhesive sound and vibration damping sheet. To reduce both panel resonance and sound. Sheet size 1½mtr × 1mtr (59" × 391/4") Per sheet
- 410 FOIL COATED Acoustic Foam. As 409 above but with added benefit of a heat reflective foil facing which will withstand up to 250°C. Is ideal for under bonnet or any area where heat deflection is required. Sheet size 1½mtr × 1mtr (59″ × 39¼″)...... Per sheet

HEAT RETENTION & DEFLECTION

- 367 Aluminised Heat Barrier. Flexible high temperature insulation. Used as a heat shield, the barrier should be installed with highly reflective metallic surface facing the heat source. To RETAIN heat, position with FABRIC side facing the heat. 1mtr (39") wide ________per mtr
- 369 Cool It Mat. 61cm × 122cm (24" × 48"). Supplied as approx. 10mm (%") thick but will compress. New composite thermal/sound insulation that reduces engine heat/noise when fitted to bulkhead/firewall. Also under bonnet and above transmission housings. Very durable resin bonded silica blanket sandwiched between outer reflective facings of Mylar and foil. Stiffer and thicker side to face heat and it can be layered if required. Trim to size. Push-in fasteners supplied and/or refer 259 high heat adhesive page 12. Appearance can be enhanced by using 368 Thermo Tape to bind the raw edges and/or as support strapping.

428 Acoustic Heatshield. Long strand glass fibre needlemat faced on one side with reinforced aluminium foil and self adhesive backing on reverse side. Approx. 7mm thick. Provides both thermal and acoustic insulation. The reflective face can withstand radiant heat up to 250°C while the adhesive backing can be used at continuous temperatures up to 180°C.

Pad approx. 40cm × 50cm (16" × 20")	Each
Half sheet 80cm × 1mtr (311/2" × 39")	Each
Full sheet 1.6mtr × 1mtr (63" × 39")	Each



379 Exhaust Insulating Wrap. 1.5mm (½)e⁽⁷⁾) thick. For wrapping around exhaust manifolds and down pipes. Asbestos free,silicon based wrap. 6mm (½)⁽⁴⁾ overlap recommended. Reduces under bonnet heat by up to 75%, increasing power and fuel efficiency. Will withstand up to 2000°F.

ADHESIVES

329	Aerosol Adhesive. 500ml aerosol tin ideal for all upholstery, felts and 328 foam sheeting. Adjustable nozzle for fine, medium or heavy spray coating					
376	Aerosol High Heat Adhesive. 500ml. Remains effective up to 70°C (158°F). Adjustable nozzle for fine, medium or heavy spray coating. Ideal for the high temperatures experienced in automotive use (headlinings, bulkheads etc). A useful alternative to our 259 high heat 1 litre tins					
52	Adhesive Thixofix/AF172. Slow contact adhesive ie. can be manoeuvred into position. For cloth to metal/wood 					
53	Adhesive L107/AF167. For cloth to cloth ie. absorbent surfaces 					
277						
259	Adhesive S1358/AF178. High heat resistant, ie. ideal for vinyl roofs. The STRONGEST of our adhesives 	-78				
366	Glue Gun. As used by the trade. Suitable for all above adhesives EXCEPT 52 Thixofix. Approx. capacity 0.25ltr Each	366				
366b	Spare Brush for glue gun					

..... Each

CARPETS

- 57a Carpet 150cm (59") wide. A tough, rubber backed tufted carpet with a good pile. Needs binding. A good range of colours: red, fawn/sand, maroon, dark blue, beige, dark green, brown and grey...... Per mtr
- 421 Budget Carpet black/charcoal. 107cm (42") wide 100% Polypropylene. A soft piled budget carpet with pliable rubber backing Per mtr

- 291 Rotproof Non-Fray Carpet black. 2mtr (78¾") wide. Closely woven short pile, approx. 5mm (¾a") thick. Polypropylene carpet, non-fray type with synthetic backing. Please allow for carriage due to width of roll ______ Per mtr
- 154a 'Thin-Ribbed' Carpet. Rotproof polypropylene. 2mtr (78¾") wide. Non-fray. Narrow 3mm (¼") ribs running for length of the roll. Thin and pliable, so needs a good underfelt to give it some 'body'. Stocked in light beige, grey, black, a very light grey and brown Per mtr 154a carpet is ideal for side and roof linings on campers and van conversions.
- 61 Karvel Carpet. 100cm-107cm (39"-42") wide. Newly produced tight polypropylene pile with discreet 'ribbed' effect as original. Hessian backing makes Karvel virtually non-fraying, ribs run across roll. Stocked in black, dark blue and red Per mtr
- 109 HILTON 'Wilton' 80/20 wool pile carpet. 1.4m (55") wide. Approx. 8mm (%fe") thick. Hilton is a further development of traditional motor Wilton carpet. Made using modern machinery, it incorporates the best features of the original carpet in weight and surface appearance. The durable latex backing makes for excellent handling/laying. The useable extra width allows for less joins i.e. limousine boot areas in one piece.

Ex stock in blue, black, green, grey, mulberry, red, dark brown and beige Per mtr

441 'Wilton' Type Carpet. 1.5mtr (59") wide. A good quality 80% wool 'Wilton' type carpet, rubber backed. Available in beige only .. Per mtr

CARPET SUNDRIES/ACCESSORIES

- 59 Carpet Fastener Socket. Black metal ring is pushed down through the pile into the socket and the points folded over. Invisible when carpet is in position .. Pkt 10
- 60 Carpet Fastener Stud. For fitting to floorboards or side panels with screw. The other part of No. 59 Pkt 10



- 234 Carpet Binding. 38mm (11/2") wide cotton webbing in a limited range of colours Per mtr
- 246 Carpet Binding. 38mm (1½") wide non-stretch leathercloth. One side folded over for neat top edge. Good range of colours... Per mtr

GASKET MATERIALS

70R 71R	Rubberised cork sheet 1.5mm (1/16″) approx. 3' \times 2' Each Rubberised cork sheet 3mm (1/6″) \times approx. 3' \times 2' Each
72	Paper jointing 0.4mm (1/64") × approx. 3' × 2' Each
73	Paper jointing 0.80mm (1/32") × approx. 3' × 2' Each
74	Asbestos free wire reinforced graphited sheet 0.75mm (1/32") \times approx. 1' \times 1' Each
74a	Asbestos free wire reinforced graphited sheet 0.75mm (½z") \times approx. 3' \times 1' Each
75	Asbestos free graphited sheet 0.75mm ($\frac{1}{32''}$) × approx. 2' × 1' Each
76	Asbestos free graphited sheet 1.5mm (1/16") \times approx. 2' \times 1'Each

WINDOW CHANNELS



151	Window Channel. Single track flexible metal covered in felt/rubber. Can be squeezed to take 4.7mm or 6mm ($\frac{3}{16}$ " or $\frac{1}{4}$ ") glass. Approx. 14mm ($\frac{9}{16}$ ") overall width. This channel will hold its shape when bent. Can be coiled for posting Per mtr
151R	Rigid Single Track Window Channel. $14mm~(\%16'')$ overall width. Same as 151 but TOTALLY RIGID Per 2mtr $(78\%'')$ length
233	Rigid Alloy Window Channel. Highly polished. 15mm ($\%_6$ ") overall width 15mm tall with inner width 11mm ($\%_6$ "). Supplied as basic channel WITHOUT insert
51	Window Channel. Single track velvet covered rubber for 6mm ($\frac{1}{2}$) glass. Approx. 13mm ($\frac{1}{2}$) overall width Per mtr
50	Window Channel. Single track velvet covered rubber for 4.7mm (%16") glass. Approx. 10mm (%") wide, so our SMALLEST channel!
317	Universal Window Channel. Single track velvet covered rubber. Approx. 12mm (½") overall at base, but sides have natural tendency to 'lean-out', making it very adaptable. Inner flanges can cope with varying thicknesses of glass
319	Universal Window Channel. Larger version of 317. Approx. 16mm ($\%''$) overall width at base. Sides 'lean-out' and inner flanges cope with varying thicknesses of glass Per mtr
335	Rigid Alloy 'Double' Window Channel. Highly polished sides and top beads. 26mm $(1/_{22}'')$ overall width and 16mm $(5\!\!\!/\!\!\!/ w')$ tall. Supplied under this part number WITHOUT felt runner insert, but will accept both double velvet covered rubber channels 336 and 337. Please allow for carriage
337	Double Velvet Covered Rubber Window Channel. For 6mm (1/4") glass. Overall width 22mm (7/8") Per mtr



- 336 Double Velvet Covered Rubber Window Channel. For 4.7mm (%r6") glass. Overall width 20.5mm (approx. 1%r6")Per mtr Both 336 and 337 will fit into the 335 rigid alloy channel, but 336 will need nominal extra packing (88 Flat rubber strip 50mm × 1.5mm is ideal, page 21 or 313 Dum Dum type putty page 20).
- 117 Special Window Channel for 233. Single track velvet covered rubber for 6mm (¼") glass to fit snugly into 233 rigid alloy. (NOT shown) Per mtr

BLACK VELVET AND BLACK FELT

Per mtr off the roll 1.38mtr (541/4") wide...... Per mtr

87 Black Felt for window channels or fitting between bodywork and chassis. Specify size when ordering: 25mm \times 3mm (1" \times 1%") Per 1.83mtr (6ft) length 50mm \times 1.5mm (2" \times 1/6") Per 1.83mtr (6ft) length 50mm \times 3mm (2" \times 1/4") Per 1.83mtr (6ft) length 50mm \times 6mm (2" \times 1/4") Per 1.83mtr (6ft) length 75mm \times 3mm (3" \times 1/4") Per 1.83mtr (6ft) length 75mm \times 6mm (3" \times 1/4") Per 1.83mtr (6ft) length 75mm \times 6mm (3" \times 1/4") Per 1.83mtr (6ft) length 75mm \times 6mm (3" \times 1/4") Per 1.83mtr (6ft) length 75mm \times 6mm (3" \times 1/4") Per 1.83mtr (6ft) length 81 Per 1.83mtr (6ft) length 82 Per 1.83mtr (6ft) length 83 Per 1.83mtr (6ft) length 84 Per 1.83mtr (6ft) length 85 Per 1.83mtr (6ft) length 87 Per 1.83mtr

152 255 261 262 276 420 426

- 95a Window Weatherstrip. Small exterior weatherstrip in rubber with PVC vertical insert. Black velvet covering on inner face that fits against the glass. Seals up to 10mm (%") gap. Useful where space is limited. 15mm across top of "T". Leg is approx. 10mm long. A useful alternative to the 255 weatherstrip above.
- 261 Spring Clip for 152. The weatherstrip must be drilled to accept this clip (as used on Morris Minors) Pkt 10
- 276 Spring Clip that fits onto the bottom bead of 152 weatherstrip (as used on Jaguar MkII saloons and similar) Pkt 10
- 262 'U' Spring Clip with 4.7mm (¾6") gap. Can be used with 255 weatherstrip Pkt 10
- 420 Ford Spring Clip. External weatherstrip clip. Long 'U' section pushes onto metal edge of door and small 'u' set at 90° holds the weatherstrip Pkt 10
- 426 Weatherstrip Clip. Long "U" section pushes onto metal edge of door and small "u" set at 90° holds the weatherstrip. Widely used by Fords as an internal weatherstrip clip Pkt 10

300 Self-Adhesive Black Sponge Strip. Skinned on 2 SIDES ONLY, but closed-cell and virtually non-absorbent (technically only 5% absorbent). Special blend of synthetic polymers, giving good resistance to weather ageing and oil contamination. Self-extinguishing when the source of ignition is removed. Surface must be CLEAN and DRY before applying with finger pressure. The drawings below show the basic widths and thicknesses available,





Black Neoprene Sponge Extrusions (shown approx. life size)





160 **Moulded Sponge Strip** (Skinned on all 4 sides).

3mm $ imes$ 16mm	$(1/8'' \times 5/8'')$	Per mtr
6mm $ imes$ 13 mm	$(1/4'' \times 1/2'')$	Per mtr
$13 \text{mm} \times 13 \text{mm}$	$(1/2'' \times 1/2'')$	Per mtr
$10 \text{mm} \times 19 \text{mm}$	$(3/8'' \times 3/4'')$	Per mtr
	` '	

Skinned Sponge Extrusions (shown approx. life size)



Sponge Piping 8mm (⁵⁄₁ҕ″) dia. × 30mm (1³⁄₁ҕ″) flange Per mtr
 Neoprene Sponge Cord 10mm (¾″) dia., ideal for making draught excluder piping Per mtr
 Neoprene Sponge Cord 6mm (¼″) dia. Per mtr



- 427 Self Adhesive Bead with Lip. Approx. 16mm (5/4") tall. Foot approx. 11mm (7/16") wide Per mtr
 363 Hollow Self Adhesive 'D' Sponge. Very collapsible. Approx. 13mm
- (½") wide Per mtr



Black Rubber Extrusions from Stock

The following are shown as APPROX. LIFE SIZE END SECTIONS. PRICES PER METRE unless stated otherwise. We are always prepared to accept customer's samples and will give a quick and positive answer as to availability.



Black Rubber/PVC Extrusions (shown approx. life size)



1181 Plastic 'Chrome' Filler Insert, as supplied with R1181 shown on page 19 Per mtr

SURFACE PREPARATION FOR STICKING RUBBER AND SPONGE EXTRUSIONS. All adhesives work best on a clean dry surface. We suggest that the 'sticking surface' should be nominally roughed-up with a fine abrasive paper to ensure a good key.





150 Universal Fitting Tool. For filler inserts in windscreen sections R1181 (p19) and the six sections on page 20. Good, grippable synthetic rubber handle. Supplied with a selection of detachable tools as shown Per set

TUBING, MATTING & SHEET

301 Hollow Rubber Drain Tubing. Best quality black rubber. All sizes have 3mm (1/6") thick walls. Also useful as a 'core' for large draught excluder piping:

6mm (1/4") bore	13mm (1/2") OUTSIDE dia	Per mtr
8mm (5/16") bore	15mm (%16") OUTSIDE dia	Per mtr
10mm (3%") bore	16mm (5%") OUTSIDE dia	Per mtr
13mm (1/2") bore	19mm (3/4") OUTSIDE dia	Per mtr

- 372 Hollow Rubber Tubing. 8mm (5/16") OUTSIDE dia. with 4.7mm (3/16") hole. Useful as a small drain tube or 'inner' for pipings Per mtr



- 85 Black Rubber Sheet. Broad rib. 4 flat-topped ribs per 25mm (1"). Per running mtr × 30cm (113/4") wide (23¹/2") wide (35¹/2") wide Per running mtr × 60cm Per running mtr × 90cm Per running mtr × 120cm (471/2") wide Black Rubber Sheet. Narrow rib. 8 point-topped ribs per 25mm (1"). 86 Per running mtr × 30cm (11¾") wide Per running mtr × 60cm (231/2") wide Per running mtr × 90cm (351/2") wide Per running mtr × 120cm (471/2") wide Both ribbed mattings are supplied to us in 10mtr rolls × 122cm wide (approx. 33ft × 4ft) with ribs running along the roll. Please enquire for full roll Trade discount. 104 Black Pyramid Pattern Matting. Neoprene/Rubber. Approx. 3mm (1/8") thick. Pyramids are diagonal along the roll (DIAMOND shaped), giving 4 per 25mm (1"). Rolls approx. 32mtr (105ft) long and 915mm (3ft) wide Per running mtr × 30.5cm (1ft) wide Per running mtr × 61cm (2ft) wide Per running mtr × 91.5cm (3ft) wide HEAVY Black Pyramid Pattern Matting, 6mm (1/4") thick. Pyramids 386 are SQUARE along the roll, giving approx. 4 per 25mm (1"). Rolls approx. 4.2mtr (13ft 9") long × 1mtr (39%") wide Per mtr Supplied to NEAREST 33cm (13") × 1mtr widePrice pro rata 88 Flat Black Rubber Strip for glazing or packing: $50 \text{mm} \times 1 \text{mm}$ Per mtr $(2^{\prime\prime}\times$ 1/16") Per mtr 50mm × 1.5mm (2" × 1/8") Per mtr $50 \text{mm} \times 3 \text{mm}$ 75mm × 1.5mm (3" × 1/16") Per mtr (3" × 1/8")['] Per mtr 75mm \times 3mm
 - 21

385	finish.	otn
	1.5mm (1/16") thick Per	mtr
	3mm (1/8") thick Per	mtr
	6mm (1/4") thick Per	mtr
300S	Self Adhesive Black Sponge SHEET 1mtr (39%") wide. Skin on 2 sides but closed-cell and virtually non-absorbent (refer p16 17 for full details + 22 different sizes of STRIP). Take care w peeling off backing, only peel backing and not sticky layer as we 3mm (\%") thick	and hen ell. mtr

PIPINGS



- 307 Solid Bead Wing Piping. Approx. 6mm (¼″) dia. bead with 25mm (1″) flange. Ex-stock in standard Morris Minor colours: Trafalgar Blue, Standard Grey, Smoke Grey (light blue), Almond Green, Old English White, Black, Rose Taupe (greyish), Red and Maroon Per mtr We can offer particularly good Trade discount when purchasing full rolls of 307 at approx. 60mtr.

153	Wing Piping, PVC. Hollow bead 6mm (1/4") dia. with 25mm (1") flange. Stocked in black only Per mtr
55	Wing Piping. Shiny patent finish black leathercloth 8mm ($\$_{16}'')$ cord with 32mm (1¼'') flange Per mtr
54a	Wing Piping. Grained dull black leathercloth 8mm (5/16") dia. cord with 32mm (11/4") flange Per mtr
54	Wing Piping. Grained dull black leathercloth $6mm(\frac{1}{4''})$ dia. cord with 32mm (1 ¹ / ₄ '') flange Per mtr
248	Wing Piping. As 54 but 4.7mm (3/16") dia. cord Per mtr
56	Interior Piping, PVC. 3mm (1/8") dia. bead. 10mm (%") flange. Ex- stock in black, red, white, grey, yellow, brown and blue Per mtr
29	Piping cord. 3mm (1/8") dia. For seat piping or making hidem ie. can be covered with headlining material or thin leathercloth Per mtr
210	Interior Piping Vinyl Covered. Approx. 4mm (5/32") dia. bead. 10mm (3/3") flange. A good range of colours Per mtr
275	Bumper Overrider Beading, PVC. 10mm (%") wide. 1.5mm (¼6") slot. Black





ALUMINIUM STRIP

(shown actual size)



256	Guttering. Lip folds down to hide screw heads Per 2.13mtr (7ft)
62	Running board edging. 6 rib fluted top. 19mm sides (3/4")
157	Running board edging. 9 rib fluted top. 25mm sides (1")
63	Offset tee. 22mm (7%") wide. 19mm (3/4") flange Per 2mtr (61/2ft)
65	Half round 19mm (3/4") wide (shown oversize) Per 5mtr (16.4ft)
66	Half round 16mm (5%") wide Per 4mtr (13ft)
158	Half round 13mm (1/2") wide Per 4mtr (13ft)
159	Cope moulding 24mm ($^{15}/_{16}$) wide overall. 20mm × 6mm inside

Aluminium Running Board Tread with Black Rubber Filler

22mm (%") wide tread complete with domed filler ... Per 1.83mtr (6ft)
 16mm (%") wide. Domed or 3-rib filler as shown... Per 1.83mtr (6ft)
 (Other profiles can be used with 68 tread: SRS24 (p17) is a tight fit.
 Rubber filler available <u>SEPARATELY</u>: Large domed as 67 .. Per mtr
 Small domed as 68 ... Per mtr
 Aluminium also available <u>SEPARATELY</u> without filler:
 67 aluminium only Per 1.83mtr (6ft)
 68 aluminium only Per 1.83mtr (6ft)

Please allow for carriage or arrange collection of all aluminium strips. Alternatively, we can cut items down to 1.45mtr long or less for posting.

166 Alloy End Cap. Approx. 22mm wide to fit No. 67 alloy Each NB: ... COULD be 'squeezed' to reduce width to 16mm for use with narrower No. 68, but would also need approx. 1.5mm fettling OFF the base...!





- 316 Soft Alloy Pin Beading. Really workable. Highly polished finish. Choice of 10mm or 12mm (¾" or approx. ½") wide. Approx. 2.5mtr (98½") lengths. 16mm (¾") long nails positioned every 90-100mm approx.(3¾"-4") Per 2.5 metre length 10mm wide Per 2.5 metre length 12mm wide

Please allow for carriage when ordering the above lengths.

SCREWS AND BONNET TAPE





For all the latest product information and secure on-line ordering visit our website www.woolies-trim.co.uk

44	Wood Screws. Raised nickel/chrome on brass. Dia and 8 = 8mm.		
	5%" (16mm) × size 4	Pkt 10	Per box 200
	3⁄4″ (19mm) × size 4	Pkt 10	Per box 200
	1/2" (13mm) × size 6		
	3⁄4" (19mm) × size 6	Pkt 10	Per box 200
	11/4" (32mm) × size 6	Pkt 10	Per box 200
	3⁄4" (19mm) × size 8	Pkt 10	Per box 200
	11/4" (32mm) × size 8	Pkt 10	Per box 200
	81/82	77/80	1
77 78 79 80	Bonnet Tape Woven FLAT type for threadi 10mm (%") wide 13mm (½") wide 16mm (%") wide 22mm (%") wide 22mm (%") wide		Per mtr Per mtr Per mtr

 Woven DOUBLE BEADED type for riveting.

 81
 16mm (%") wide

 82
 22mm (7%") wide

 A VERY GOOD range of DISCOUNTS on ROLLS of bonnet tape.

Variable roll lengths so please enquire.

184 Bifurcated Brass Plated Rivets. 8mm (5/16") heads. 3mm shoulder then 13mm (½") legs. Suit 81 and 82 above Pkt 10

LOCKS AND HANDLES



- 216 Grab Handle. Chrome on brass. 4 screw mounting. Hole centres 102mm (4") Each
- 215 Grab Handle. Chrome on brass. 2 screw mounting. Hole centres 102mm (4"), but may vary slightly. Please enquire. Each







294	Locking Exterior Handle. Chrome 108mm (4¼") long. Mounting hole centre $37mm(1\%6")$. 8mm ($\%6"$) square steel shaft 127mm ($5"$) long that can be cut down to size. Raised rib design
295	Non-Locking Exterior Handle. Chrome. To match No. 294 above Each
296	Locking Boot Handle. Chrome 95mm (3¾") long. Mounting hole centres 37mm (17/16"). 8mm (5/16") square shaft that can be cut to size Each
227	Window Winder. Chrome. 120mm $(4\%'')$ long. Spring loaded escutcheon. Raised rib design to complement 294/5. Will need 289 to fit snugly onto the 8mm $(5\%')$ shaft Each
283	Interior Handle. Chrome. 115mm (4½") long. Matches the 227 winder. Spring loaded escutcheon. Will need 289 to fit snugly onto the 8mm (5/16") square shaft
395	Spring loaded escutcheon. For 227 and 283 supplied separately . Each
289	Spring Steel Adaptor. Converts the 10mm (%") hole in 227 and 283 to accept an 8mm (5/16") square shaft, as on the exterior handles 294/5/6 above
224	Door Lock. Zinc plated finish. Body 87mm × 50mm (37/16" × 2"). Long tongue. Shaped handle 89mm (31/2") long. Handed Each
225	Single Striker Plate. 50mm × 22mm (2" × 1/8"). Cast Each
226	Double Striker Plate. 30mm × 38mm (13/16" × 11/2"). Cast Each
218	Interior Handle. VDP type solid brass casting chrome plated. Approx. 95mm long (33/4") to fit 8mm (5/16") shaft at 90° angle Each
217	Interior Handle. Vintage type chrome on brass. Approx. 82mm $(3^{1/4''})$ long to fit 8mm $(5^{+}e'')$ shaft at 45° angle



- 211 Bonnet Catch. Chrome on brass. 140mm (5½") long as shown with approx. 6mm (¼") of spring lift. Heavier than 209 with stronger tension. Ideal for larger bonnets. Complete with catch plate as shown Each
- 414 **Rubber Bonnet Catches.** 127mm (5") overall length. Complete with catch plate as shown Per pair
- 345 Bonnet Catch. Exposed-spring type in stainless steel. 127mm (5") overall length. Complete with catch plate as shown Per pair



- Wide ______ Each Items 282, 209, 211, 212 and 213 are sometimes available in unplated state as POLISHED BRASS. Please enquire.





284	Spoke Cleaning Brushes 430mm (17") long. Flexible wire core. Wooden handle. Choice of SOFT or HEAVY bristle Each
123	Key Hole Cover. Chrome on brass. Top swings to one side and is spring loaded. Mounting hole centres 38mm (1½") Each
124	Key Hole Cover. Chrome. Spring loaded lift-up-top hides screw holes. Mounting hole centres 20.5mm ($^{13}\!/\!\!n'')$ Each
125	Enamel Union Jacks. Well made in jeweller's enamel. Chrome. $57mm \times 35mm (2^{1}/4'' \times 1^{3})$. Supplied in pairs complete with fixing screws
125a	St George Cross. Well made in jeweller's enamel. Chrome. 57mm × 35mm (21/4" × 1%). Supplied in pairs complete with fixing screws Per pair
258	Self Adhesive Union Jacks. 75mm \times 48mm (3" \times 1%). Durable plastic material with metallised design finish
126	Budget Locks. All steel. Left and right handed. Mounting hole centres 67mm (25%")
425	Budget Lock Striker Plate. Zinc plated steel. Use in conjunction with the 126 budget locks. Overall size $13mm \times 76mm (^{11}/6'' \times 3'')$. Countersunk hole centres 60mm ($236''$). Slot size $6mm \times 44mm (^{14}/4'')$ (not shown)
127	Carriage Key. Tapered square shaft to suit above budget lock. 100mm (4") tall. Unplated Each
128	Door Check Straps. Brown leather approx. 178mm (7") long with black enamel staples
129	Staples. Black on steel for 32mm (11/4") wide strapping Each
130	Staples. Black on steel for 38mm (11/2") wide strapping Each
130a	Staples. BRASS for 38mm (11/2") wide strapping Each
131	Staples. Chrome on brass for 38mm (11/2") wide strapping Each
132	Door Buffers. 'D' shaped 29mm (1½") long \times 13mm (½") thick complete with zinc plated shoe and brass eyelet Each
112	Horn Bulb 82mm (3 ¹ / ₄ ") approx. dia. A good medium sized bulb that will suit any straight or bugle-type horn. Made in synthetic rubber to give a good firm feel. Complete with chrome ferrule. Hole 14mm ($\%$ ₁₆ ") dia.
354	'GB' Letters in Chrome. Separate 'GB' letters $84mm~(3^{5\!/_{16}''})$ tall chrome-on-brass. Integral threaded mounting studs/nuts on the back of each letter Per set 'GB'



- Battery Master Switch. A very basic switch with detachable red 156 plastic key, as shown. 2 hole mounting through the body with hole centres approx. 41mm (15%"). Controls circuits of up to 300 amps at 12 or 24 volts. To switch off and isolate circuit, turn anti-clockwise and remove key Each
- 182 Lucas Chrome Reflector. Spun brass rim. Rubber base. Screw fitting. 50mm (2") dia. Can be stripped to polished brass Each
- 320 Chrome Reflector. 50mm (2") dia. Brass rim. Self tapping screw fitting Each
- 320b As 320 in brass (not shown) Each
- 172 Brake Light Switch. Complete with 75mm (3") spring and rubber terminal cover Each



- 318 Badge Bar Complete with 4 clips. Chrome-on-brass legs, clips and end caps. Slightly cranked stainless steel bar as shown. Bar is 19mm (3/4") dia and 559mm (22") overall length. Per bar with 4 clips Each
- Badge Bar Clips Chrome-on-brass for 19mm bar (3/4") as above. 110 Extra clips can be purchased separately..... Each



Andre Hartford Shock Absorber Dial Plates

Reproduction of the original Andre Type 506 Hartford tin plate, raised lip dial plates. 107mm (43/16") dia. Black background with red segments. Each

For all the latest product information and secure on-line ordering visit our website www.woolies-trim.co.uk



230	Sidescreen Mounting Peg. $8mm~(\%6'')$ dia. $54mm~(2\%'')$ long. Hole centres $35mm~(1\%'')$. Chrome on brass Each
231	Sidescreen Socket to accept above peg. 35mm (1%") long. Chrome on brass Each
232	Hood Fastener. Chrome on brass. To suit 16mm (5%") dia. peg. Mounting hole centres $49mm~(115\!/\!16'')$ Each
228	Round Lifting Ring. 50mm (2") dia. Chrome on brass. Shown with ring raised
	Clevis Pins. Case hardened and zinc plated.
105	5mm dia. \times 16mm long (3/16" dia. \times 5%" long) Each
106	6mm dia. \times 19mm long (1⁄4″ dia. \times 3⁄4″ long) Each
107	8mm dia. \times 24mm long (5⁄16″ dia. \times 15⁄16″ long) Each
108	10mm dia. \times 32mm long (%" dia. \times 11/4" long) Each
97	<code>Mudguard Bolts.</code> Domed head 20mm (1%/6″) $\times 37mm$ (1½″) long with ¼″ BSF thread. Steel. Supplied black complete with nut Each
	Bumper Bolts in Chrome
98	25mm (1″) long under head $\times \text{Sys}$ BSF supplied with nut. Head dia. 14mm (Sys^{\prime}) Each
99	$38mm(1\%'')$ long under head $\times\%''$ UNF supplied with nut. Head dia. 16mm $(5\!\%'')$ Each
111	Bonnet Corner Rubbers. Made from the original Holdtite mould. For right angle corners only Each
	Hex. Grease Nipples in Brass
101	3%" BSF thread. 15mm (19/32") across the hex. flats Each
102	$1\!/\!\!8''$ BSP thread. 15mm (19/32") across the hex. flats Each
165a	Grease gun adaptor in brass to fit the above hex. nipples. 1/8" gas thread Each



- 312 Period Goggles with double glazed lenses to prevent misting. Laminated, angled lenses made in high impact-resisting material. Adjustable nosebridge, detachable strap and comfortable padded surround in dark brown expanded vinyl. Aluminium coloured frames Each

LEATHER RENOVATION



155 Leather Renovation Kits. The purpose of this well-tried kit is to restore leather to its original colour with uniform finish and WITHOUT giving the 'just been painted' appearance. Shown above is the No. 2 kit for 4/5 seaters.

Send a specimen of the original leather colour, and we will supply a kit of cleaner, colour matched renovator, sealing paste, cloth and instructions. (When sending a snippet of the old, original leather, [or matching vinyl], make sure that it is CLEANED so that the colour can be matched correctly.) Each kit is individually colour matched and is given a unique colour code. We require a sample by first post on a Tuesday to despatch the kit on Thursday of the same week. (TO BE SAFE, TRY TO ENSURE SAMPLES ARE WITH 'WOOLIES' AT THE BEGINNING OF THE WEEK.) We do have some popular colours in stock for a speedier despatch and when a specific colour match is not required e.g. red, dark blue, beige and magnolia.

In the event of a heavily grained or mottled sample (showing a darker shade in the grain and lighter hue on the high areas) we will supply an **<u>OVERALL_MATCH</u>**, unless advised otherwise. We always endeavour to match accurately to the customer's sample, but must

insist on the acceptance of 'ARTISTIC TOLERANCE' (ie. slight variance of shade). Rematches can be tricky in this respect.

Important: PROTECT LEATHER KITS FROM FROST. Do NOT leave the kit in a cold garage during the winter months. **AVERAGE SHELF LIFE 6 MONTHS.**

INSTRUCTIONS

General Guidance:

The keynote to all leather renovation is to obtain adhesion between the leather itself and the first coat of renovator. For upholstery that is well worn, a thorough cleaning with our water based cleaner should be all that is required. However, there COULD be an advantage in using a fine grade steel wool with the cleaner, particularly where the leather has a very smooth, fast finish. This would disturb the surface to give a better 'key'.

STAGE 1

CLEANER – water based, deeply penetrating liquid supplied ready to use. Do <u>NOT</u> dilute. Not only cleans but gives deep penetration into the fibres, softening, feeding and therefore increasing the strength of the leather. Apply using a soft cloth rubbing lightly. Avoid flooding and change the surface of the cloth frequently. A small brush can be used to remove the ingrained dirt. It is ESSENTIAL that after cleaning, ALL SURFACES are thoroughly wiped over with a clean, damp cloth to remove excess build-up of cleaner and dirt. After this initial clean (and if the leather has been neglected) it may be beneficial to give the leather a course of HIDE FOOD. Allow at least 48 hours for the Food to soak in and then remove any surplus with sparing use of the cleaner.

NB: Thorough cleaning is essential to enable the renovating dye to penetrate the hide.

STAGE 2

COLOUR RENOVATOR – based on materials used in original finishing of upholstery hides in the tannery, and as such is compatible with the leather being restored (5 resins, micronised pigments and water emulsified cellulose lacquer). STIR WELL BEFORE USE. Supplied ready to use. Do <u>NOT</u> dilute. Pour a small quantity into a saucer. Apply lightly with a soft cloth (NOT a brush) rubbing well into the cracks and crevices, doing small areas at a time. Allow this film



to dry out (at least 30 minutes MINIMUM at room temperature) and apply a second coat to level off.

Bearing in mind the cost of new leather, it is well worth putting some effort into the task of 'working in' the first coat of renovator. The second coat can be applied by cloth, **OR**, as many customers prefer, by spraying, applying very light coats in order to avoid a rapid, heavy build-up finish. (The renovator is supplied in spray consistency.)

STAGE 3

SEALING PASTE – to seal the renovator. Apply sparingly and then buff with a soft cloth. TOO MUCH elbow grease will tend to remove some of the renovator. Finished surface will have a water resistant wax sheen. 100% cotton cloth supplied with each kit for applying colour and cleaning/buffing.

We feel that it is worth mentioning again that the finished job will retain the original character of the leather and NOT have the 'just been painted' appearance. The surface of the leather has not been completely sealed and Hide Food can still be used sparingly after the colour renovation, say every 6 months, to maintain suppleness.

While we do not recommend this kit for completely CHANGING the leather colour, this will depend entirely on the colours concerned, i.e., light to dark or black will usually result in a good job. We would suggest that a test area be tackled initially.

With some really LIGHT shades (off-white, magnolia etc.) the pale pigment may struggle to give good coverage and a special BASE COAT or 'foundation' might help. Cost is much the same as colour renovator. Please contact us **BEFORE** ordering to discuss the project.

We are aware of the problems in getting uniform colour into interiors where seating is LEATHER and trim panels in LEATHERCLOTH/ PVC. However, we have found that the leather renovator will sometimes key onto old, original leathercloths where the surface has been broken down either by wear or cleaning agents. It is certainly worth doing a 'test' piece.

To complement these instructions, we can supply reprints of the *PRACTICAL CLASSICS* article (Feb '81) 'Revive that Leather', and the Jensen Owners Club's appraisal 'Leather Renovation . . .' (Feb '88). Also see the excellent hard-backed *CLASSIC CAR INTERIOR RESTORATION MANUAL*, described on page 1 of this catalogue (chapter 4: 'Maintaining Leather').

More recently, the *Practical Classics* Product Test on 'Leather Cleaners and Renovators' (Spring '99) produced a 'Recommended' verdict. In the *Practical Classics* Readers Offer (Dec '99): "<u>What did</u> it win? Recommended. <u>Why did it win?</u> We liked the way it kept the patina of the old leather, making seats look well cared for rather than over restored."

THESE INSTRUCTIONS ARE BASED ON RESEARCH AND PRACTICAL EXPERIENCE. ALTHOUGH WE HAVE EVERY CONFIDENCE IN OUR PRODUCTS, NO GUARANTEE CAN BE GIVEN DUE TO THE WIDE VARIETY OF 'FOREIGN' TREATMENTS TO WHICH THE LEATHER MAY HAVE BEEN PREVIOUSLY SUBJECTED.

46 Hide Food. To refurbish and polish leather Each ALL-IN price UK post paid



221 HOUSEHOLD Leather Renovation Kit. For this application, a more permanent finish is required to cope with general wear-and-tear plus spillages. The Stage 3 Sealing Paste is replaced by a bottle of liquid dressing, giving a semi-gloss finish. This special dressing should be applied with a soft sponge and 2 coats are usually required. Please contact us with details of the renovation project and we will be pleased to quote accordingly.

A ROUGH GUIDE to the usage and contents of the kit as follows: Household Kit No. 1 (for small/medium chair)

1/2 litre cleaner	
1/4 litre colour renovator	Per kit
1/4 litre semi-dressing	
	ALL-IN UK post paid
Household Kit No. 2 (for 2	2 seater settee or 2 chairs)
1/2 litre cleaner	
1/2 litre colour renovator	Per kit
1/4 litre semi-dressing	
	ALL-IN UK post paid
Household Kit No. 3 (for 3	3 seater settee plus chair)
1/2 litre cleaner	
1 litre colour renovator	Per kit
1/2 litre semi-dressing	

.....ALL-IN UK post paid Quantities will depend on the colour and the condition of the surface to be renovated. (Darker, solid shades cover much better, using less renovator than pale, creamy hues). We cannot reproduce mottled or shady finishes and dramatic COLOUR CHANGES are not recommended.... PLEASE CONTACT US WITH DETAILS OF THE PROJECT BEFORE ORDERING.

WOOLIES always endeavours to match accurately to the customer's sample, but must INSIST on the acceptance of 'ARTISTIC TOLERANCE' (ie slight variance of shade). Rematches can be tricky in this respect.

- 373 Vinyl Paint. 400ml Aerosol. For re-colouring and changing the colour of interior vinyls. Unique ability to penetrate the surface. Can be used on leather needing any dramatic and permanent colour changes BUT long term 'breathability' may be impaired. For best results use 374 Vinyl Cleaner, followed by 375 Vinyl Primer to etch the surface. Stocked in Black and some basic colours that match our more popular vinyls/l'cloths Per 400ml aerosol. Each Colour matching available, minimum of 4 aerosols, please enquire.
- Vinyl Cleaner. Water based solution for removing dirt, grease and 374 polish/silicone residues which might cause a barrier to the proper surface bonding of Vinyl Paint..... Per 250ml bottle. Each
- 375 Vinyl Primer. Spirit based solution that primes the surface and removes any previous old or 'artificial' coatings. It is essential that these are removed first for a good permanent result from Vinyl Paint. Vinyl Primer is fairly potent, so please USE SPARINGLY. We suggest doing a TEST area before plunging-in on the whole project! Per 250ml bottle. Each

MOTOR TRADE

We are keen to develop our Trade business but must insist on an official order from registered motor trade and upholstery companies. Overall 10% discount on prices ruling at date of despatch, but ALWAYS enquire for the best ROLL/BULK DISCOUNTS. Particularly good deals and selected rubbers/sponge bonnet tapes on extrusions. Please enquire...

BRASS TAPS AND FITTINGS

Copper Tube. All sizes of this annealed tube are outside dia.

89	1/8" dia. (3mm) Per mtr	92	⁵ ⁄16″
90	3/16" dia. (4.7mm) Per mtr	93	3⁄8″ (
91	1/4" dia. (6.3mm) Per mtr		Or e

⁵/16" dia. (8mm) Per mtr %" dia. (9.5mm) Per mtr Or enquire for roll sizes.



All taps and fittings on this page are shown above with solder type nuts and nipples for $1\!\!\!\!/4''$ (6.3mm) pipe.

Drain Plug	js
------------	----

	Dialit i lugo
185	1/8" BSP thread Each
186	1/4" BSP thread Each
187	%" BSP thread Each
188	1/2" BSP thread Each
	Double Ended Unions complete with solder nuts and nipples
189	1/8" BSP thread for 1/8" tube (3mm) Each
190	1%" BSP thread for 3/16" tube (4.7mm) Each
191	1/4" BSP thread for 1/4" tube (6.3mm) Each
192	1/4" BSP thread for 5/16" tube (8mm) Each
193	3%" BSP thread for 3%" tube (9.5mm) Each
194	Straight Fuel Tap. 1/4" BSP thread supplied with solder nuts/nipples
	for 1/4" or 5/16" tube (6.3mm or 8mm). PLEASE SPECIFY Each
257	Straight Fuel Tap. %" BSP thread at each end. Supplied complete
	with nuts and nipples for 3/8" tube (9.5mm) Each
195	Straight Fuel Tap. 1/8" BSP thread with 1/4" BSP thread holding
	nut/nipple for 1/4" or 5/16" tube (6.3mm or 8mm). PLEASE SPECIFY Each
196	Straight Drain Taps. 1/8" BSP thread Each
197	Straight Drain Taps. 1/4" BSP thread Each
198	Curved Drain Taps. 1/8" BSP thread Each
199	Curved Drain Taps. 1/4" BSP thread Each
	Tee Pieces. Complete with 3 solder nuts and nipples.
163	For 1/8" tube (3mm) Each
164	For 3/16" tube (4.7mm) Each
203	For 1/4" tube (6.3mm) Each
204	For 5/16" tube (8mm) Each
205	For %" tube (9.5mm) Each
	Elbows. Complete with 2 solder nuts and nipples.
169	For 1/8" tube (3mm) Each
170	For 3/16" tube (4.7mm) Each
206	For 1/4" tube (6.3mm) Each
207	For 5/16" tube (8mm) Each
208	For %" tube (9.5mm) Each

PRICES

All prices include VAT at the current rate.

See the separate easy-to-read price list which is regularly updated. We keep our prices keen, but they may be altered at ANY TIME by material or manufacturer's increases. You can use the website www.woolies-trim.co.uk to get an all-inclusive price for an order or alternatively telephone, fax or e-mail us.

ORDERING



We accept all major credit cards, sterling cheques and postal orders. All parcels are sent either first class post or if over 2 kilos by a carrier and require a full postcoded address. If sent by a carrier a signature is required for safe delivery so please consider a delivery address e.g. a work address or c/o a reliable neighbour!

CARRIAGE COSTS:

2 working day delivery £8.00 + VAT Next working day delivery from £9.50 + VAT Please note Scottish Highlands, Isle of Man and Northern Ireland are charged at a higher rate, please enquire.

IF IN DOUBT OR FOR SMALLER ITEMS PLEASE USE THE WEBSITE OR TELEPHONE, FAX OR E-MAIL FOR AN ALL-IN QUOTE "POSTAGE/ CARRIAGE/VAT PAID'.

DELIVERY

All items (except colour matched leather kits) are usually in stock and we endeavour to despatch all orders received by 2.30pm the same day. We will inform you by return if any goods ordered are currently unavailable. It may be possible to despatch orders received after 2.30pm the same day, it is dependent on how busy we are. If you require an order urgently it is advisable to telephone us to see if it can be despatched same day.

GUARANTEE

We will replace or refund for any goods returned, but will make a MINIMUM 15% handling charge, unless we make alternative arrangements. Specifically ordered **CUT lengths** are DIFFICULT to re-sell and therefore <u>NOT</u> welcome as returns! No goods will be accepted for credit unless returned to us within 14 days of the date of invoice. We have tried to give a brief but accurate description of all items in this brochure to comply with the Trade Descriptions Act. Should any customers think that there is any misrepresentation at all, will they please advise us so that the matter can be amended for future editions.

THE WOOLIES MOBILE SERVICE continues. Take advantage of our FREE DELIVERY service to a limited number of Classic/Kit Car shows and Autojumbles. For details of events we will be attending please telephone us or visit our website www.woolies-trim.co.uk



HOW TO FIND WOOLIES.



Access to the Northfields Industrial Estate is directly from the Market Deeping bypass. From the northern roundabout take the exit signed for Northfields Ind. Estate. This leads into Blenheim Way and Whitley Way is the first left. Woolies is the first building on the left.

FROM THE NORTH (on A15 south from Bourne) ... pass through Langtoft village. In approx. 1 mile, take 2nd exit from the roundabout, then as above.

FROM THE WEST (on A16 from Stamford) ... turn left at the new Welland Gate roundabout and onto the dual carriageway section of the Market Deeping bypass. At next roundabout take <u>3rd</u> exit, then as above.

FROM THE SOUTH (on A15 from Peterborough) ... take the A15/A16 Market Deeping bypass from the Northborough roundabout.

Continue straight on at the next (Welland Gate) roundabout, onto the dual carriageway section. At the next roundabout take <u>3rd</u> exit, then as above.

FROM THE EAST (on A16 from Spalding) ... take the left turn onto Northfields Industrial Estate, then turn right at the roundabout. Continue along Whitley Way and Woolies is on the right just before the T junction.

THE WOOLIES TEAM



WOOLIES (I & C Woolstenholmes Ltd) Whitley Way, Northfields Industrial Estate, MARKET DEEPING, PETERBOROUGH, England, PE6 8AR Tel: (01778) 347347 Fax: (01778) 341847 http://www.woolies-trim.co.uk Email: info@woolies-trim.co.uk

Printed in England by Fisherprint Ltd., Padholme Road East, Peterborough, PE1 5UL Telephone: 01733 341444 Fax: 01733 349416 www.fisherprint.co.uk