

WOOLIES

At home...



**TRIM AND UPHOLSTERY
FOR VINTAGE AND CLASSIC MOTOR
ENTHUSIASTS WORLDWIDE**

Open 0830-1700 Monday to Friday (closed lunch 1300-1400).

In the field...



**WOOLIES (I & C Woolstenholmes Ltd)
Whitley Way, Northfields Industrial Estate,
MARKET DEEPING, PETERBOROUGH,
England, PE6 8AR**

Tel: (01778) 347347 Fax: (01778) 341847

<http://www.woolies-trim.co.uk>

Email: info@woolies-trim.co.uk

19th Edition

Aladdin's cave...



Welcome to the 19th edition of the WOOLIES catalogue. We have been supplying both the individual enthusiast and the Trade for over 30 years with upholstery, trimmings and body fittings for vehicles pre-1990 back through the Classic/Thoroughbred period to the Vintage/Veteran era pre-1930.

The majority of our business is via our Worldwide mail order service, but you can also see us at several shows throughout the year. We are open Monday-Friday 8.30am until 5pm (closed 1.00-2.00pm for lunch). There is plenty of free parking and we are easy to find (see map on back cover).

WOOLIES was started by Ian and Caroline Woolstenholmes in October 1976 from a double garage with a nominal stock, ultra keen prices and lots of enthusiasm. The Company has a dedicated team lead by Directors Duncan Allen and Louise Woolstenholmes, who will ensure that the original company policy of good, prompt, friendly service along with keen prices is maintained and built on.

The comprehensive WOOLIES website www.woolies-trim.co.uk is a great tool to use in conjunction with the catalogue. There are many photographs on the website and it gives you the freedom to order securely when you want to. The website will also keep you up to date with new products and the shows we will be attending.

We look forward to helping all customers new and old and sincerely thank you for contributing to the success of WOOLIES.

Duncan Louise

Duncan Allen

Louise Woolstenholmes

September 2007

www.woolies-trim.co.uk



INDEX

Acoustic foam	10
Adhesives	11/12/21
Aeroscreen	27
Aluminium sections	23
Aluminised heat mat & tape.....	11

Badge bar and clips	29
Battery master switch	29
Bedford cord	8
Bonnet corners	30
Bonnet catches/handles	25/26/27
Bonnet tape and rivets	25
Boot handle	26
Boot seals	5
Brake light switch	29
Brass taps and fittings	35
Brushed nylon seating	8
Budget locks and key	28
Bumper bolts	30

Calico and platform cloth	9
Carriage key	28
Carpets and binding	12/13
Celluloid	8
Chalk	9
Clevis pins	30
Coach lacing	5
Comp. boot/bonnet pins	25
Cool It Mat	11
Copper tube.....	35

Door buffers	28
Door draught excluders	4/5
Door check straps	28
Door handles	26
Door locks and strikers	26
Drain tubing	21
Dum Dum putty	20

Eyelets (brass)	3
Exhaust insulating wrap.....	11

Fasteners/clips	2/3/13/15/24
Felt strips (black)	15
Floor lifting ring	30
Foam cushion/sheet+scrim	9

Gasket materials	13
GB letters	28
Gimp pins	9
Glue gun	12
Goggles	31
Grease nipples (hex only)	30
Guttering.....	23

Hardura felts	10
Hartford s/a dial plate	29
Hammer (magnetic).....	3
Hog rings and pliers	3
Headlinings (wool, PVC and nylon).....	8
Hessian	9
Hide Food.....	33
Hidem banding and caps.....	10
Hood fastener	30
Hood frame (hollow bar)	24
Hood Proofings.....	7
Hoodings (Duck, 'Mohair' and Leathercloth)	6/7
Horn Bulb	28
Horsehair (rubberised)	10

Interior pipings	22
Interior handles.....	26
Interior light.....	29

Key hole covers	28
-----------------------	----

Leathercloths	6
Leather renovation kits ...	31/32/33/34

Millboard (for trim panels)	9
Moquette and moleskin	8
Mudguard bolts.....	30

Over centre catches.....	27
Override beading.....	22

P in beading (brass/ alloy)	24
Piping cord	9/22

Reflectors	29
Renovo hood products	7/8
Rubber mattings	21
Rubber extrusions/strip/tubing/flat smooth rubber	19/20/21/22
Running board treads.....	23

Screws (wood & self-tap)	24/25
Shears (scissors).....	3
Self-adhesive sponge sheeting and strip.....	16/17/22
Sidescreen fittings	30
Sound damping sheet/pads.....	10
Spoke cleaning brushes.....	28
Sponge extrusions.....	17/18
Spring binding tape	30
St George Cross.....	28
Staples (for strapping)	28
Staple gun	3
Storvic heel pads	13

Tacks and escutcheon pins.....	9
Thread	9
Tools (fitting)	3/21

Underfelts	10
Union jacks	28
Upholstery needles.....	9

Velcro tape.....	9
Velvet (thin black)	15
Vinyl paint.....	34
Vinyls	6
Vybak	8

Wadding	9
Webbing	7
Window channels	14/15
Window weatherstrips	15
Window winder	26
Windscreen filler inserts	20
Wing pipings.....	22

Zips	9
------------	---

ALL RIGHTS RESERVED. No part of this catalogue may be reproduced or transmitted in any form without the permission of I & C Woolstenholmes Ltd t/a "WOOLIES"



229

229 CLASSIC CAR INTERIOR RESTORATION MANUAL

by Kim Henson, published by Haynes Publishing, Sparkford, Nr Yeovil, Somerset, BA22 7JJ. 270 x 210mm. A well illustrated, hard-back book of 192 pages and almost 700 black and white pictures presented as a step-by-step guide. Kim Henson combines a realistic, hands-on approach and rather than 'gloss' over potential problems, he encourages use of 'test' or practice pieces before plunging in on a major task.

The title misleads slightly, as pre-war era seats, hoods and headlinings are covered as well! Very useful contact addresses are included in the appendices. Probably the best way to whet the appetite for this Interior Restoration Manual is to quote from the contents contained in the 12 chapters.


- | | |
|--|---|
| <p>1 First Steps
Tools and equipment
Adhesives
General upholstery supplies
Conclusions</p> <p>2 Cleaning and Tidying</p> <p>3 Stripping an Interior</p> <p>4 Maintaining Leather
Clean it and feed it
The Connolly tradition
Connolly Classic
The Connolly system
Woolies' DIY leather renovation kit
Leather repair?
Embossed leather</p> <p>5 Recolouring Trim
Paints
Penetrating colour
Changing colours</p> | <p>6 Seats
14 sections</p> <p>7 Facias and Cappings
7 sections</p> <p>8 Trim Panels
2 sections</p> <p>9 Headlinings
General tips
Pre-war headlinings
Framed headlinings
List rail headlinings
One-piece headlinings</p> <p>10 Carpets
3 sections</p> <p>11 Soft Tops and Sun Roofs
13 sections</p> <p>12 Sundry Items
5 sections</p> |
|--|---|

Classic Car Interior Restoration Manual Per copy zero rate
..... ALL-IN COST per copy UK post paid



Federation of British Historic Vehicle Clubs

We are pleased to be members of the Trade Support Scheme of the FBHVC, who strive to "ensure that club members and their vehicles continue to enjoy the freedom of the use of the roads in the United Kingdom and Europe".




Lift the Dot Fasteners (Plated)

07	Socket with backplate	Pkt 10
07a	Long-pronged socket with backplate (NOT shown)	Pkt 10
08	Single thickness screw base stud	Pkt 10
09	Double thickness screw base stud	Pkt 10
10	Single thickness wood screw stud	Pkt 10
10a	As 10 but shorter thread approx 10mm (3/8")	Pkt 10
11	Double thickness wood screw/self taper stud	Pkt 10
12	Single thickness metal stud	Pkt 10
13	Double thickness metal stud	Pkt 10
14	Single clinch stud (cloth mounted) with backplate	Pkt 10




Durable Dot Fasteners (Plated)

15	Button and socket 13mm (1/2") dia.	Pkt 10
15a	Button and socket 15mm (9/16") (NOT shown)	Pkt 10
15b	As 15a but LONGER shank for thicker fabric	Pkt 10
15c	As 15a but black PVC coated button top.....	Pkt 10
16	Stud for wood or metal	Pkt 10
17	Stud and eyelet for cloth mounting. 6mm shank	Pkt 10
17a	As 17 but 9mm shank for thicker fabric	Pkt 10



Turnbuckle Fasteners (Plated)

01	Single thickness screw base stud	Pkt 10
02	Double thickness screw base stud	Pkt 10
03	Single clinch stud (cloth mounted) with backplate	Pkt 10
04	Socket with backplate	Pkt 10



Tenax Snap Fasteners (Plated)

20	Spring loaded socket with nut	Pkt 10
20a	Extra length socket for THICKER fabric (NOT shown)	Pkt 10
21	Key for tightening above	Each
22	Wood screw stud with 'shoulder' as shown	Pkt 10
23	Metal screw stud with 'shoulder' as shown	Pkt 10
332	Wood screw stud WITHOUT 'shoulder'	Pkt 10
333	Metal screw stud WITHOUT 'shoulder'	Pkt 10
333a	As 333 with thread 25mm (1") long	Pkt 10
351	Single clinch stud (cloth mounted) with backplate	Pkt 10
41	Platform stud WITHOUT 'shoulder'	Pkt 10
42	Platform stud with 'shoulder' as shown	Pkt 10

All the metal screw studs on this page have a 2BA thread or similar and we can supply supply nuts/washers to suit (see 239 below).


239	Steel nuts and spring washers (NOT shown)	Pkt 10
-----	---	--------





- 331 Black plastic trim button. 15mm ($\frac{9}{16}$ ") dia. head with serrated body 16mm ($\frac{5}{8}$ ") long. For thin or nominally padded panels Pkt 10
- 260 For hole or edge fitting 15mm ($\frac{9}{16}$ ") reach Pkt 10
- 261 Spring Clip 11mm ($\frac{7}{16}$ ") reach for weatherstrips etc. Pkt 10
- 262 'U' Spring Clip 4.7mm ($\frac{3}{16}$ ") gap Pkt 10
- 314 'U' Spring clip. Narrow fitting for use in conjunction with 235 and 138 push-on edge trims on the opposite page Pkt 10

TOOLS & EYELETS




- 236 **Turnbuckle Punch** for fitting 04 Each
- 237 **Lift-the-Dot Punch** for fitting 07 and 07a Each
- 238 **Durable-Dot double sided bed and punch.** One side is used for the 15 and 15a button and the other for the 17 stud Per set
- 324 **Magnetic Hammer.** 26.7cm ($10\frac{1}{2}$ ") overall length. Wooden shaft. 13mm ($\frac{1}{2}$ ") dia. head. For 'tacking' the professional way Each
- 364 **Hog Ring Pliers.** Angled head. Spring-loaded, grooved jaws grip the hog ring. A firm squeeze clamps the ring Each
- 365 **Hog Rings.** Supplied in sticks of approx. 60 Per stick
..... Per 10 sticks
..... Per bulk box approx 8800

Refer to page 21 for Universal Fitting Tool for windscreen rubbers




- 389 **Brass Eyelet Kits.** Complete with punch and die.
25 brass eyelets & rings 10mm ($\frac{3}{8}$ ") dia. hole Per kit
15 brass eyelets & rings 13mm ($\frac{1}{2}$ ") dia. hole Per kit
- 390 **Brass Eyelets ONLY.**
25 brass eyelets & rings 10mm ($\frac{3}{8}$ ") dia. hole Per pack
15 brass eyelets & rings 13mm ($\frac{1}{2}$ ") dia. hole Per pack
- 391 $\frac{5}{16}$ " **Hole Cutting Punch** for $\frac{3}{8}$ " dia. eyelets or No. 20 Tenax..Each
 $\frac{7}{16}$ " **Hole Cutting Punch** for $\frac{1}{2}$ " dia. eyelets Each
- 392 **Heavy Duty Staple Gun Tacker Rapid 33.** Each
- 393 **Staples** to suit above gun. 4mm leg length Per box 5000
6mm leg length Per box 5000
8mm leg length Per box 5000
- 394 **Tailors Shears** as used by the Trade. 10" Each
12" Each

DOOR/BOOT SEALS & EDGE TRIMS




- 235 Plush Snaddon and Rubber.** 'U' shaped soft alloy covered in plush material with 10mm ($\frac{3}{8}$ ") rubber bead attached. Push-on fit. Stocked in black, red, grey, brown, green, blue and light beige. Needs 314 spring clip for tight 'grip' Per mtr
- 138 Woven Snaddon and Rubber.** Same soft alloy inner and rubber bead as 235, but covered in woven repp material. As fitted to Morris Minors, A30/35 etc. Stocked in black, red, grey, green and standard blue. Needs 314 spring clip for tight 'grip' Per mtr
- 139 Plush Snaddon Edge Trim.** 'U' shaped steel covered in plush material. Tight push-on fit. Stocked in black, red, grey, a good mid-green, suede green, dark brown, blue, cinnamon, light beige and mulberry Per mtr
- 139a LARGER Plush Snaddon Edge Trim.** 22mm ($\frac{7}{8}$ ") overall height and 17mm ($\frac{11}{16}$ ") overall width. Same 'U' shaped steel as 139 plus integral rubber padding. Stocked in black. NOT shown..... Per mtr
- 263 Ramsey Sponge Door Seal.** As fitted to the Jaguar XK150 and MkVII saloons. Supplied 'hollow' to make it more collapsible. Needs 139 plush edge or 303 woven edge (see page 5) to complete. (We suggest that samples be requested for trials initially) Per mtr
SPECIAL TRADE PRICES ON 100mtr (328ft) ROLLS.
- 26 Furflex Draught Excluder.** Plush wool moquette covered bead approx. 16mm ($\frac{5}{8}$ ") OD with canvas flange 24mm ($\frac{15}{16}$ ") wide. Used on Vintage cars and Classics like the Jaguar MkII saloon. Stocked in black, red, mulberry, brown, dark and suede green, Jaguar navy, standard blue, light beige, dark beige, cinnamon and grey Per mtr




- 264 Plush and Sponge Snaddon with 18mm ($\frac{11}{16}$ ") OD sponge piping attached.** Inner spring wire 'U' carrier for a tight push-on fit.
 Black, light blue and grey Per mtr
 Beige, brown and red Per mtr
- 265A Rubber covered Snaddon with Sponge Flap** protruding 11mm ($\frac{7}{16}$ "). Useful for tight fitting doors, as flap will crush easily .. Per mtr
- 266 PVC Snaddon with Sponge Bead** 16mm ($\frac{5}{8}$ ") dia. Black herringbone pattern embossed PVC carrier Per mtr
- 266A Rubber covered Snaddon with Very Large Sponge Bead** 19mm ($\frac{3}{4}$ ") dia. Similar to 266 but with larger sponge bead and 'squarer' push-on that will cope with up to a 4mm thick flange Per mtr
- 113 Miniature rubber covered door seal** 6mm ($\frac{1}{4}$ ") dia. bead. Self gripping. Very bendable for tight corners Per mtr







- 363 Hollow Self Adhesive 'D' Sponge.** Very collapsible. Can work with 139, 303 and 267 edge trims to convert into DOOR seal. Approx. 13mm (1/2") wide Per mtr
- R123 Split Tube Rubber Draught Excluder.** As used on the MG 'Y' type, Morris series 'E' and similar. Shown with beige coach lacing. Supplied under this part number as RUBBER ONLY Per mtr
- 306 Beige Coach Lacing.** Approx. 75mm (3") wide. Cotton-type woven lacing available in beige only. Can be dyed to choice. For making pipings, edgings or to cover the R123 as shown Per mtr
- 306A Heavy Cotton Lacing.** 54mm (2 1/8") wide. Black, grey and red only. Ideal for making pipings, using 29 piping cord on page 22 or 254 sponge cord on page 18, even covering the bead on R123..Per mtr



- 302 Jaguar XJ6 Draught Excluder** for fitting onto horizontal flange. Ex-stock in black, light beige, grey and cinnamon Per mtr
- 288 Mud flap push-on (or tall boot seal).** Rubber covered. Vertical flange protrudes 29mm (1 1/8") Per mtr
- 268 Rubber and Sponge Boot Seal.** Inner spring wire carrier covered in black rubber. Bead standing up 13mm (1/2") Per mtr
- 40 Flap and Bead Sponge Boot Seal.** Self gripping. Flap 16mm (5/8") tall Per mtr



- 303 Woven Snappoon Edge Trim.** 'U' shaped steel inner covered in woven cotton type repp material. Stocked in black, grey and red. Can be used with 263 Ramsey sponge (see page 4) to make complete door seal. Also refer 'D' sponge 363 above Per mtr
- 267 PVC Edge Trim.** Same herringbone embossed PVC as on 266. Black Per mtr
Colours (green, red, very light grey, mid grey, white and mid blue) Per mtr
- 304 Titanfast Black Edge Trim.** Only 10mm (3/8") tall. Miniature version of 267 that will bend round a 19mm (3/4") radius Per mtr
- 267A Wider PVC Edge Trim.** Embossed black only. Squarer carrier to cope with up to 4mm thick flange Per mtr
- 387 'Chrome' Plastic Edge Trim** in 2 sizes:
4.7mm (3/16") tall for 1mm thick flange Per mtr
11mm (7/16") tall for 2.5mm thick flange..... Per mtr
- 397 Mini Wheelarch plastic edge trims.** 'Chrome' finish..... Per mtr
.....Black finish Per mtr



Larger Black PVC Edge Trims. SQUARER carrier and different grained finish to existing trims on facing page. Very durable.

- 401 12.5mm ($\frac{1}{2}$ ") tall to fit 6.3mm ($\frac{1}{4}$ ") thick flange Per mtr
 402 16.5mm ($\frac{11}{16}$ ") tall to fit 8mm ($\frac{5}{16}$ ") thick flange Per mtr
 403 15mm ($\frac{19}{32}$ ") tall to fit 12.5mm ($\frac{1}{2}$ ") thick flange Per mtr
 Larger rolls, approx 76mtr. Please enquire for roll discounts.

VINYLS & LEATHERCLOTHS

- 25 **Expanded Vinyl.** 137cm (54") wide. For all interior work, with just the right amount of stretch. Stocked in black, red, maroon, brown, grey, dark blue, mid blue, green, beige, biscuit, barley, cream and off-white. Colour samples on request Per mtr
- 25a **Tough Black Expanded Vinyl.** 137/140cm (54/55") wide. A good basic vinyl with LIMITED stretch. Nominal grain stock may vary. BLACK only. A very good price! Per mtr
- 242 **Non-stretch Vynide.** 127cm (50") wide. Ideal for trim panels and thin enough for pipings. Stocked in prussian blue, oatmeal, grenadine (maroon), cherry red, pine green, light brown, tan, dark red, blue/grey and black Per mtr
- 18 **Special Jaguar non-stretch Vinyl.** 127cm (50") wide with a good grain. Stocked in magnolia, old beige, dark beige, barley, doeskin, blue/grey, grey, cinnamon, mulberry, red, suede green and dark blue Per mtr
- 19 **Special Jaguar Ambla,** colour coded to the above vinyl. 127cm (50") wide. Stocked in beige, suede green, cinnamon, magnolia and county tan Per mtr.
 Also, original navy blue and saville grey (limited stocks) Per mtr
- 250 **Old Fashioned vinyl leathercloth** with a sparse grain. Non-stretch. Mottled green (Evergreen) and a mottled brown (Spice) usually ex-stock. 127cm (50") wide Per mtr
- 286 **Antique Grained Leathercloth.** 127cm (50") wide. A really firm, rexine-type of leathercloth with heavy grain. Limited stocks these days in black and brown Per mtr
- 100 **Special Mini Cooper Light Green Vinyl.** 127cm (50") wide. Good grain Per mtr
- 323 **Perforated and Fluted Black Expanded Vinyl.** Ready made heatformed flutes 32mm ($1\frac{1}{4}$ ") wide. Nominal 3mm ($\frac{1}{8}$ ") thick foam backing. The small 'square' perforations do NOT penetrate surface completely. 140cm (55") wide Per mtr
- 370 **Basketweave Black Expanded Vinyl.** 141cm (55½") wide. Ideal for Classic seat inserts Per mtr

HOODING MATERIALS

- 24 **Exterior Quality Leathercloth** for hooding, tonneau covers and body fabric. Width varies from 127cm to 137cm (50-54"). Stocked with grained finish in black, red, dark blue, very dark green, beige, biscuit, grey, maroon, off-white and cream.
 Black only Per mtr
 Colours Per mtr
 The grain and texture of 24 exterior quality are comparable to some of the early rexine-type materials and customers with earlier vehicles may prefer to use this for interior work.
- 415 **Ribbed Exterior Leathercloth** 150cm (59") wide. Stocked in black with ribbed effect. For hooding, tonneau covers and body fabric. Very limited stretch, needs warming up to stretch over curves. Can be used as internal vinyl Per mtr
- 183 **CABRIO VINYL HOODING IN BLACK.** 150cm (59") wide. Heavy vinyl coated hooding with fine pebble grain. Water repellent black underside of cotton-based cloth Per mtr



- 269 **Heavy Double Duck hooding** 190cm (75") wide. Stocked in black. Comparable to the pre-war quality duck Per mtr
Fawn 170-178 cm (67"-70") wide, ex stock Per mtr
- 30 **Wigan Weave Double Duck hooding** 178/183cm (70/72") wide. Finer weave and generally lighter weight than No. 269. Stocked in black only Per mtr
Both Duck hoodings are produced from vat-dyed cloth therefore a certain amount of shade variation and general fading may occur. FAWN duck is particularly prone to sun fading.
NOTE THAT SHRINKAGE ON THE COTTON DUCK HOODINGS IS LIABLE TO BE 2%, so please make allowance when fitting
- 141 **'Mohair' Hooding** 150cm (59") wide. Sonnenland: the original double texture hooding. 100% polyester outer layer, with underside in 100% cotton Dobby lining in beige (discreet herringbone type pattern). Limited colours, please enquire Per mtr
- 179 **TWILLFAST Convertible Acrylic Hooding.** 150cm (59") wide. Solution dyed 100% acrylic exterior fabric with twill weave giving superior fade resistance, combined with beige Dobby lining. Black, blue and fawn. Also black with black dobby lining Per mtr

HOODCARE, WEBBING & WINDOWS

- 407 **Black Twillfast Hood Binding.** 32mm (1¼") wide. Single thickness Twillfast without the herringbone backing Per mtr
- 31 **Hood Webbing.** 50mm (2") wide. Black and beige Per mtr



- 381 **Renovo Hood Reviver.** Re-colours and re-conditions canvas, Double Duck and Mohair hoods (NOT VINYL hoods). Best results when used with 382 pre-cleaner/shampoo. 1 litre will give two applications for an average sized vehicle. Works very well on really old and faded hoods. Available in black, dark blue, and brown Per ½ litre bottle
..... Per 1 litre bottle
- 382 **Renovo Pre-cleaner/Shampoo.** For preparation of canvas hood BEFORE Hood Reviver application and for regular cleaning. Removes grime and ingrained dirt without impairing appearance of the fabric Per 500ml bottle
- 383 **Renovo Ultra Proofer.** Re-establishes original waterproof weather barrier and helps prevent road grime, salt, leaf gum and bird dirt from harmful penetration deep into fibres of hood material. Contains UV additive and anti-mould agent. Leaves the double duck and mohair both water AND stain repellent Per ½ litre bottle
..... Per 1 litre bottle



- 384 **Renovo Plastic Window Polish.** Restores transparency, reduces scratches and staining and cleans and conditions. Rub in with soft cotton cloth, allow to dry then polish off Per 30ml bottle
..... Per 100ml bottle
- 404 **Renovo VINYL Soft Top Cleaner.** For PVC hoods/tonneaus. Needs 405 Ultra Proofer to complete the renovation Per 500ml
- 405 **Renovo VINYL Ultra Proofer.** Helps prevent build-up of road grime, salt, leaf gum and bird dirt and resists weathering with UV inhibitor. Ideally needs 404 cleaner to prepare surface Per 500ml
- 35 **Celluloid.** A rigid clear material that gives minimum distortion when used for sidescreens. Stocked in sheets. 127cm x 66cm x 0.8mm (50" x 26" x .030") Per sheet
- 34 **Vybak.** Flexible window sheeting. Durable, heavy-duty clear material for rear windows in folding hoods:
1/3 sheet 42cm x 102cm x 0.8mm (16 1/2" x 40" x .030") ... Per sheet
Full sheet 127cm x 102cm x 0.8mm (50" x 40" x .030") .. Per sheet

HEADLININGS

- 270 **PVC Headlining.** 127cm (50") wide. Light grey and white with lightly embossed pattern as used on Morris Minors and similar Per mtr
- 334 **Perforated PVC Headlinings.** 127cm (50") wide. Choice of Cambridge Print, off-white and black Per mtr
- 334a **Beige 'Moonstone' Perforated PVC Headlining.** Limited original stock approx 120cm (47 1/2") wide Per mtr
- 285 **Nylon Headlining Foam backed.** 127cm (50") wide. As used on Jaguars and similar from the 50's and on. Stocked in Dove Grey (mid grey) and limestone Per mtr
Empire Grey (light grey) Per mtr
- 285a **Special Nylon Headlining.** Approx 127cm (50") wide. Thin foam inner layer backed with woven nylon fabric. Stocked in Cashmere (beige) Per mtr
- 32 **Headlining.** A good, basic quality Union Melton cloth 147cm/150cm (58/59") wide. 80% wool 20% nylon mix. Open weave with sparse nap. Stocked in beige, grey and light green Per mtr
- 142 **Headlining.** All wool 'West of England' type cloth 152/157cm (60/62") wide. One of our better quality plain cloths available from stock in beige, navy and light grey Per mtr
- 33a **Headlining.** All wool cloth in dark red 150cm (59") wide. A really top quality cloth Per mtr

SEATING CLOTHS

- 143 **Heavy All Wool Cloth.** Heavy enough for seating AND headlining quality, stocks may vary.
Dark green 154cm (60 3/4") wide Per mtr
Dark grey 152cm (60") wide Per mtr
Beige 143cm (56") wide Per mtr
- 322 **Plain Seating Cloth 'Moleskin'.** 152cm (60") wide. All cotton, very hard wearing fabric for seating or headlining with nap on one side only. Stocked in light beige Per mtr
- 271 **Bedford Cord.** Heavy pre-war seating quality 152cm (60") wide. Ex-stock in beige, grey and blue. The grey has a thin fire retardant foam backing which can be peeled off if not required. A really top quality wool cloth..... Per mtr
It is worth mentioning that this Bedford Cord has been successfully used 'upside down', both as a plain seating cloth and as a robust headlining. In this way, a matching combination of ribbed and plain cloth can be successfully achieved.
- 247 **Moquette.** Plush wool pile 127cm (50") wide. As used on seat backs, trim panels, rear wheel arches of Classic Cars. A good range of colours. 'Barley', suede green, grey, dark blue, mulberry, black, beige and red..... Per mtr
- 272 **Brushed Nylon Foam Backed.** 137cm (54") wide. Plain plush upholstery material available in beige, grey, dark blue and black Per mtr
- 406 **'Alicante'.** 1 1/2mtr (59") wide. Suede-type seating fabric stocked in charcoal black, blue, beige and light green Per mtr

TRIMMING SUNDRIES


- 148 **Zip.** Heavy duty 107cm (42") zip with closed end. Nickel on brass. Black and fawn Each
- 148a **Zip.** As above but 92cm (36") long Each
- 29 **Piping Cord.** 3mm ($\frac{1}{8}$ ") dia. For seat piping or making hidem ie. can be covered with headlining material or thin leathercloth Per mtr
- 273 **Velcro 'Touch and Close Fastener'.** An alternative to conventional fasteners where two overlapping surfaces need a positive location and yet be easily detachable ie., tonneau cover, carpet, inspection flaps.
- 16mm ($\frac{5}{8}$ ") wide. Black Per mtr
- 25mm (1") wide. Black Per mtr
- 50mm (2") wide. Black Per mtr
- 273a **Self Adhesive Velcro.** As above, but with good quality pressure sensitive adhesive suitable for a wide range of surfaces. Sample snippets can be supplied for TESTING adhesion.
- 16mm ($\frac{5}{8}$ ") wide. Black Per mtr
- 25mm (1") wide. Black Per mtr
- 50mm (2") wide. Black Per mtr
- 149 **Chalk.** Tailor's marking chalk, various colours Each
- 147 **Tacks.** Blue cut 13mm ($\frac{1}{2}$ ") Per 35g ($1\frac{1}{2}$ oz) pkt
- 219 **Escutcheon Pins.** 13mm ($\frac{1}{2}$ ") long. 16g. Nickel/Brass Pkt/50
- 220 **Escutcheon Pins.** 19mm ($\frac{3}{4}$ ") long. 16g. Nickel/Brass Pkt/50
- 396 **Gimp pins.** 13mm ($\frac{1}{2}$ ") Per 100grm bag
- 19mm ($\frac{3}{4}$ ") Per 100grm bag
- 45 **Upholstery Needle.** Curved Each
- 39c **Thread.** Grade 36 poly-cotton. 700mtr spool. Good range of colours for all work, please enquire Each
- 412 **Thread.** Thick heavy grade 20 bonded nylon. Large spool ideal for trade users. 1500mtr. Stocked in black, beige and grey Each

FILLINGS, FOAM & MILLBOARD

- 37 **Wadding.** In 10mtr \times 46cm (11yd \times 18") bundles. White cotton wool type material. Used as single or multiple layers and for stuffing seat flutes Per bundle
- 38 **Hessian.** 183cm (72") wide for covering seat frames or similar before trimming Per mtr
- 244 **Calico.** 122-127cm (48-50") wide. Off-white colour Per mtr
- 244a **Heavy Calico.** 183-188cm (72-74") wide. Off-white colour. Better quality and 'stiffer' than No. 244 Per mtr
- 94 **Platform Cloth.** 137cm (54") wide. Thin BLACK calico-type fabric for covering non-wearing surfaces ie. under seats Per mtr
- 328 **High Resilient Foam Sheeting.** Combustion Mod. to BS 5852. Available in full sheets 239cm \times 203cm (94" \times 80") and in 13mm, 25mm, 38mm, 50mm, 75mm and 100mm thickness. Half AND quarter sheets available *pro-rata*. Makes a very good combination of firmness plus comfort when used with our No. 36 rubberised horsehair.
- 239cm \times 203cm \times 13mm (94" \times 80" \times $\frac{1}{2}$ ") Per sheet
- 239cm \times 203cm \times 25mm (94" \times 80" \times 1") Per sheet
- 239cm \times 203cm \times 38mm (94" \times 80" \times $1\frac{1}{2}$ ") Per sheet
- 239cm \times 203cm \times 50mm (94" \times 80" \times 2") Per sheet
- 239cm \times 203cm \times 75mm (94" \times 80" \times 3") Per sheet
- 239cm \times 203cm \times 100mm (94" \times 80" \times 4") Per sheet
- CUSHIONS 56cm \times 51cm \times 100mm (22" \times 20" \times 4") Each
- This foam should NOT be confused with the average 'market' quality. Please ALLOW FOR CARRIAGE if ordering full sheets of foam.
- 133 **Foam Sheeting.** 6mm ($\frac{1}{4}$ ") thick and approx. 2.1mtr (84") wide. A very collapsible foam ideal for nominal padding Per mtr
- 380 **Scrim Foam.** $1\frac{1}{2}$ mtr (59") wide. 12mm ($\frac{7}{16}$ ") and 6mm ($\frac{1}{4}$ ") thick foam with a thin backing so is suitable for stitching Per mtr
- 48 **Millboard.** 2.3mm ($\frac{3}{32}$ ") thick. Compressed card consistency with one side faced black and lightly grained. Ideal for trim panels. Stocked in sheets approx. 155cm \times 124cm (61" \times 49") Per sheet

- 36 **Rubberised Horsehair.** Synthetic preparation that gives a 'firm seat' without the lumpiness of the genuine horsehair. Flame retardant. Stocked in sheets 183cm × 91.5cm × 2.5cm (6' × 3' × 1") Per sheet

HIDEM BANDING



- 27 **Hidem Banding** 16mm ($\frac{5}{8}$ ") wide. Grained leathercloth. Stocked in biscuit, black, red, maroon, brown, green, beige, blue and grey Per mtr
- 140 **Hidem Banding** 13mm ($\frac{1}{2}$ ") wide. Grained leathercloth finish, stocked in black and beige only Per mtr
- 418 **Duck Hidem Banding.** Black Cotton Duck. Used as a finisher across the front of hoods. 16mm ($\frac{5}{8}$ ") wide Per mtr
- 240 **Hidem Banding Cloth Covered.** 16mm ($\frac{5}{8}$ ") wide. Beige and grey that complement No. 32 and 142 headlinings Per mtr
- 28 **Hidem End Caps** to suit 16mm ($\frac{5}{8}$ ") hidem only. Nickel plated on BRASS so suitable for exterior work Each

FELTS & SOUND DAMPING

- 136 **Felt.** 6mm ($\frac{1}{4}$ ") thick for sound deadening under carpet or trim. 137cm (54") wide Per mtr
- 137 **Felt.** 11mm ($\frac{7}{16}$ ") thick for sound deadening as above. 137cm (54") wide and unbacked Per mtr
- 241 **Hardura Felt.** 127-132cm (50-52") wide felt coated on one side with tough, durable PVC with an embossed finish. Approx. 3mm ($\frac{1}{8}$ ") thick. Original equipment for lining luggage space in many classic cars. Ex-stock in black, dark blue, red, biscuit, 'suede green', beige and grey Per mtr
Also orangy red at a very good price Per mtr
- 241a **Heavy Hardura Felt.** Approx. 132cm (52") wide. Varies 6mm-10mm ($\frac{1}{4}$ "- $\frac{3}{8}$ ") thick with tough, durable PVC coating with an embossed finish. As used on the early Jaguar XJ6 and Minis. Can be used under bonnet, engine bulkheads or extra noisy areas where a wipe-clean surface is preferred. Stocked in black only Per mtr
Allow for CARRIAGE due to BULK of this Heavy Hardura.
- 349 **Ribbed Hardura Felt.** 130cm (51") wide. Black PVC coated felt with ribs 3mm ($\frac{1}{8}$ ") wide running across the roll. Approx. 6mm ($\frac{1}{4}$ ") thick Per mtr
Colours also available in dark blue, red and biscuit 137cm (54") wide Per mtr
- 292 **Sound Deadening Felt.** Approx. 13mm ($\frac{1}{2}$ ") thick, 137cm (54") wide. One side coated in black latex solution. Fire resistant to FMVSS 302. A really good dense felt Per mtr
- 135 **Sound and Vibration Damping Pads.** 1.6mm thick (just under $\frac{1}{16}$ "). Self Adhesive. For inside doors, roofs, bulkheads and floors. Dark grey, 'bitumastic-type' material. Cut to size/shape BEFORE backing paper is removed. Make sure surface to be applied is completely clean. Peel backing and press firmly into place. Both pad and adhesive can withstand temperatures between -30°C and +120°C and are highly resistant to aging. For best results the temperature of the pad and application surface should NOT be below room temperature. Product is VERY FRAGILE WHEN COLD.
Pad approx. 51cm × 18cm (20" × 7") Each
Half sheet 80cm × 1mtr (31.5" × 39") Each
Full sheet 1.6mtr × 1mtr (63" × 39") Each
- 409 **Acoustic Foam.** 12mm (approx. $\frac{1}{2}$ ") thick. Fire retardant (self extinguishing FMVSS302). Bonded to a self adhesive sound and vibration damping sheet. To reduce both panel resonance and sound. Sheet size 1mtr × 1mtr (39 $\frac{1}{4}$ " × 39 $\frac{1}{4}$ ") Per sheet



410 **FOIL COATED Acoustic Foam.** As 409 above but with added benefit of a heat reflective foil facing which will withstand up to 250°C. Is ideal for under bonnet or any area where heat deflection is required. Sheet size 1mtr × 1mtr (39¼" × 39¼")..... Per sheet

HEAT RETENTION & DEFLECTION

- 367 **Aluminised Heat Barrier.** Flexible high temperature insulation. Approx. 2mm thick. Used as a heat shield, the barrier should be installed with highly reflective metallic surface facing the heat source. To **RETAIN** heat, position with **FABRIC** side facing the heat. 1mtr (39") wide per mtr
- 368 **Thermo Shield Self Adhesive Tape.** Roll 38mm (1½") wide × 4.57mtr (15ft) long × approx. 1mm thick. Very flexible high silica fibre with metallised mirror finish. For wrapping/protecting any hoses, fuel lines, wiring etc. from damaging engine/exhaust heat. Can be fitted *insitu* without removal/disconnection of components. Also ideal for binding raw edges of 369 Cool It Mat below Per roll
- 369 **Cool It Mat.** 61cm × 122cm (24" × 48"). Supplied as approx. 10mm (¾") thick but will compress. New composite thermal/sound insulation that reduces engine heat/noise when fitted to bulkhead/firewall. Also under bonnet and above transmission housings. Very durable resin bonded silica blanket sandwiched between outer reflective facings of Mylar and foil. Stiffer and thicker side to face heat and it can be layered if required. Trim to size. Push-in fasteners supplied and/or refer 259 high heat adhesive page 12. Appearance can be enhanced by using 368 Thermo Tape to bind the raw edges and/or as support strapping Per mat



379 **Exhaust Insulating Wrap.** 1.5mm (⅛") thick. For wrapping around exhaust manifolds and down pipes. Asbestos free,silicon based wrap. 6mm (¼") overlap recommended. Reduces under bonnet heat by up to 75%, increasing power and fuel efficiency. Will withstand up to 2000°F.

25mm (1") × 15.23mtr (50ft) long Per roll
 50mm (2") × 15.23mtr (50ft) long Per roll

A guide to coverage per 30cm (1ft) of pipe as follows:
 38mm (1½") dia. pipe uses 1.83m (6ft) of 25mm (1") wrap
 50mm (2") dia. pipe uses 2.5m (8ft 2") of 25mm (1") wrap
 50mm (2") dia. pipe uses 1.12m (44") of 50mm (2") wrap
 75mm (3") dia. pipe uses 1.45m (57") of 50mm (2") wrap

ADHESIVES

- 329 **Aerosol Adhesive.** 500ml aerosol tin ideal for all upholstery, felts, carpet and 328 foam sheeting. Adjustable nozzle for fine, medium or heavy spray coating Per can
- 376 **Aerosol High Heat Adhesive.** 500ml. Remains effective up to 70°C (158°F). Adjustable nozzle for fine, medium or heavy spray coating. Ideal for the high temperatures experienced in automotive use (headlinings, bulkheads etc). A useful alternative to our 259 high heat 1 litre tins Per can
- 52 **Adhesive Thixofix/AF172.** Slow contact adhesive ie. can be manoeuvred into position. For cloth to metal/wood
 Per ½ litre tin
 Per 1 litre tin

- 350 **S708/AF170 Synthetic Adhesive.** General purpose. Coat both surfaces with thin, even film and allow to almost dry before bringing together under maximum pressure Per 1 litre tin
Refer page 21 for Loctite Super Glue. Best for rubber and sponge extrusions.
- 53 **Adhesive L107/AF167.** For cloth to cloth ie. absorbent surfaces Per 1 litre tin
- 277 **Adhesive S758/AF176.** General purpose contact, for PVC, leather-cloth, rubber to metal/wood Per ½ litre tin
..... Per 1 litre tin
- 259 **Adhesive S1358/AF178.** High heat resistant, ie. ideal for vinyl roofs. The STRONGEST of our adhesives Per 1 litre tin
- 366 **Glue Gun.** As used by the trade. Suitable for all above adhesives EXCEPT 52 Thixofix. Approx. capacity 0.25ltr Each
- 366b **Spare Brush for glue gun** Each




CARPETS

- 57a **Carpet 150cm (59") wide.** A tough, rubber backed tufted carpet with a good pile. Needs binding. A good range of colours: red, fawn/sand, maroon, dark blue, beige, dark green, brown and grey Per mtr
- 57b **Hessian Backed Carpet.** 1½mtr (59") wide. As above 57a, but with a traditional hessian backing, resulting in a slightly heavier carpet which lays well. Ex-stock black only Per mtr
- 421 **Budget Carpet black/charcoal.** 107cm (42") wide 100% Polypropylene. A soft piled budget carpet with pliable rubber backing Per mtr
- 413 **Rotproof Lining Carpet.** 2mtr (78") wide. Loop pile, soft, very flexible lining carpet. Not suitable for heavy wear areas but ideal for e.g. side walls, approx 5mm (¾") thick. Polypropylene, non-fray type. Stocked in black, blue and red Per mtr
- 290a **Long Pile Carpet.** 107cm (42") wide. A really splendid, close 80/20 wool mix pile in a firm but pliable rubber backing. Original quality produced for Jaguar and similar in the 1950s. Stocked in light and dark beige, black, light and dark blue, cinnamon, red, dark and suede green, brown, mulberry and grey Per mtr
- 291 **Rotproof Loop-pile Carpet black.** 2mtr (78¾") wide. Closely woven short pile, approx 5mm (¾") thick. Polypropylene carpet, non-fray type with synthetic backing. Please allow for carriage due to width of roll Per mtr
- 154a **'Thin-Ribbed' Carpet.** Rotproof polypropylene. 2mtr (78¾") wide. Non-fray. Narrow 3mm (⅛") ribs running for length of the roll. Thin and pliable, so needs a good underfelt to give it some 'body'. Stocked in light beige, grey, black, a very light grey and brown Per mtr
154a carpet is ideal for side and roof linings on campers and van conversions.
- 61 **Karvel Carpet.** 100cm-107cm (39"-42") wide. Newly produced tight polypropylene pile with discreet 'ribbed' effect as original. Hessian backing makes Karvel virtually non-fraying, ribs run across roll. Stocked in black, dark blue and red Per mtr
- 58 **Wilton Carpet.** 1mtr (39¼") wide. A very good quality motor Wilton in dark red only, limited stock Per mtr
- 109 **HILTON 'Wilton' 80/20 wool pile carpet.** 1.4m (55") wide. Approx 8mm (⅝") thick. Hilton is a further development of traditional motor Wilton carpet. Made using modern machinery, it incorporates the best features of the original carpet in weight and surface appearance. The durable latex backing makes for excellent handling/laying. The useable extra width allows for less joins i.e. limousine boot areas in one piece.
Ex stock in blue, black, green, grey, mulberry, red, dark brown and beige Per mtr

CARPET SUNDRIES/ACCESSORIES

- 59 **Carpet Fastener Socket.** Black metal ring is pushed down through the pile into the socket and the points folded over. Invisible when carpet is in position .. Pkt 10
- 60 **Carpet Fastener Stud.** For fitting to floorboards or side panels with screw. The other part of No. 59 Pkt 10



PLEASE REFER TO PAGE 10 FOR UNDERFELTS AND HARDURA, plus
PAGE 5 FOR 306A HEAVY COTTON LACINGS AS BINDING

- 278 **Storvic Heel Pad.** Tough, pliable PVC. Approx. 1mm thick. Original classic car heel-mat material. Black, red, navy, beige and grey. For sewing into high-wear areas of the carpet.
Per piece approx. 28cm x 18cm (11" x 7") Each
Per mtr off the roll, widths vary please enquire..... Per mtr
- 234 **Carpet Binding.** 38mm (1½") wide cotton webbing in a good range of colours Per mtr
- 246 **Carpet Binding.** 38mm (1½") wide non-stretch leathercloth. One side folded over for neat top edge. Good range of colours .. Per mtr



GASKET MATERIALS

- 70R Rubberised cork sheet 1.5mm (1/16") approx. 3' x 2' Each
- 71R Rubberised cork sheet 3mm (1/8") x approx. 3' x 2' Each
- 72 Paper jointing 0.4mm (1/64") x approx. 3' x 2' Each
- 73 Paper jointing 0.80mm (1/32") x approx. 3' x 2' Each
- 74 Asbestos free wire reinforced graphited sheet 0.75mm (1/32") x approx. 1' x 1' Each
- 74a Asbestos free wire reinforced graphited sheet 0.75mm (1/32") x approx. 3' x 1' Each
- 75 Asbestos free graphited sheet 0.75mm (1/32") x approx. 2' x 1' ..Each
- 76 Asbestos free graphited sheet 1.5mm (1/16") x approx. 2' x 1' ..Each



Federation of British Historic Vehicle Clubs

We are pleased to be members of the Trade Support Scheme of the FBHVC, who strive to "ensure that club members and their vehicles continue to enjoy the freedom of the use of the roads in the United Kingdom and Europe".

WINDOW CHANNELS



151



233



51



50



317



319



335



336/337


- 151 Window Channel.** Single track flexible metal covered in felt/rubber. Can be squeezed to take 4.7mm or 6mm ($\frac{3}{16}$ " or $\frac{1}{4}$ ") glass. Approx. 15mm ($\frac{9}{16}$ ") overall width. This channel will hold its shape when bent. Can be coiled for posting Per mtr
- 151R Rigid Single Track Window Channel.** 15mm ($\frac{9}{16}$ ") overall width. Same as 151 but TOTALLY RIGID Per 2mtr (78 $\frac{3}{4}$ ") length
- 233 Rigid Alloy Window Channel.** Highly polished. 15mm ($\frac{9}{16}$ ") overall width 15mm tall with inner width 11mm ($\frac{7}{16}$ "). Supplied as basic channel WITHOUT insert Per 2.5mtr (8' 2") length Please allow for carriage. Inserts 116/117 below and page 15.
- 51 Window Channel.** Single track velvet covered rubber for 6mm ($\frac{1}{4}$ ") glass. Approx 13mm ($\frac{1}{2}$ ") overall width Per mtr
- 50 Window Channel.** Single track velvet covered rubber for 4.7mm ($\frac{3}{16}$ ") glass. Approx 10mm ($\frac{3}{8}$ ") wide, so our SMALLEST channel! Per mtr
- 317 Universal Window Channel.** Single track velvet covered rubber. Approx. 12mm ($\frac{1}{2}$ ") overall at base, but sides have natural tendency to 'lean-out', making it very adaptable. Inner flanges can cope with varying thicknesses of glass Per mtr
- 319 Universal Window Channel.** Larger version of 317. Approx. 16mm ($\frac{5}{8}$ ") overall width at base. Sides 'lean-out' and inner flanges cope with varying thicknesses of glass Per mtr
- 335 Rigid Alloy 'Double' Window Channel.** Highly polished sides and top beads. 26mm (1 $\frac{1}{32}$ ") overall width and 16mm ($\frac{5}{8}$ ") tall. Supplied under this part number WITHOUT felt runner insert, but will accept both double velvet covered rubber channels 336 and 337. Please allow for carriage..... Per 2.5mtr length
- 337 Double Velvet Covered Rubber Window Channel.** For 6mm ($\frac{1}{4}$ ") glass. Overall width 22mm ($\frac{7}{8}$ ") Per mtr
- 336 Double Velvet Covered Rubber Window Channel.** For 4.7mm ($\frac{3}{16}$ ") glass. Overall width 20.5mm (approx. $\frac{13}{16}$ ") Per mtr Both 336 and 337 will fit into the 335 rigid alloy channel, but 336 will need nominal extra packing (88 Flat rubber strip 50mm \times 1.5mm is ideal, page 21 or 313 Dum Dum type putty page 20).
- 116 Special Window Channel for 233.** Single track velvet covered rubber for 4.7mm ($\frac{3}{16}$ ") glass to fit snugly into 233 rigid alloy. (NOT shown) Per mtr



- 117 **Special Window Channel for 233.** Single track velvet covered rubber for 6mm (1/4") glass to fit snugly into 233 rigid alloy. (NOT shown) Per mtr

BLACK VELVET AND BLACK FELT

- 378 **Thin Black Velvet Fabric.** 1.38m (54 1/4") wide. Ideal for re-covering window channels or horizontal weatherstrip on early vehicles ie wrapped around R181 or R97 black rubbers on p19 (useful for surfaces adjacent to glass where non friction is preferable... even glove box lining).
Per 10cm (4") wide strip x 1.38m (54 1/4") long Each
Per mtr off the roll 1.38mtr (54 1/4") wide..... Per mtr
- 87 **Black Felt** for window channels or fitting between bodywork and chassis. Specify size when ordering:
25mm x 3mm (1" x 1/8") Per 1.83mtr (6ft) length
50mm x 1.5mm (2" x 1/16") Per 1.83mtr (6ft) length
50mm x 3mm (2" x 1/8") Per 1.83mtr (6ft) length
50mm x 6mm (2" x 1/4") Per 1.83mtr (6ft) length
75mm x 3mm (3" x 1/8") Per 1.83mtr (6ft) length
75mm x 6mm (3" x 1/4") Per 1.83mtr (6ft) length
Bulk Black Felt 3mm (1/8") thick from roll approx. 183cm (72") wide for lining tool boxes etc Per approx. square 30.5cm (1ft)



- 255 **Window Weatherstrip.** This is the exterior waistseal in rubber with PVC vertical insert. Black velvet covering on inner face that fits against the glass. Would seal up to 11mm (7/16") gap between glass and window frame, but minimum 6mm (1/4") gap unless the leading edge is trimmed down. Per 1mtr (39 1/4") length Per length
- 95a **Window Weatherstrip.** Small exterior weatherstrip in rubber with PVC vertical insert. Black velvet covering on inner face that fits against the glass. Seals up to 10mm (3/8") gap. Useful where space is limited. 15mm across top of "T". Leg is approx 10mm long. A useful alternative to the 255 weatherstrip above.
Per 1mtr (39 1/4") length Per length
- 330 **Vertical Window Weatherstrip.** A metal 'U' section covered in a black cloth with a brush section on one outside edge of the 'U'. This is generally used as a draught excluder between two pieces of sliding glass (eg. on Minis and vans) but has a variety of uses.
Per 1.1mtr length Per length
- 152 **Window Weatherstrip.** 15mm (9/16") tall. Metal insert. One side covered in plush material that rubs against the glass. Both interior and exterior use. Please advise if weatherstrip can be cut down for posting. Per 2mtr (78 3/4") length Per length
- 261 **Spring Clip** for 152. The weatherstrip must be drilled to accept this clip (as used on Morris Minors) Pkt 10
- 276 **Spring Clip** that fits onto the bottom bead of 152 weatherstrip (as used on Jaguar MkII saloons and similar) Pkt 10
- 262 **'U' Spring Clip** with 4.7mm (3/16") gap. Can be used with 255 weatherstrip Pkt 10
- 420 **Ford Spring Clip.** External weatherstrip clip. Long 'U' section pushes onto metal edge of door and small 'u' set at 90° holds the weatherstrip (not shown) Pkt 10

300 Self-Adhesive Black Sponge Strip. Skinned on 2 SIDES ONLY, but closed-cell and virtually non-absorbent (technically only 5% absorbent). Special blend of synthetic polymers, giving good resistance to weather ageing and oil contamination. Self-extinguishing when the source of ignition is removed. Surface must be CLEAN and DRY before applying with finger pressure.


The drawings below show the basic widths and thicknesses available, providing a useful range of 22 different sizes.



For Self-Adhesive Black Sponge SHEET 3mm ($\frac{1}{8}$ ") and 8mm ($\frac{5}{16}$ ") thick refer to 300s on page 22.


- 3mm x 13mm ($\frac{1}{8}$ " x $\frac{1}{2}$ ") Per mtr
- 3mm x 25mm ($\frac{1}{8}$ " x 1") Per mtr
- 3mm x 38mm ($\frac{1}{8}$ " x $1\frac{1}{2}$ ") Per mtr
- 3mm x 50mm ($\frac{1}{8}$ " x 2") Per mtr
- 3mm x 75mm ($\frac{1}{8}$ " x 3") Per mtr

} Per approx. 36mtr (118ft)
rolls LESS Special 15%
Trade Discount




- 5mm x 16mm ($\frac{3}{16}$ " x $\frac{5}{8}$ ") Per mtr

} Per approx. 44mtr (144ft)
rolls LESS Special 15%
Trade Discount




- 8mm x 25mm ($\frac{5}{16}$ " x 1") Per mtr
- 8mm x 38mm ($\frac{5}{16}$ " x $1\frac{1}{2}$ ") Per mtr
- 8mm x 50mm ($\frac{5}{16}$ " x 2") Per mtr
- 8mm x 75mm ($\frac{5}{16}$ " x 3") Per mtr

} Per approx. 27mtr (88ft)
rolls LESS Special 15%
Trade Discount



- 13mm x 25mm ($\frac{1}{2}$ " x 1") Per mtr
- 13mm x 38mm ($\frac{1}{2}$ " x $1\frac{1}{2}$ ") Per mtr
- 13mm x 50mm ($\frac{1}{2}$ " x 2") Per mtr
- 13mm x 75mm ($\frac{1}{2}$ " x 3") Per mtr

} Per approx. 16½mtr (54ft)
rolls LESS Special 15%
Trade Discount



- 19mm x 25mm ($\frac{3}{4}$ " x 1") Per mtr
- 19mm x 38mm ($\frac{3}{4}$ " x $1\frac{1}{2}$ ") Per mtr
- 19mm x 50mm ($\frac{3}{4}$ " x 2") Per mtr
- 19mm x 75mm ($\frac{3}{4}$ " x 3") Per mtr


} Per approx. 12mtr (39ft)
rolls LESS Special 15%
Trade Discount





25mm × 25mm (1" × 1")	Per mtr	} Per approx. 8mtr (26ft) rolls LESS Special 15% Trade Discount
25mm × 38mm (1" × 1½")	Per mtr	
25mm × 50mm (1" × 2")	Per mtr	
25mm × 75mm (1" × 3")	Per mtr	

Black Neoprene Sponge Extrusions (shown approx. life size)



SRS 8



SRS25



SRS20



SRS30



SRS15



SRS91



SRS26



SRS24*



SRS27



SRS 2



SRS97



SRS 5



SRS 4



SRS36




SRS110



SRS71




SRS14



160 Moulded Sponge Strip (Skinned on all 4 sides).

3mm x 16mm (1/8" x 5/8")	Per mtr
6mm x 13mm (1/4" x 1/2")	Per mtr
13mm x 13mm (1/2" x 1/2")	Per mtr
10mm x 19mm (3/8" x 3/4")	Per mtr

Skinned Sponge Extrusions (shown approx. life size)



252	Sponge Piping 6mm (1/4") dia. x 25mm (1") flange	Per mtr
253	Sponge Piping 8mm (5/16") dia. x 30mm (1 3/16") flange	Per mtr
254	Neoprene Sponge Cord 10mm (3/8") dia., ideal for making draught excluder piping	Per mtr
254a	Neoprene Sponge Cord 6mm (1/4") dia.	Per mtr






Federation of British Historic Vehicle Clubs

We are pleased to be members of the Trade Support Scheme of the FBHVC, who strive to "ensure that club members and their vehicles continue to enjoy the freedom of the use of the roads in the United Kingdom and Europe".

Black Rubber Extrusions from Stock

The following are shown as **APPROX. LIFE SIZE END SECTIONS.**
PRICES PER METRE unless stated otherwise. We are always prepared to accept customer's samples and will give a quick and positive answer as to availability.






- 358 **Plastic ‘Chrome’ Filler Insert.** Slightly OVERSIZE, but an alternative to the black filler supplied with the sections shown above ... Per mtr
- 1181 **Plastic ‘Chrome’ Filler Insert,** as supplied with R1181 shown on page 19 Per mtr

SURFACE PREPARATION FOR STICKING RUBBER AND SPONGE EXTRUSIONS. All adhesives work best on a clean dry surface. We suggest that the ‘sticking surface’ should be nominally roughed-up with a fine abrasive paper to ensure a good key.



- 313 **‘Dum Dum’ Type Putty.** For sealing wherever it is necessary to prevent the passage of air and moisture between metal, wood, glass and plastic. Surfaces must be well cleaned.
- Per 400grm tub Each
- Per 1½kg tub Each



- 150 **Universal Fitting Tool.** For filler inserts in windscreen sections R1181 (p19) and the six sections on page 20. Good, grippable synthetic rubber handle. Supplied with a selection of detachable tools as shown Per set

TUBING, MATTING & SHEET


- 301 **Hollow Rubber Drain Tubing.** Best quality black rubber. All sizes have 3mm ($\frac{1}{8}$ ") thick walls. Also useful as a 'core' for large draught excluder piping:
 6mm ($\frac{1}{4}$ ") bore 13mm ($\frac{1}{2}$ ") OUTSIDE dia. Per mtr
 8mm ($\frac{5}{16}$ ") bore 15mm ($\frac{9}{16}$ ") OUTSIDE dia. Per mtr
 10mm ($\frac{3}{8}$ ") bore 16mm ($\frac{5}{8}$ ") OUTSIDE dia. Per mtr
 13mm ($\frac{1}{2}$ ") bore 19mm ($\frac{3}{4}$ ") OUTSIDE dia. Per mtr
- 372 **Hollow Rubber Tubing.** 8mm ($\frac{5}{16}$ ") OUTSIDE dia. with 4.7mm ($\frac{3}{16}$ ") hole. Useful as a small drain tube or 'inner' for pipings Per mtr
- 281 **Loctite Super Glue.** Ideal for our rubber/sponge extrusions onto metal, painted surfaces, wood, plus some fabrics and plastics. (NOT glass.) Gives a good bond in seconds, with full strength after approx. 6 hours. Apply SPARINGLY to one surface only. Careful use could give up to 120-152cm (4-5ft) run per 1 gram of glue Per 3grm tube
 Per 5grm bottle



- 85 **Black Rubber Sheet.** Broad rib. 4 flat-topped ribs per 25mm (1").
 Per running mtr \times 30.5cm (1ft) wide
 Per running mtr \times 61cm (2ft) wide
 Per running mtr \times 91.5cm (3ft) wide
 Per running mtr \times 122cm (4ft) wide
- 86 **Black Rubber Sheet.** Narrow rib. 8 point-topped ribs per 25mm (1").
 Per running mtr \times 30.5cm (1ft) wide
 Per running mtr \times 61cm (2ft) wide
 Per running mtr \times 91.5cm (3ft) wide
 Per running mtr \times 122cm (4ft) wide
- Both ribbed mattings are supplied to us in 10mtr rolls \times 122cm wide (approx. 33ft \times 4ft) with ribs running along the roll. Please enquire for full roll Trade discount.
- 104 **Black Pyramid Pattern Matting.** Neoprene/Rubber. Approx. 3mm ($\frac{1}{8}$ ") thick. Pyramids are diagonal along the roll (DIAMOND shaped), giving 4 per 25mm (1"). Rolls approx. 32mtr (105ft) long and 915mm (3ft) wide Per running mtr \times 30.5cm (1ft) wide
 Per running mtr \times 61cm (2ft) wide
 Per running mtr \times 91.5cm (3ft) wide
- 386 **HEAVY Black Pyramid Pattern Matting.** 6mm ($\frac{1}{4}$ ") thick. Pyramids are SQUARE along the roll, giving approx 4 per 25mm (1"). Rolls approx 4.2mtr (13ft 9") long \times 1mtr (39 $\frac{3}{8}$ ") wide Per mtr
 Supplied to NEAREST 33cm (13") \times 1mtr widePrice *pro rata*
- 88 **Flat Black Rubber Strip** for glazing or packing:
 50mm \times 1mm Per mtr
 50mm \times 1.5mm (2" \times $\frac{1}{16}$ ") Per mtr
 50mm \times 3mm (2" \times $\frac{1}{8}$ ") Per mtr
 75mm \times 1.5mm (3" \times $\frac{1}{16}$ ") Per mtr
 75mm \times 3mm (3" \times $\frac{1}{8}$ ") Per mtr

- 385 Flat Black Neoprene Rubber SHEET** 1.36mtr (53½") wide smooth finish.
- | | |
|------------------------|---------|
| 1.5mm (⅙") thick | Per mtr |
| 3mm (⅛") thick | Per mtr |
| 6mm (¼") thick | Per mtr |
- 300S Self Adhesive Black Sponge SHEET** 1mtr (39⅞") wide. Skinned on 2 sides but closed-cell and virtually non-absorbent (refer p16 and 17 for full details + 22 different sizes of STRIP). Take care when peeling off backing, only peel backing and not sticky layer as well.
- | | |
|----------------------|---------|
| 3mm (⅛") thick | Per mtr |
| 8mm (⅝") thick | Per mtr |

PIPINGS




- 274 Wing Piping, PVC.** Half round 'T' section. 6mm (¼") wide bead with ribbed flange 16mm (⅝") long. Ex-stock in black and white
- 307 Solid Bead Wing Piping.** Approx. 6mm (¼") dia. bead with 25mm (1") flange. Ex-stock in standard Morris Minor colours: Trafalgar Blue, Standard Grey, Smoke Grey (light blue), Almond Green, Old English White, Black, Rose Taupe (greyish), Red and Maroon
- 153 Wing Piping, PVC.** Hollow bead 6mm (¼") dia. with 25mm (1") flange. Stocked in black only
- 55 Wing Piping.** Shiny patent finish black leathercloth 8mm (⅝") cord with 32mm (1¼") flange
- 54a Wing Piping.** Grained dull black leathercloth 8mm (⅝") dia. cord with 32mm (1¼") flange
- 54 Wing Piping.** Grained dull black leathercloth 6mm (¼") dia. cord with 32mm (1¼") flange
- 248 Wing Piping.** As 54 but 4.7mm (⅜") dia. cord
- 56 Interior Piping, PVC.** 3mm (⅛") dia. bead. 10mm (⅜") flange. Ex-stock in black, red, white, grey, yellow and brown
- 29 Piping cord.** 3mm (⅛") dia. For seat piping or making hidem ie. can be covered with headlining material or thin leathercloth
- 210 Interior Piping Vinyl Covered.** Approx. 4mm (⅝") dia. bead. 10mm (⅜") flange. A good range of colours. Rolls usually 60mtr long
- 275 Bumper Overrider Beading, PVC.** 10mm (⅜") wide. 1.5mm (⅙") slot. Black
- 305 Miniature Black PVC Overrider.** Only 4.7mm (⅜") dia



ALUMINIUM STRIP

(shown actual size)



- 256 Guttering. Lip folds down to hide screw heads Per 2.13mtr (7ft)
 62 Running board edging. 6 rib fluted top. 19mm sides ($\frac{3}{4}$ ") Per 2mtr (6 $\frac{1}{2}$ ft)
 157 Running board edging. 9 rib fluted top. 25mm sides (1") Per 2mtr (6 $\frac{1}{2}$ ft)
 63 Offset tee. 22mm ($\frac{7}{8}$ ") wide. 19mm ($\frac{3}{4}$ ") flange Per 2mtr (6 $\frac{1}{2}$ ft)
 65 Half round 19mm ($\frac{3}{4}$ ") wide (shown oversize) Per 5mtr (16.4ft)
 66 Half round 16mm ($\frac{5}{8}$ ") wide Per 4mtr (13ft)
 158 Half round 13mm ($\frac{1}{2}$ ") wide Per 4mtr (13ft)
 159 Cope moulding 24mm ($\frac{15}{16}$ ") wide overall. 20mm x 6mm inside Per 2mtr (6 $\frac{1}{2}$ ft)

Aluminium Running Board Tread with Black Rubber Filler

- 67 22mm ($\frac{7}{8}$ ") wide tread complete with domed filler .. Per 1.83mtr (6ft)
 68 16mm ($\frac{5}{8}$ ") wide. Domed or 3-rib filler as shown ... Per 1.83mtr (6ft)
 (Other profiles can be used with 68 tread: SRS24 (p17) is a **tight** fit.
 Rubber filler available SEPARATELY: Large domed as 67 .. Per mtr
 Small domed as 68 .. Per mtr
 3-rib as 68 Per mtr

Aluminium also available SEPARATELY without filler:


- 67 aluminium only Per 1.83mtr (6ft)
 68 aluminium only Per 1.83mtr (6ft)

Please allow for carriage or arrange collection of all aluminium strips.
 Alternatively, we can cut items down to 1.45mtr long or less for posting.

- 166 **Alloy End Cap.** Approx. 22mm wide to fit
 No. 67 alloy Each

NB: ... COULD be 'squeezed' to reduce
 width to 16mm for use with narrower No. 68,
 but would also need approx. 1.5mm fettling
 OFF the base...!





- 315 Hollow 'D' Section Steel Bar for Hood Frames.** 19mm ($\frac{3}{4}$ " wide and 10mm ($\frac{3}{8}$ " tall. Stocked in approx. 183cm (6ft) lengths. Needs a pipe-bender to get a professional, constant radius bend Per length
- 316 Soft Alloy Pin Beading.** Really workable. Highly polished finish. Choice of 10mm or 12mm ($\frac{3}{8}$ " or approx. $\frac{1}{2}$ " wide. Approx. 2.5mtr (98 $\frac{1}{2}$ " lengths. 16mm ($\frac{5}{8}$ " long nails positioned every 90-100mm approx. (3 $\frac{3}{4}$ "-4"). A useful alternative to the brass lead-filled pin beading Per 2.5 metre length 10mm wide
..... Per 2.5 metre length 12mm wide
- 145 Brass Pin Beading.** 10mm ($\frac{3}{8}$ " wide half round lead-filled brass beading with 13mm ($\frac{1}{2}$ " nails. Can be covered with leathercloth or hide, plated or polished to self colour brass Per 2 metre length
..... Per 3 metre length
- Please allow for carriage when ordering the above lengths.**


SCREWS AND BONNET TAPE



- 297 Dished Cup Washers.** Nickel/Chrome on brass. For counter-sunk screws to give that finishing touch on trim and interior cappings.
Size 4 (overall dia. 7mm) Pkt 10 Per box 200
Size 6 (overall dia. 8.5mm) Pkt 10 Per box 200
Size 8 (overall dia. 10.5mm) Pkt 10 Per box 200
- 43 Raised Cup Washers.** Nickel/Chrome on brass.
Size 4 (overall dia. 8mm) Pkt 10 Per box 200
Size 6 (overall dia. 10mm) Pkt 10 Per box 200
Size 8 (overall dia. 12mm) Pkt 10 Per box 200
- 293 Captive Nut.** Tempered steel. For push-fit onto edge of panel or similar. Suitable for size 6 and 8 screws only Pkt 10
- 298 Double Sided Edge Clip.** Tempered steel. 11mm tall. 1.3mm gaps Pkt 10
- 299 Self Tapping Countersunk Raised Slot-head Screws.** Stainless steel. Dia. of screw head: 4 = 5.5mm, 6 = 6.5mm and 8 = 8mm.
 $\frac{1}{2}$ " (13mm) \times size 4 Pkt 10 Per box 200
 $\frac{5}{8}$ " (16mm) \times size 4 Pkt 10 Per box 200
 $\frac{3}{4}$ " (19mm) \times size 4 Pkt 10 Per box 200
1" (25mm) \times size 4 Pkt 10 Per box 200
 $\frac{1}{2}$ " (13mm) \times size 6 Pkt 10 Per box 200
 $\frac{5}{8}$ " (16mm) \times size 6 Pkt 10 Per box 200
 $\frac{3}{4}$ " (19mm) \times size 6 Pkt 10 Per box 200
1" (25mm) \times size 6 Pkt 10 Per box 200
 $1\frac{1}{4}$ " (32mm) \times size 6 Pkt 10 Per box 200
 $\frac{5}{8}$ " (16mm) \times size 8 Pkt 10 Per box 200
 $\frac{3}{4}$ " (19mm) \times size 8 Pkt 10 Per box 200
1" (25mm) \times size 8 Pkt 10 Per box 200
 $1\frac{1}{4}$ " (32mm) \times size 8 Pkt 10 Per box 200



- 44 **Wood Screws.** Raised slot-head countersunk woodscrews nickel/chrome on brass. Dia. of screw head: 4 = 5.5mm, 6 = 6.5mm and 8 = 8mm.
- | | | |
|------------------------|--------|-------------|
| 5/8" (16mm) × size 4 | Pkt 10 | Per box 200 |
| 3/4" (19mm) × size 4 | Pkt 10 | Per box 200 |
| 1/2" (13mm) × size 6 | Pkt 10 | Per box 200 |
| 3/4" (19mm) × size 6 | Pkt 10 | Per box 200 |
| 1 1/4" (32mm) × size 6 | Pkt 10 | Per box 200 |
| 3/4" (19mm) × size 8 | Pkt 10 | Per box 200 |
| 1 1/4" (32mm) × size 8 | Pkt 10 | Per box 200 |



Bonnet Tape

Woven FLAT type for threading through holes in radiator or bulkhead.

- | | | |
|----|------------------|---------|
| 77 | 10mm (3/8") wide | Per mtr |
| 78 | 13mm (1/2") wide | Per mtr |
| 79 | 16mm (5/8") wide | Per mtr |
| 80 | 22mm (7/8") wide | Per mtr |


Woven DOUBLE BEADED type for riveting.

- | | | |
|----|------------------|---------|
| 81 | 16mm (5/8") wide | Per mtr |
| 82 | 22mm (7/8") wide | Per mtr |

A VERY GOOD range of DISCOUNTS on ROLLS of bonnet tape.
Variable roll lengths so please enquire.

- 184 **Bifurcated Brass Plated Rivets.** 8mm (5/16") heads. 3mm shoulder then 13mm (1/2") legs. Suit 81 and 82 above..... Pkt 10

LOCKS AND HANDLES




- 216 **Grab Handle.** Chrome on brass. 4 screw mounting. Hole centres 102mm (4") Each
- 215 **Grab Handle.** Chrome on brass. 2 screw mounting. Hole centres 102mm (4"), but may vary slightly. Please enquire. Each
- 214 **Bonnet Handle.** Chrome on brass. 3-legged to 'spread the load'. Horizontal hole centres 120mm (4 3/4") and diagonally approx. 75mm (3") Each

All three handles above are sometimes available in unplated state as POLISHED BRASS. Please enquire.



- 69 **Competition Bonnet/Boot Pins.** Patented stainless steel base-plate, pin guide and finger ring. Positive, sliding over-centre action for rapid and positive location. Solid mounting pillar approx. 11mm (7/16") dia. 127mm (5") tall and threaded for 95mm (3 3/4"). As used by leading competition teams Per pair


- 346 **Bonnet/Panel Lock.** Chrome bezel 25mm (1") dia. Threaded body 19mm ($\frac{3}{4}$ ") long, fits into 19mm ($\frac{3}{4}$ ") dia. hole. Supplied with 2 removable keys Each
- 282 **Heavy Side Catch.** Overall 82mm \times 50mm ($\frac{3}{4}$ " \times 2"). Chrome on brass. Handed as shown Each



- 294 **Locking Exterior Handle.** Chrome 108mm ($4\frac{1}{4}$ ") long. Mounting hole centre 37mm ($1\frac{7}{16}$ "). 8mm ($\frac{5}{16}$ ") square steel shaft 127mm (5") long that can be cut down to size. Raised rib design Each
- 295 **Non-Locking Exterior Handle.** Chrome. To match No. 294 above Each
- 296 **Locking Boot Handle.** Chrome 95mm ($3\frac{3}{4}$ ") long. Mounting hole centres 37mm ($1\frac{7}{16}$ "). 8mm ($\frac{5}{16}$ ") square shaft that can be cut to size Each
- 227 **Window Winder.** Chrome. 120mm ($4\frac{3}{4}$ ") long. Spring loaded escutcheon. Raised rib design to complement 294/5. Will need 289 to fit snugly onto the 8mm ($\frac{5}{16}$ ") shaft Each
- 283 **Interior Handle.** Chrome. 115mm ($4\frac{1}{2}$ ") long. Matches the 227 winder. Spring loaded escutcheon. Will need 289 to fit snugly onto the 8mm ($\frac{5}{16}$ ") square shaft Each
- 395 **Spring loaded escutcheon.** For 227 and 283 supplied separately. Each
- 289 **Spring Steel Adaptor.** Converts the 10mm ($\frac{3}{8}$ ") hole in 227 and 283 to accept an 8mm ($\frac{5}{16}$ ") square shaft, as on the exterior handles 294/5/6 above Each
- 224 **Door Lock.** Zinc plated finish. Body 87mm \times 50mm ($\frac{3}{16}$ " \times 2"). Long tongue. Shaped handle 89mm ($3\frac{1}{2}$ ") long. Handed Each
- 225 **Single Striker Plate.** 50mm \times 22mm (2" \times $\frac{7}{8}$ "). Cast Each
- 226 **Double Striker Plate.** 30mm \times 38mm ($1\frac{3}{16}$ " \times $1\frac{1}{2}$ "). Cast Each
- 218 **Interior Handle.** VDP type solid brass casting chrome plated. Approx. 95mm long ($3\frac{3}{4}$ ") to fit 8mm ($\frac{5}{16}$ ") shaft at 90° angle Each
- 217 **Interior Handle.** Vintage type chrome on brass. Approx. 82mm ($3\frac{1}{4}$ ") long to fit 8mm ($\frac{5}{16}$ ") shaft at 45° angle Each




- 211 **Bonnet Catch.** Chrome on brass. 140mm (5½") long as shown with approx. 6mm (¼") of spring lift. Heavier than 209 with stronger tension. Ideal for larger bonnets. Complete with catch plate as shown Each
- 209 **Bonnet Catch.** Chrome on brass. 108mm (4¼") long as shown with approx. 13mm (½") of spring lift. Rubber buffer mounted on the rear of the barrel. Complete with catch plate as shown Each
- 414 **Rubber Bonnet Catches.** 127mm (5") overall length. Complete with catch plate as shown Per pair
- 345 **Bonnet Catch.** Exposed-spring type in stainless steel. 127mm (5") overall length. Complete with catch plate as shown Per pair




- 280 **Over Centre Catch.** Chrome on steel. Overall 89mm (3½") tall as shown Each
- 361 **Over Centre Catch.** Chrome on steel. Overall 73mm (2⅞") tall as shown. With extra lug for securing with a padlock Each
- 212 **Over Centre Catch.** Chrome on brass. 102mm (4") long. 41mm (1⅝") wide Each
- 213 **Over Centre Catch.** Chrome on brass. 75mm (3") long. 32mm (1¼") wide Each


Items 282, 209, 211, 212 and 213 are sometimes available in unplated state as POLISHED BRASS. Please enquire.



- 83 **Aeroseen.** This is the Brooklands pattern aeroseen fitted with Triplex laminated glass suitable for RAC competition. Polished aluminium frame with chrome fittings and mounting legs. Mounting spigots are offset allowing variable distance between bodywork and the bottom of the screen. Frame width 305mm (12") and overall width 406mm (16") Each




- 284 **Spoke Cleaning Brushes** 430mm (17") long. Flexible wire core. Wooden handle. Choice of SOFT or HEAVY bristle Each
- 123 **Key Hole Cover.** Chrome on brass. Top swings to one side and is spring loaded. Mounting hole centres 38mm (1½") Each
- 124 **Key Hole Cover.** Chrome. Spring loaded lift-up-top hides screw holes. Mounting hole centres 20.5mm (13⁄16") Each
- 125 **Enamel Union Jacks.** Well made in jeweller's enamel. Chrome. 57mm × 35mm (2¼" × 1¾"). Supplied in pairs complete with fixing screws Per pair
- 125a **St George Cross.** Well made in jeweller's enamel. Chrome. 57mm × 35mm (2¼" × 1¾"). Supplied in pairs complete with fixing screws Per pair
- 258 **Self Adhesive Union Jacks.** 75mm × 48mm (3" × 1¾"). Durable plastic material with metallised design finish Per pair
- 126 **Budget Locks.** All steel. Left and right handed. Mounting hole centres 67mm (2⅝") Each
- 127 **Carriage Key.** Tapered square shaft to suit above budget lock. 100mm (4") tall. Unplated Each
- 128 **Door Check Straps.** Brown leather approx. 178mm (7") long with black enamel staples Each
- 129 **Staples.** Black on steel for 32mm (1¼") wide strapping Each
- 130 **Staples.** Black on steel for 38mm (1½") wide strapping Each
- 130a **Staples.** BRASS for 38mm (1½") wide strapping Each
- 131 **Staples.** Chrome on brass for 38mm (1½") wide strapping Each
- 132 **Door Buffers.** 'D' shaped 29mm (1⅛") long × 13mm (½") thick complete with zinc plated shoe and brass eyelet Each
- 112 **Horn Bulb** 82mm (3¼") approx. dia. A good medium sized bulb that will suit any straight or bugle-type horn. Made in synthetic rubber to give a good firm feel. Complete with chrome ferrule. Hole 14mm (⅝") dia. Each
- 354 **'GB' Letters in Chrome.** Separate 'GB' letters 84mm (3⅝") tall chrome-on-brass. Integral threaded mounting studs/nuts on the back of each letter Per set 'GB'




- 156 **Battery Master Switch.** A very basic switch with detachable red plastic key, as shown. 2 hole mounting through the body with hole centres approx. 41mm (1 $\frac{5}{8}$ "). Controls circuits of up to 300 amps at 12 or 24 volts. To switch off and isolate circuit, turn anti-clockwise and remove key Each
- 182 **Lucas Chrome Reflector.** Spun brass rim. Rubber base. Screw fitting. 50mm (2") dia. Can be stripped to polished brass Each
- 320 **Chrome Reflector.** 50mm (2") dia. Brass rim. Self tapping screw fitting Each
- 320b As 320 in brass (not shown) Each
- 175 **Interior Light for Surface Mounting.** Base 92mm (3 $\frac{5}{8}$ ") dia. Projects 41mm (1 $\frac{5}{8}$ "). Prismatic plastic lens. Chrome rim. Integral switch Each
- 172 **Brake Light Switch.** Complete with 75mm (3") spring and rubber terminal cover Each



- 318 **Badge Bar** Complete with 4 clips. Chrome-on-brass legs, clips and end caps. Slightly cranked stainless steel bar as shown. Bar is 19mm ($\frac{3}{4}$ ") dia and 559mm (22") overall length. Per bar with 4 clips Each
- 110 **Badge Bar Clips** Chrome-on-brass for 19mm bar ($\frac{3}{4}$ ") as above. Extra clips can be purchased separately..... Each



- Andre Hartford Shock Absorber Dial Plates**
- Type 506 Reproduction of the original Andre Hartford tin plate, raised lip dial plates. 107mm (4 $\frac{3}{16}$ ") dia. Black background with red segments. Each



- 230 **Sidescreen Mounting Peg.** 8mm ($\frac{5}{16}$ " dia. 54mm ($2\frac{1}{8}$ " long. Hole centres 35mm ($1\frac{3}{8}$ "). Chrome on brass Each
- 231 **Sidescreen Socket** to accept above peg. 35mm ($1\frac{3}{8}$ " long. Chrome on brass Each
- 232 **Hood Fastener.** Chrome on brass. To suit 16mm ($\frac{5}{8}$ " dia. peg. Mounting hole centres 49mm ($1\frac{15}{16}$ ") Each
- 228 **Round Lifting Ring.** 50mm (2") dia. Chrome on brass. Shown with ring raised Each
- Clevis Pins.** Case hardened and zinc plated.
- 105 5mm dia. \times 16mm long ($\frac{3}{16}$ " dia. \times $\frac{5}{8}$ " long) Each
- 106 6mm dia. \times 19mm long ($\frac{1}{4}$ " dia. \times $\frac{3}{4}$ " long) Each
- 107 8mm dia. \times 24mm long ($\frac{5}{16}$ " dia. \times $1\frac{5}{16}$ " long) Each
- 108 10mm dia. \times 32mm long ($\frac{3}{8}$ " dia. \times $1\frac{1}{4}$ " long) Each
- 97 **Mudguard Bolts.** Domed head 20mm ($1\frac{3}{16}$ ") \times 37mm ($1\frac{1}{2}$ ") long with $\frac{1}{4}$ " BSF thread. Steel. Supplied black complete with nut Each
- Bumper Bolts in Chrome**
- 98 25mm (1") long under head \times $\frac{5}{16}$ " BSF supplied with nut. Head dia. 14mm ($\frac{9}{16}$ ") Each
- 99 38mm ($1\frac{1}{2}$ ") long under head \times $\frac{3}{8}$ " UNF supplied with nut. Head dia. 16mm ($\frac{5}{8}$ ") Each
- 111 **Bonnet Corner Rubbers.** Made from the original Holdtite mould. For right angle corners only Each
- Hex. Grease Nipples in Brass**
- 101 $\frac{3}{8}$ " BSF thread. 15mm ($1\frac{9}{32}$ ") across the hex. flats Each
- 102 $\frac{1}{8}$ " BSP thread. 15mm ($1\frac{9}{32}$ ") across the hex. flats Each
- 165a **Grease gun adaptor** in brass to fit the above hex. nipples. $\frac{1}{8}$ " gas thread Each

- 119 **Spring Binding.** Grease impregnated tape 50mm (2") wide from the makers of the original Drevo tape. Provided that the springs are not over greased before applying the tape, the outer layer hardens to give the appearance of worn leather. Each large leaf spring will take a full 10mtr roll Per roll



- 312 **Period Goggles** with double glazed lenses to prevent misting. Laminated, angled lenses made in high impact-resisting material. Adjustable nosebridge, detachable strap and comfortable padded surround in dark brown expanded vinyl. Aluminium coloured frames Each
- 47 **Period Goggles**, similar to 312 but with LIGHT TAN soft leather eye surrounds/matching vinyl fronts and CHROME plated frames.. Each
- 279 **Period Goggles**. BLACK all-leather surrounds and CHROME plated frames. Our best quality goggles Each
- N.B: ALL GOGGLES NOT SUITABLE FOR USE WITH SPECTACLES.**

LEATHER RENOVATION



- 155 **Leather Renovation Kits.** The purpose of this well-tried kit is to restore leather to its original colour with uniform finish and WITHOUT giving the 'just been painted' appearance. Shown above is the No. 2 kit for 4/5 seaters.

Send a specimen of the original leather colour, and we will supply a kit of cleaner, colour matched renovator, sealing paste, cloth and instructions. (When sending a snippet of the old, original leather, [or matching vinyl], make sure that it is CLEANED so that the colour can be matched correctly.) Each kit is individually colour matched and is given a unique colour code. We require a sample by first post on a Wednesday to despatch the kit on Friday of the same week. (TO BE SAFE, TRY TO ENSURE SAMPLES ARE WITH 'WOOLIES' AT THE BEGINNING OF THE WEEK.) We do have some popular colours in stock for a speedier despatch and when a specific colour match is not required e.g. red, dark blue, beige and magnolia.

In the event of a heavily grained or mottled sample (showing a darker shade in the grain and lighter hue on the high areas) we will supply

an **OVERALL MATCH**, unless advised otherwise. We always endeavour to match accurately to the customer's sample, but must insist on the acceptance of 'ARTISTIC TOLERANCE' (ie. slight variance of shade). Rematches can be tricky in this respect.

Kit No. 1 (for 2/3 seaters):

1 × ¼ litre colour renovator	} Per kit
1 × 100ml sealing paste		
1 × ½ litre cleaner		
Cloth		
ALL-IN price UK post paid		

Kit No. 2 (for 4/5 seaters): As above except:

1 × ½ litre colour renovator	Per kit
ALL-IN price UK post paid	

'Jensen' kit (for 4 seats + trim panels): As above except:

1 × 1 litre colour renovator	} Per kit
Cloths		
ALL-IN price UK post paid		

'Limousine' kit (whole interior):

2½ litre colour renovator	} Per kit
3 × ½ litre cleaner		
2 × 100ml sealing paste		
Extra cloths		
ALL-IN price UK post paid		

We can supply individual bottles of renovator	Per ¼ litre
.....	Per ½ litre
.....	Per 1 litre
.....	Per 2½ litre
.....	Per 5 litre

Important: PROTECT LEATHER KITS FROM FROST. Do NOT leave the kit in a cold garage during the winter months.
AVERAGE SHELF LIFE 6 MONTHS.

INSTRUCTIONS

General Guidance:

The keynote to all leather renovation is to obtain adhesion between the leather itself and the first coat of renovator. For upholstery that is well worn, a thorough cleaning with our water based cleaner should be all that is required. However, there COULD be an advantage in using a fine grade steel wool with the cleaner, particularly where the leather has a very smooth, fast finish. This would disturb the surface to give a better 'key'.

STAGE 1

CLEANER – water based, deeply penetrating liquid supplied ready to use. Do NOT dilute. Not only cleans but gives deep penetration into the fibres, softening, feeding and therefore increasing the strength of the leather. Apply using a soft cloth rubbing lightly. Avoid flooding and change the surface of the cloth frequently. A small brush can be used to remove the ingrained dirt. It is **ESSENTIAL** that after cleaning, **ALL SURFACES** are thoroughly wiped over with a clean, damp cloth to remove excess build-up of cleaner and dirt. After this initial clean (and if the leather has been neglected) it may be beneficial to give the leather a course of **HIDE FOOD**. Allow at least 48 hours for the Food to soak in and then remove any surplus with sparing use of the cleaner.

NB: Thorough cleaning is essential to enable the renovating dye to penetrate the hide.

STAGE 2

COLOUR RENOVATOR – based on materials used in original finishing of upholstery hides in the tannery, and as such is compatible with the leather being restored (5 resins, micronised pigments and water emulsified cellulose lacquer). **STIR WELL BEFORE USE.** Supplied ready to use. Do NOT dilute. Pour a small quantity into a saucer. Apply lightly with a soft cloth (NOT a brush) rubbing well into



the cracks and crevices, doing small areas at a time. Allow this film to dry out (at least 30 minutes MINIMUM at room temperature) and apply a second coat to level off.

Bearing in mind the cost of new leather, it is well worth putting some effort into the task of 'working in' the first coat of renovator. The second coat can be applied by cloth, **OR**, as many customers prefer, by spraying, applying very light coats in order to avoid a rapid, heavy build-up finish. (The renovator is supplied in spray consistency.)

STAGE 3

SEALING PASTE – to seal the renovator. Apply sparingly and then buff with a soft cloth. TOO MUCH elbow grease will tend to remove some of the renovator. Finished surface will have a water resistant wax sheen. 100% cotton cloth supplied with each kit for applying colour and cleaning/buffing.

We feel that it is worth mentioning again that the finished job will retain the original character of the leather and NOT have the 'just been painted' appearance. The surface of the leather has not been completely sealed and Hide Food can still be used sparingly after the colour renovation, say every 6 months, to maintain suppleness.

While we do not recommend this kit for completely CHANGING the leather colour, this will depend entirely on the colours concerned, i.e., light to dark or black will usually result in a good job. We would suggest that a test area be tackled initially.

With some really LIGHT shades (off-white, magnolia etc.) the pale pigment may struggle to give good coverage and a special BASE COAT or 'foundation' might help. Cost is much the same as colour renovator. Please contact us **BEFORE** ordering to discuss the project.

We are aware of the problems in getting uniform colour into interiors where seating is LEATHER and trim panels in LEATHERCLOTH/ PVC. However, we have found that the leather renovator will sometimes key onto old, original leathercloths where the surface has been broken down either by wear or cleaning agents. It is certainly worth doing a 'test' piece.

To complement these instructions, we can supply reprints of the *PRACTICAL CLASSICS* article (Feb '81) 'Revive that Leather', and the Jensen Owners Club's appraisal 'Leather Renovation . . .' (Feb '88). Also see the excellent hard-backed *CLASSIC CAR INTERIOR RESTORATION MANUAL*, described on page 1 of this catalogue (chapter 4: 'Maintaining Leather').

More recently, the *Practical Classics* Product Test on 'Leather Cleaners and Renovators' (Spring '99) produced a 'Recommended' verdict. In the *Practical Classics* Readers Offer (Dec '99): "What did it win? Recommended. Why did it win? We liked the way it kept the patina of the old leather, making seats look well cared for rather than over restored."

THESE INSTRUCTIONS ARE BASED ON RESEARCH AND PRACTICAL EXPERIENCE. ALTHOUGH WE HAVE EVERY CONFIDENCE IN OUR PRODUCTS, NO GUARANTEE CAN BE GIVEN DUE TO THE WIDE VARIETY OF 'FOREIGN' TREATMENTS TO WHICH THE LEATHER MAY HAVE BEEN PREVIOUSLY SUBJECTED.

- 46 **Hide Food.** To refurbish and polish leather. We stock the large 284grm jar that represents very good value Each ALL-IN price UK post paid



221 **HOUSEHOLD Leather Renovation Kit.** For this application, a more permanent finish is required to cope with general wear-and-tear plus spillages. The Stage 3 Sealing Paste is replaced by a bottle of liquid dressing, giving a semi-gloss finish. This special dressing should be applied with a soft sponge and 2 coats are usually required. Please contact us with details of the renovation project and we will be pleased to quote accordingly.

A ROUGH GUIDE to the usage and contents of the kit as follows:

Household Kit No. 1 (for small/medium chair)

1/2 litre cleaner	} Per kit
1/4 litre colour renovator		
1/4 litre semi-dressing		
	ALL-IN UK post paid

Household Kit No. 2 (for 2 seater settee or 2 chairs)

1/2 litre cleaner	} Per kit
1/2 litre colour renovator		
1/4 litre semi-dressing		
	ALL-IN UK post paid

Household Kit No. 3 (for 3 seater settee plus chair)

1/2 litre cleaner	} Per kit
1 litre colour renovator		
1/2 litre semi-dressing		
	ALL-IN UK post paid

Quantities will depend on the colour and the condition of the surface to be renovated. (Darker, solid shades cover much better, using less renovator than pale, creamy hues). We cannot reproduce mottled or shady finishes and dramatic COLOUR CHANGES can be difficult.... PLEASE CONTACT US WITH DETAILS OF THE PROJECT BEFORE ORDERING.

WOOLIES always endeavours to match accurately to the customer's sample, but must INSIST on the acceptance of 'ARTISTIC TOLERANCE' (ie slight variance of shade). Rematches can be tricky in this respect.

373 **Vinyl Paint.** 400ml Aerosol. For re-colouring and changing the colour of interior vinyls. Unique ability to penetrate the surface. Can be used on leather needing any dramatic and permanent colour changes BUT long term 'breathability' may be impaired. For best results use 374 Vinyl Cleaner, followed by 375 Vinyl Primer to etch the surface. Stocked in Black and some basic colours that match our more popular vinyls/cloths Per 400ml aerosol. Each **Colour matching available, minimum of 4 aerosols, please enquire.**

374 **Vinyl Cleaner.** Water based solution for removing dirt, grease and polish/silicone residues which might cause a barrier to the proper surface bonding of Vinyl Paint..... Per 250ml bottle. Each

375 **Vinyl Primer.** Spirit based solution that primes the surface and removes any previous old or 'artificial' coatings. It is essential that these are removed first for a good permanent result from Vinyl Paint. Vinyl Primer is fairly potent, so please USE SPARINGLY. We suggest doing a TEST area before plunging-in on the whole project! Per 250ml bottle. Each


MOTOR TRADE

We are keen to develop our Trade business but must insist on an official order from registered motor trade and upholstery companies. Overall 10% discount on prices ruling at date of despatch, but ALWAYS enquire for the best ROLL / BULK DISCOUNTS. Particularly good deals on bonnet tapes and selected rubbers/sponge extrusions. Please enquire...

BRASS TAPS AND FITTINGS

Copper Tube. All sizes of this annealed tube are outside dia.

89	1/8" dia. (3mm)	Per mtr	92	5/16" dia. (8mm)	Per mtr
90	3/16" dia. (4.7mm) ...	Per mtr	93	3/8" dia. (9.5mm)	Per mtr
91	1/4" dia. (6.3mm)	Per mtr	Or enquire for roll sizes.		



All taps and fittings on this page are shown above with solder type nuts and nipples for 1/4" (6.3mm) pipe.

Drain Plugs

185	1/8" BSP thread	Each
186	1/4" BSP thread	Each
187	3/8" BSP thread	Each
188	1/2" BSP thread	Each

Double Ended Unions complete with solder nuts and nipples

189	1/8" BSP thread for 1/8" tube (3mm)	Each
190	1/8" BSP thread for 3/16" tube (4.7mm)	Each
191	1/4" BSP thread for 1/4" tube (6.3mm)	Each
192	1/4" BSP thread for 5/16" tube (8mm)	Each
193	3/8" BSP thread for 3/8" tube (9.5mm)	Each

194 **Straight Fuel Tap.** 1/4" BSP thread supplied with solder nuts/nipples for 1/4" or 5/16" tube (6.3mm or 8mm). PLEASE SPECIFY

257 **Straight Fuel Tap.** 3/8" BSP thread at each end. Supplied complete with nuts and nipples for 3/8" tube (9.5mm)

195 **Straight Fuel Tap.** 1/8" BSP thread with 1/4" BSP thread holding nut/nipple for 1/4" or 5/16" tube (6.3mm or 8mm). PLEASE SPECIFY

196 **Straight Drain Taps.** 1/8" BSP thread

197 **Straight Drain Taps.** 1/4" BSP thread

198 **Curved Drain Taps.** 1/8" BSP thread

199 **Curved Drain Taps.** 1/4" BSP thread

Tee Pieces. Complete with 3 solder nuts and nipples.

163	For 1/8" tube (3mm)	Each
164	For 3/16" tube (4.7mm)	Each
203	For 1/4" tube (6.3mm)	Each
204	For 5/16" tube (8mm)	Each
205	For 3/8" tube (9.5mm)	Each

Elbows. Complete with 2 solder nuts and nipples.

169	For 1/8" tube (3mm)	Each
170	For 3/16" tube (4.7mm)	Each
206	For 1/4" tube (6.3mm)	Each
207	For 5/16" tube (8mm)	Each
208	For 3/8" tube (9.5mm)	Each

PRICES

All prices include VAT (at 17.5%).

See the separate easy-to-read price list which is regularly updated. We keep our prices keen, but they may be altered at ANY TIME by material or manufacturer's increases. You can use the website www.woolies-trim.co.uk to get an all-inclusive price for an order or alternatively telephone, fax or e-mail us.

ORDERING



We accept all major credit cards, sterling cheques and postal orders.

All parcels are sent either first class post or if over 2 kilos by a carrier and require a full postcoded address. If sent by a carrier a signature is required for safe delivery so please consider a delivery address e.g. a work address or c/o a reliable neighbour!

CARRIAGE COSTS:

2 working day delivery £9.50 (inc. VAT)

Next working day delivery £11.50 (inc. VAT)

Please note Scottish Highlands, Isle of Man and Northern Ireland are charged at a higher rate, please enquire.

IF IN DOUBT OR FOR SMALLER ITEMS PLEASE USE THE WEBSITE OR TELEPHONE, FAX OR E-MAIL FOR AN ALL-IN QUOTE 'POSTAGE/CARRIAGE/VAT PAID'.

DELIVERY

All items (except colour matched leather kits) are usually in stock and we endeavour to despatch all orders received by 2.30pm the same day. We will inform you by return if any goods ordered are currently unavailable. It may be possible to despatch orders received after 2.30pm the same day, it is dependent on how busy we are. If you require an order urgently it is advisable to telephone us to see if it can be despatched same day.


GUARANTEE

We will replace or refund for any goods returned, but will make a MINIMUM 15% handling charge, unless we make alternative arrangements. Specifically ordered **CUT lengths** are DIFFICULT to re-sell and therefore **NOT** welcome as returns! No goods will be accepted for credit unless returned to us within 14 days of the date of invoice. We have tried to give a brief but accurate description of all items in this brochure to comply with the Trade Descriptions Act. Should any customers think that there is any misrepresentation at all, will they please advise us so that the matter can be amended for future editions.

THE WOOLIES MOBILE SERVICE continues. Take advantage of our FREE DELIVERY service to Classic/Kit Car shows and Autojumbles. For details of events we will be attending please telephone us or visit our website www.woolies-trim.co.uk



HOW TO FIND WOOLIES . . .



Access to the Northfields Industrial Estate is directly from the Market Deeping bypass. From the northern roundabout take the exit signed for Northfields Ind. Estate. This leads into Blenheim Way and Whitley Way is the first left. Woolies is the first building on the left.

FROM THE NORTH (on A15 south from Bourne) ... pass through Langtoft village. In approx. 1 mile, take 2nd exit from the roundabout, then as above.

FROM THE WEST (on A16 from Stamford) ... turn left at the new Welland Gate roundabout and onto the dual carriageway section of the Market Deeping bypass. At next roundabout take 3rd exit, then as above.

FROM THE SOUTH (on A15 from Peterborough) ... take the A15/A16 Market Deeping bypass from the Northborough roundabout.

Continue straight on at the next (Welland Gate) roundabout, onto the dual carriageway section. At the next roundabout take 3rd exit, then as above.

FROM THE EAST (on A16 from Spalding) ... take the left turn onto Northfields Industrial Estate, then turn right at the roundabout. Continue along Whitley Way and Woolies is on the right just before the T junction.

THE WOOLIES TEAM



WOOLIES (I & C Woolstenholmes Ltd)
Whitley Way, Northfields Industrial Estate,
MARKET DEEPING, PETERBOROUGH,
England, PE6 8AR

Tel: (01778) 347347 Fax: (01778) 341847

<http://www.woolies-trim.co.uk>

Email: info@woolies-trim.co.uk

Printed in England by Fisherprint Ltd., Padholme Road East, Peterborough, PE1 5UL
Telephone: 01733 341444 Fax: 01733 349416