WOOLIES



TRIM AND UPHOLSTERY FOR VINTAGE AND CLASSIC MOTOR ENTHUSIASTS WORLDWIDE

Open 0830-1700 Monday to Friday (closed lunch 1300-1400).



WOOLIES (I & C Woolstenholmes Ltd)
Whitley Way, Northfields Industrial Estate,
MARKET DEEPING, PETERBOROUGH,
England, PE6 8AR

Tel: (01778) 347347 www.woolies-trim.co.uk info@woolies-trim.co.uk

22nd Edition



Hello and welcome to the 22nd edition of the WOOLIES catalogue. We have been supplying the Trade and the individual enthusiast for over 42 years with upholstery, trimmings and body fittings for vehicles dating back from early Vintage and Veteran right through to modern Classics and Kit Cars. More recently we have been supplying other non motoring sectors such as the film industry; our products can be used for all sorts of applications.

A large amount of business is now done via our easy to use, secure website. This is kept right up to date so has the very latest products and news and is a great tool to use in conjunction with the catalogue. If you have not used the website please go to www.woolies-trim.co.uk and have a look, you can get prices including postage and can order when the office is closed!

In addition to our Worldwide mail order service you can see us at selected Shows and Autojumbles during the year, please visit the website for information on the shows we will be attending. You can also visit us in person, we offer a 'counter service' and are open Monday-Friday 8.30am until 5pm but are closed between 1.00-2.00pm for lunch. We trust you will find the catalogue easy to use and informative and we look forward to helping all customers both old and new.

WOOLIES was started by Ian and Caroline Woolstenholmes in October 1976 from a double garage with a nominal stock, ultra keen prices and lots of enthusiasm. The Company now has a dedicated team lead by Directors Duncan Allen and Louise Woolstenholmes Green.

Duncan Louise

Nov 2018



INDEX

INDEX	
Acoustic foam10	nterior pipings 21
Adhesives11/20	Interior pipings21 Interior handles25
Aeroscreen26	intorior riaridico
Aluminium sections21/22	V
Aluminised heat mat & tape10/11	Key hole covers27
Aldininised fleat flat & tape 10/11	
Radge har and aline	Leathercloths5/6
Badge bar and clips26	Leather renovation kits30/31/32/33
Battery master switch28	Leather removation kits50/51/52/55
Bedford cord8	1.4
Body caulking19	Villboard (for trim panels)9
Bonnet corners29	Moquette and moleskin8
Bonnet catches/handles24/25/26	Mudguard bolts29
Bonnet tape and rivets23	-
Boot handle25	Over centre catches24
Boot seals4	Overrider beading21
Brass taps and fittings35	Overrider beading21
Brushed nylon seating8	_
Budget locks and key27	Pin beading21
Bumper bolts29	Piping cord21
	Pirelli webbing9
Calico and platform cloth9	ŭ
Carriage key27	Daffactors 00
Carpets and binding12	Reflectors28
Celluloid7	Renovo hood products6/7
Chalk8	Rubber mattings20 Rubber extrusions/strip/tubing/flat
Chrome strips (self adhesive)5	Rubber extrusions/strip/tubing/flat
Clevis pins29	smooth rubber17/18/19/20
Coach lacing4	Running board treads22
Comp. boot/bonnet pins24	
Copper tube35	Screws (wood & self-tap)23
	Shears (scissors)3
Door buffers27	Self-adhesive sponge sheeting and
Door draught excluders3/4	strip15/16/19
Door check straps27	Sidescreen fittings29
Door handles	Sound damning sheet/nads 10
Door handles	Sound damping sheet/pads10 Spoke cleaning brushes27
Drain tubing20	Sponge extrusions16/17
Drain tubing20	Spring binding tape29
□ 1	St George Cross27
_yelets (brass)2	Staples (for strapping)27
Exhaust insulating wrap11	Stanle gun 2
_	Staple gun2 Storvic heel pads12
asteners/clips1/2/12/14/23	Otor vic ricci pado12
Felt strips (black)14	T
Floor lifting ring29	acks and escutcheon pins8
Foam cushion/sheet+scrim9	Thread8
	Tools (fitting)2/20
Gasket materials13	
GB letters27	Underfelts10
Gimp pins8	Union jacks27
Glue gun 11	Upholstery needles8
Glue gun	Oprioistery freedies
Grease nipples (hex only)29	M
Guttering22	Velvet (thin black)14
duttering22	Vinyl paint34 Vinyls5/6
□	Vinyls5/6
Hardura felts10	Vybak7
Hammer (magnetic)2	
Hog rings and pliers2 Headlinings (wool, PVC	Wadding9
Headinings (wool, PVC	Webbing6/9
and nylon)7	Window channels13
Hessian9	Window weatherstrips14
Hide Food32	Window weatherstrips14 Window winder25
Hidem banding and caps8	Windscreen filler inserts19
Hood fastener29	Wing pipings21
Hood frame (hollow bar)21	vvirig pipirigo21
HOUR PROOFINGS	7
Hood Proofings	∠ips8
and Leathercioth)	
Hook and loop tape8	
Horn Bulb27	
Horsehair (rubberised)9	

ALL RIGHTS RESERVED. No part of this catalogue may be reproduced or transmitted in any form without the permission of I & C Woolstenholmes Ltd t/a "WOOLIES"



	Lift the Dot Fasteners (Plated)	
07	Socket with backplate	Pkt 10
07a	Long-pronged socket with backplate (NOT shown)	Pkt 10
80	Single thickness screw base stud	Each
09	Double thickness screw base stud	Each
10	Single thickness wood screw stud	Pkt 10
10a	As 10 but shorter thread approx 10mm (%")	Pkt 10
11	Double thickness wood screw/self tapper stud	Each
12	Single thickness metal stud	Pkt 10
13	Double thickness metal stud	Each
14	Single clinch stud (cloth mounted) with backplate	Pkt 10



 Durable Dot Fasteners (Plated)

 15
 Button and socket 13mm (½") dia.
 Pkt 10

 15a
 Button and socket 15mm (¾") (NOT shown)
 Pkt 10

 15b
 As 15a but LONGER shank for thicker fabric
 Pkt 10

 15c
 As 15a but black PVC coated button top.
 Pkt 10


 16
 Stud for wood or metal
 Pkt 10

 17
 Stud and eyelet for cloth mounting. 6mm shank
 Pkt 10

 17a
 As 17 but 9mm shank for thicker fabric
 Pkt 10




	Turnbuckle Fasteners (Plated)
01	Single thickness screw base stud Pkt 10
02	Double thickness screw base stud Pkt 10
03	Single clinch stud (cloth mounted) with backplate Pkt 10
04	Socket with backplate Pkt 10



l J	9 41
•	22 23 21 333a
	Tenax Snap Fasteners (Plated)
20	Spring loaded socket with nut
20a	Extra length socket for THICKER fabric (NOT shown) Pkt 10
21	Key for tightening above Each
22	Wood screw stud with 'shoulder' as shown Each
23	Metal screw stud with 'shoulder' as shown Each
332	Wood screw stud WITHOUT 'shoulder' Pkt 10
333	Metal screw stud WITHOUT 'shoulder' Pkt 10
	As 333 with thread 25mm (1") long Pkt 10
351	Single clinch stud (cloth mounted) with backplate Pkt 10
41	Platform stud WITHOUT 'shoulder' Pkt 10
42	Platform stud with 'shoulder' as shown Pkt 10
	All the metal screw studs on this page have a 2BA thread or
	similar and we can supply supply nuts/washers to suit (see 239 below).
239	Steel nuts and spring washers (NOT shown) Pkt 10



TOOLS & EYELETS




236	Turnbuckle Punch for fitting 04 Each
237	Lift-the-Dot Punch for fitting 07 and 07a Each
238	Durable-Dot double sided bed and punch. One side is used for the 15 and 15a button and the other for the 17 stud Per set
324	Magnetic Hammer. 26.7cm $(10\frac{1}{2})$ overall length. Wooden shaft. 13mm $(\frac{1}{2})$ dia. head. For 'tacking' the professional way Each
364	Hog Ring Pliers. Angled head. Spring-loaded, grooved jaws grip the hog ring. A firm squeeze clamps the ring Each
365	Hog Rings. Supplied in sticks of approx. 60 Per stick
	Per 10 sticks Per bulk box approx. 8800
	Refer to page 20 for Universal Fitting Tool for windscreen rubbers




389	Brass Eyelet Kits. Complete with punch and die. 25 brass eyelets & rings 10mm (3/6") dia. hole
390	Brass Eyelets ONLY.
	25 brass eyelets & rings 10mm (3%") dia. hole
	15 brass eyelets & rings 13mm (1/2") dia. hole Per pack
391	5/16" Hole Cutting Punch for 3/8" dia. eyelets or No. 20 TenaxEach
	7/16" Hole Cutting Punch for 1/2" dia. eyelets Each
392	Heavy Duty Staple Gun Tacker Rapid 33 Each
393	Staples to suit above gun. 4mm leg length Per box 5000 6mm leg length Per box 5000 8mm leg length Per box 5000
394	Tailors Shears as used by the Trade. 10"


DOOR/BOOT SEALS & EDGE TRIMS




- 139a LARGER Plush Snappon Edge Trim. 22mm (1/6") overall height and 17mm (11/16") overall width. Same 'U' shaped steel as 139 plus integral rubber padding. Stocked in black and beige. NOT shown..... Per mtr
- Furflex Draught Excluder. Plush wool moquette covered bead approx. 16mm (%") OD with canvas flange 24mm (15/n") wide. Used on Vintage cars and Classics like the Jaguar MkII saloon. Stocked in black, red, mulberry, brown, dark and suede green, Jaguar navy, standard blue, light beige, dark beige, cinnamon and grey Per mtr




- 265A Rubber covered Snappon with Sponge Flap protruding 11mm (7/16"). Useful for tight fitting doors, as flap will crush easily .. Per mtr
- 266 PVC Snappon with Sponge Bead 16mm (5/8") dia. Black herringbone pattern embossed PVC carrierPer mtr
- 113 Miniature rubber covered door seal 6mm (1/4") dia. bead. Self gripping. Very bendable for tight corners Per mtr




- 306A **Heavy Cotton Lacing.** 54mm (21/8") wide. Black, grey and red only. Ideal for making pipings, using 29 piping cord on page 21 or 254 sponge cord on page 17, even covering the bead on R123...Per mtr




- 302 Jaguar XJ6 Draught Excluder for fitting onto horizontal flange. Ex-stock in black, light beige, grey, blue and cinnamon Per mtr
- 288 **Mud flap push-on (or tall boot seal).** Rubber covered. Vertical flange protrudes 29mm (11/6") Per mtr
- 268 **Rubber and Sponge Boot Seal.** Inner spring wire carrier covered in black rubber. Bead standing up 13mm (½") Per mtr



- 304 Titanfast Black Edge Trim. Only 10mm (%") tall. Miniature version of 267 that will bend round a 19mm (¾") radius Per mtr
- 267A Wider PVC Edge Trim. Embossed black only. Squarer carrier to cope with up to 4mm thick flange Per mtr



387	'Chrome' Plastic Edge Trim in 2 sizes: 4.7mm (3/16") tall for 1mm thick flange Per mtr
	11mm (7/16") tall for 2.5mm thick flange Per mtr
397	Mini Wheelarch plastic edge trims'Chrome' finish Per mtr Black finish Per mtr
430	'Chrome' Self Adhesive Edge Trim. High shine finish. 9mm (11/32") tall for up to 3mm (1/4") thick flange. Small "tacky" strip inside to help it grip onto edge
431	Self Adhesive 'Chrome' Plastic Strip. 4mm (5/32") wide. High shine finish Per mtr
432	Self Adhesive 'Chrome' Plastic Strip. 9mm (11/32") wide. High shine finish Per mtr
433	Self Adhesive 'Chrome' Plastic Strip. 12mm (1/2") wide. High shine finish Per mtr



Large rolls, approx. 76mtr. Please enquire for roll discounts. VINYLS & LEATHERCLOTHS 25 Expanded Vinyl. 137cm (54") wide. For all interior work, with just the right amount of stretch. Stocked in black, red, maroon, brown, grey, dark blue, mid blue, green, beige, biscuit, barley, cream and off-white. Colour samples on request...... Per mtr Black 'Clearance' Expanded Vinyl. 137cm (54") wide. A good value 25a product but stock can vary Per mtr Non-stretch Vynide. 127cm (50") wide. Ideal for trim panels and 242 thin enough for pipings. Stocked in burgundy, morello (very dark maroon) and black grainedPer mtr 242a Black smooth grain non-stretch Vynide. 127cm (50") wide.Per mtr Special Jaguar non-stretch Vinyl. 127cm (50") wide with a good 18 grain. Stocked in magnolia, old beige, dark beige, barley, doeskin,blue/grey, grey, cinnamon, mulberry, red, suede green, dark blue, dark green, cream, white and black Per mtr 19 Special Jaguar Ambla, colour coded to the above vinyl. 127cm (50") wide. Stocked in beige, suede green, cinnamon and tan Per mtr. Old Fashioned vinyl leathercloth Non-stretch. Mottled green 250 (Evergreen) and a mottled brown (Spice). 127cm (50") widePer mtr Antique Grained Leathercloth. 127cm (50") wide. A really firm, 286

100

rexine-type of leathercloth with heavy grain, Can be used for some exterior applications. In black only Per mtr

Special Mini Cooper Light Green Vinyl. 127cm (50") wide.

HOODING MATERIALS

Colours Per mtr

The grain and texture of 24 exterior quality are comparable to some of the early rexine-type materials and customers with earlier vehicles may prefer to use this for interior work.

Both Duck hoodings are produced from vat-dyed cloth therefore a certain amount of shade variation and general fading may occur. FAWN duck is particularly prone to sun fading.

NOTE THAT SHRINKAGE ON THE COTTON DUCK HOODINGS IS LIABLE TO BE 2%, so please make allowance when fitting

HOODCARE, WEBBING & WINDOWS

- 407 **Twillfast Hood Binding.** 32mm (11/4") wide. Single thickness Twillfast without the herringbone backing in black, blue and fawn. Per mtr
- 31 **Hood Webbing.** 50mm (2") wide. Black and beige Per mtr









HEADLININGS

- 270 PVC Headlining. 137cm (54") wide. Light grey and white with lightly embossed pattern as used on Morris Minors and similar Per mtr

- 285a Special Nylon Headlining Foam backed. Thin foam inner layer backed with woven nylon fabric. Stocked in Cashmere (beige) Width can vary between 127cm and 150cm (50" and 59") so please ask before ordering

SEATING CLOTHS

143 Heavy All Wool Cloth. Heavy enough for seating AND headlining quality.
Beige, grey, dark green and light green 190cm (75") wide.

- 271 Bedford Cord. Heavy pre-war seating quality 152cm (60") wide. Exstock in beige and grey. Per mtr
 It is worth mentioning that this Bedford Cord has been successfully used 'upside down', both as a plain seating cloth and as a robust headlining. In this way, a matching combination of ribbed and plain cloth can be successfully achieved.

TRIMMING SUNDRIES

- Piping Cord. 3mm (1/8") dia. For seat piping or making hidem ie. can
- be covered with headlining material or thin leathercloth Per mtr 273 **Hook and Loop 'Touch and Close Fastener'**. An alternative to

25mm (1") wide. Black Per mtr 50mm (2") wide. Black Per mtr

219 **Escutcheon Pins.** 13mm (½") long. 16g. Nickel/Brass Pkt/10


220 **Escutcheon Pins.** 19mm (¾") long. 16g. Nickel/Brass Pkt/10 396 **Gimp pins.** 13mm (½") Per 100qrm bag

412 Thread. Thick heavy grade 20 bonded nylon. Large spool ideal for trade users. 1500mtr. Stocked in black, beige and grey Each

HIDEM BANDING



149





HIDEM BANDING


2.12 3.1.

- 418 **Duck Hidem Banding.** Black Cotton Duck. Used as a finisher across

- 28a Brass Hidem End Caps as 28 but brass finish.

.....Each

PIRELLI WEBBING



422	Pirelli Webbing. Beige rubberised strip used for seat bases. Approx. 10% stretch. Can be tacked, stapled or use wire clips, see
	423 and 424 below.
	38mm (1½") wide Per mtr
	50mm (2") wide Per mtr
423	Pirelli Webbing Wire Clips. Use in conjunction with 424 staple/
	plates. Wire clips fix to holes in seat frame.
	38mm (1½") wide Pkt/10
	50mm (2") wide
424	Pirelli Webbing Staple/Plates. Wire staple and plastic plates. Use
	in conjunction with 423 wire clips. Each packet has 10 x staples and
	20 × plates



Federation of British Historic Vehicle Clubs

We are pleased to be members of the Trade Support Scheme of the FBHVC, who strive to "ensure that club members and their vehicles continue to enjoy the freedom of the use of the roads in the United Kingdom and Europe"

	members and their vehicles continue to enjoy the freedom of the use of the roads in the United Kingdom and Europe".
	FILLINGS, FOAM & MILLBOARD
37	Wadding. In 10mtr × 46cm (11yd × 18") bundles. White cotton wool type material. Used as single or multiple layers and for stuffing seat flutes
38	Hessian. 183cm (72") wide for covering seat frames or similar before trimming
244	Calico. 137cm (54") wide. Off-white colour Per mtr
94	Platform Cloth. 137cm (54") wide. Thin BLACK calico-type fabric for covering non-wearing surfaces ie. under seats Per mtr
328	$\begin{array}{llll} \textbf{High Resilient Foam Sheeting.} & \text{Combustion Mod. to BS} & 5852. \\ \text{Available in full sheets } & 239\text{cm} \times 203\text{cm} & (94'' \times 80'') \text{ and in } 13\text{mm}, 25\text{mm}, 38\text{mm}, 50\text{mm}, 75\text{mm} \text{ and } 100\text{mm} \text{ thickness.} \text{ Half AND quarter sheets available } pro-rata. \\ \text{Makes a very good combination of firmness plus comfort when used with our No. } 36\text{ rubberised horsehair.} \\ 239\text{cm} \times 203\text{cm} \times 13\text{mm} & (94'' \times 80'' \times 1'/2'') \\ 239\text{cm} \times 203\text{cm} \times 25\text{mm} & (94'' \times 80'' \times 1'/2'') \\ 239\text{cm} \times 203\text{cm} \times 38\text{mm} & (94'' \times 80'' \times 1'/2'') \\ 239\text{cm} \times 203\text{cm} \times 50\text{mm} & (94'' \times 80'' \times 2'') \\ 239\text{cm} \times 203\text{cm} \times 75\text{mm} & (94'' \times 80'' \times 2'') \\ 239\text{cm} \times 203\text{cm} \times 75\text{mm} & (94'' \times 80'' \times 2'') \\ 239\text{cm} \times 203\text{cm} \times 75\text{mm} & (94'' \times 80'' \times 2'') \\ 239\text{cm} \times 203\text{cm} \times 51\text{cm} \times 100\text{mm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 50\text{cm} \times 51\text{cm} \times 100\text{mm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 50\text{cm} \times 51\text{cm} \times 100\text{mm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 50\text{cm} \times 51\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 50\text{cm} \times 51\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 50\text{cm} \times 51\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 50\text{cm} \times 51\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 50\text{cm} \times 51\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 50\text{cm} \times 51\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 50\text{cm} \times 51\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 50\text{cm} \times 51\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 50\text{cm} \times 51\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 50\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 100\text{cm} & (22'' \times 20'' \times 4'') \\ 23\text{cm} \times 100\text{cm} $
133	Foam Sheeting. 6mm ($^{1/4}$ ") thick and approx. 2.1mtr (84") wide. A very collapsible foam ideal for nominal padding Per mtr
380	Scrim Foam. Foam with a thin backing so suitable for stitching. 3mm (½") thick, 127cm (50") wide Per mtr 6mm (½") thick, 137cm (54") wide Per mtr 12mm (½") thick, 137cm (54") wide Per mtr
48	Millboard. 2.3mm (3/2") thick. Compressed card consistency with one side faced black and lightly grained. Ideal for trim panels . Stocked in sheets approx. 155cm × 122cm (61" × 48")
36	Rubberised Horsehair. Synthetic preparation that gives a 'firm seat' without the lumpiness of the genuine horsehair. Flame retardant. Stocked in sheets $183\text{cm} \times 91.5\text{cm} \times 2.5\text{cm}$ (6' \times 3' \times 1")

FELTS & SOUND DAMPING

136 Felt. 6mm (1/4") thick for sound deadening under carpet or trim. 137cm (54") wide Per mtr Felt. 11mm (7/16") thick for sound deadening as above. 137cm (54") 137 wide and unbacked Per mtr 241 Hardura Felt. 137cm (54") wide felt coated on one side with tough, durable PVC with an embossed finish. Approx. 3mm (1/8") thick. Original equipment for lining luggage space in many classic cars. Ex-stock in black, dark blue, red, biscuit, 'suede green', beige and grey Per mtr 241a Heavy Hardura Felt. Approx. 132cm (52") wide. Varies 6mm-10mm (1/4"-3/8") thick with tough, durable PVC coating with an embossed finish. As used on the early Jaguar XJ6 and Minis. Can be used under bonnet, engine bulkheads or extra noisy areas where a wipe-clean surface is preferred. Stocked in black only Per mtr Allow for CARRIAGE due to BULK of this Heavy Hardura. Ribbed Hardura Felt. 137cm (54") wide. Black PVC coated felt with 349 ribs 3mm (1/8") wide running across the roll. Approx. 6mm (1/4") thickPer mtr Colours also available in dark blue, red and biscuit 137cm (54") wide Per mtr 292 Sound Deadening Felt. Approx. 13mm (1/2") thick. 137cm (54") wide. One side coated in black latex solution. Fire resistant to FMVSS 302. A really good dense felt Per mtr Sound and Vibration Damping Pads. 1.6mm thick (just under 1/16"). 135 Self Adhesive. For inside doors, roofs, bulkheads and floors. Cut to size/shape BEFORE backing paper is removed. Make sure surface to be applied is completely clean. Peel backing and press firmly into place. Both pad and adhesive can withstand temperatures between -30°C and +120°C and are highly resistant to aging. For best results the temperature of the pad and application surface should NOT be below room temperature. Product is VERY FRAGILE WHEN COLD. Pad approx. 51cm × 18cm (20" × 7") Each Half sheet 75cm × 1mtr (291/2" × 39") Each Full sheet 1.5mtr × 1mtr (59" × 39") Each Acoustic Foam. 12mm (approx. 1/2") thick. Fire retardent (self extinguishing FMVSS302). Bonded to a self adhesive sound and vibration damping sheet. To reduce both panel resonance and sound. Sheet size 11/2mtr × 1mtr (59" × 391/4")...... Per sheet FOIL COATED Acoustic Foam. As 409 above but with added benefit 410 of a heat reflective foil facing which will withstand up to 250°C. Is ideal for under bonnet or any area where heat deflection is required. Sheet **HEAT RETENTION & DEFLECTION** Aluminised Heat Barrier. Flexible high temperature insulation. 367 Used as a heat shield, the barrier should be installed with highly reflective metallic surface facing the heat source. To RETAIN heat, position with FABRIC side facing the heat. 1mtr (39") wideper mtr 368 Thermo Shield Self Adhesive Tape. Roll 38mm (1½") wide × 4.57mtr (15ft) long x approx. 1mm thick. Very flexible high silica fibre with metallised mirror finish. For wrapping/protecting any hoses, fuel lines, wiring etc. from damaging engine/exhaust heat. Can be fitted insitu without removal/disconnection of components. Per roll 428 Acoustic Heatshield. Long strand glass fibre needlemat faced on one side with reinforced aluminium foil and self adhesive backing on reverse side. Approx. 7mm thick. Provides both thermal and acoustic insulation. The reflective face can withstand radiant heat up to 250°C while the adhesive backing can be used at continuous temperatures up to 180°C. Pad approx. 40cm × 50cm (16" × 20") Each Half sheet 80cm × 1mtr (311/2" × 39") Each Full sheet 1.6mtr × 1mtr (63" × 39") Each







50mm (2") dia. pipe uses 2.5m (8ft 2") of 25mm (1") wrap 50mm (2") dia. pipe uses 1.12m (44") of 50mm (2") wrap 75mm (3") dia. pipe uses 1.45m (57") of 50mm (2") wrap

- **ADHESIVES** 329 Aerosol Adhesive. 500ml aerosol tin ideal for all upholstery, felts and 328 foam sheeting. Adjustable nozzle for fine, medium or heavy spray coating Per can Aerosol High Heat Adhesive. 500ml. Remains effective up to 120°C 376 (248°F). Adjustable nozzle for fine, medium or heavy spray coating. Ideal for the high temperatures experienced in automotive use (headlinings, bulkheads etc). A useful alternative to our 259 high heat 1 litre tins Per can Adhesive Thixofix/AF172. Slow contact adhesive ie. can be 52 manoeuvred into position. For cloth to metal/wood Per ½ litre tin Adhesive S758/AF176. General purpose contact, for PVC, leather-277 cloth, rubber to metal/wood Per 1/2 litre tin

vinyl roofs. The STRONGEST of our adhesivesPer 1 litre tin

366 Glue Gun. As used by the trade. Suitable for all above adhesives EXCEPT 52 Thixofix. Approx. capacity 0.25ltr

..... Each

366b **Spare Brush** for glue gun Each




CARPETS

- 154a 'Thin-Ribbed' Carpet. Rotproof polypropylene. 2mtr (78¾") wide. Non-fray. Narrow 3mm (½") ribs running for length of the roll. Thin and pliable, so needs a good underfelt to give it some 'body'. Stocked in light beige, mid grey, black, light grey and brownPer mtr 154a carpet is ideal for side and roof linings on campers and van conversions.

CARPET SUNDRIES/ACCESSORIES

- 59 Carpet Fastener Socket. Black metal ring is pushed down through the pile into the socket and the points folded over. Invisible when carpet is in position .. Pkt 10




- 278 Storvic Heel Pad. Tough, pliable PVC. Approx. 1mm thick. Original classic car heel-mat material. Black, red, navy, beige and grey. For sewing into high-wear areas of the carpet.
 - Per piece approx. 28cm × 18cm (11" × 7")...... Each Per mtr off the roll, widths vary please enquire...... Per mtr
- 246 Carpet Binding. 38mm (1½") wide non-stretch leathercloth. One side folded over for neat top edge. Available in dark blue, black, brown, biscuit, cream, doeskin, green, grey, mulberry and red.Per mtr

GASKET MATERIALS

70R	Rubberised cork sheet 1.5mm (1/16") approx. 3' × 2' Each
71R	Rubberised cork sheet 3mm (1/8") × approx. 3' × 2' Each
72	Paper jointing 0.4mm (1/64") × approx. 3' × 2' Each
73	Paper jointing 0.80mm (1/32") × approx. 3' × 2' Each
75	Asbestos free graphited sheet 0.75mm ($1/32''$) × approx. 2' × 1'Each
76	Asbestos free graphited sheet 1.5mm (1/16") × approx. 2' × 1'Each

WINDOW CHANNELS



- 151R Rigid Single Track Window Channel. 14mm ($\%_1e''$) overall width. Same as 151 but TOTALLY RIGID Per 2mtr (78%'') length

- 311 Stainless Bead Channel. 16mm wide (5/8") Semi rigid metal channel with stainless steel beading. Rubber coated and lined with felt and plush material. As used on Morris Traveller sliding side windows, Rovers and similar.Per 1.4mtr (55") length
- 336 **Double Velvet Covered Rubber Window Channel.** For 4.7mm (¾6") glass. Overall width 20.5mm (approx. ¹³/₁₆") Per mtr
- 116 Special Window Channel for 233. Single track velvet covered rubber for 4.7mm (%e") glass to fit snugly into 233 rigid alloy. (NOT shown) Per mtr
- 117 Special Window Channel for 233. Single track velvet covered rubber for 6mm (1/4") glass to fit snugly into 233 rigid alloy. (NOT shown) Per mtr

BLACK VELVET AND BLACK FELT

378 Thin Black Velvet Fabric. 1.38m (541/4") wide. Ideal for re-covering window channels or horizontal weatherstrip on early vehicles ie wrapped around R181 or R97 black rubbers on p18 (useful for surfaces adjacent to glass where non friction is preferable... even glove box lining). Per 10cm (4") wide strip × 1.37mtr (54") long Each Per mtr off the roll 1.37mtr (54") wide Per mtr 87 Black Felt for window channels or fitting between bodywork and chassis. Specify size when ordering: (2" × 1/8") Per 1.83mtr (6ft) length 50mm × 3mm (2" × 1/4") Per 1.83mtr (6ft) length 50mm × 6mm (3" × 1/8") Per 1.83mtr (6ft) length 75mm × 3mm (3" × ½") Per 1.83mtr (6ft) length 75mm × 6mm

WINDOW WEATHERSTRIP

.....Per 25cm off the roll





- 152a **Window Weatherstrip.** 11.5mm (7/16") tall. Approx 6mm thick (1/4") Metal insert. One side covered in plush material. A smaller alternative to the 152. (NOT SHOWN)Per 2mtr (78 ¾") length

- 426 Weatherstrip Clip. Long "U" section pushes onto metal edge of door and small "u" set at 90° holds the weatherstrip. Widely used by Fords as an internal weatherstrip clipPkt 10


For all the latest product information and secure on-line ordering visit our website www.woolies-trim.co.uk 300 Self-Adhesive Black Sponge Strip. Skinned on 2 SIDES ONLY, but closed-cell and virtually non-absorbent (technically only 5% absorbent). Special blend of synthetic polymers, giving good resistance to weather ageing and oil contamination. Self-extinguishing when the source of ignition is removed. Surface must be CLEAN and DRY before applying with finger pressure.

The drawings below show the basic widths and thicknesses available, providing a useful range of 22 different sizes.





Black Neoprene Sponge Extrusions (shown approx. life size)












3mm × 16mm 6mm × 13mm


ί.		<u>. (</u>	S.	13	١,	<u>. 16.</u>	
	10	mr	n x	. 1	9n	nm	

160	Moulded Sponge Strip (Skinned on all 4 sides).			
	3mm × 16mm	$(1/8" \times 5/8")$	Per mtr	
	6mm × 13mm	$(1/4'' \times 1/2'')$	Per mtr	
	13mm × 13mm	$(1/2'' \times 1/2'')$	Per mtr	
	10mm × 19mm	(3/8" × 3/4")	Per mtr	

Skinned Sponge Extrusions (shown approx. life size)




254b	Neoprene Sponge Cord 3mm (1/8") dia	Per mtr
254a	Neoprene Sponge Cord 6mm (1/4") dia	Per mtr
254	Neoprene Sponge Cord 10mm (%") dia., ideal for making of	draught
	excluder piping	Per mtr
254c	Neoprene Sponge Cord 13mm (1/2") dia	Per mtr
252	Sponge Piping 6mm (1/4") sponge cord wrapped in black rub	berised
	fabric. Approx 25mm (1") flange	Per mtr
252	Sponge Pining 8mm (5/4e") dia × 30mm (13/4e") flange	Par mtr



427 Self Adhesive Bead with Lip. Approx. 16mm (5%") tall. Foot approx. 11mm (1/16") wide Per mtr 363 Hollow Self Adhesive 'D' Sponge. Very collapsible. Please note extra adhesive may need to be applied Approx. 13mm (1/2") wide


Black Rubber/PVC Extrusions (shown approx. life size)




Black Rubber Extrusions from Stock

The following are shown as APPROX. LIFE SIZE END SECTIONS.


PRICES PER METRE unless stated otherwise. We are always prepared to accept customer's samples and will give a quick and positive answer as to availability.







SURFACE PREPARATION FOR STICKING RUBBER AND SPONGE EXTRUSIONS. All adhesives work best on a clean dry surface. We suggest that the 'sticking surface' should be nominally roughed-up with a fine abrasive paper to ensure a good key.



- 434 Body Caulking. For sealing wherever it is necessary to prevent the passage of air and moisture between metal, wood, glass and plastic. Surfaces must be well cleaned. Product is non-hardening, will not shrink, is waterproof and can be painted. Dark grey in colour.
 - Per pack of 10 strips, 6mm x 300mm (approx $\frac{1}{4}$ "x 12") Each Per box of 60 strips, 6mm x 300mm (approx $\frac{1}{4}$ "x 12") Each
- 385 Flat Black Neoprene Rubber SHEET 1.36mtr (531/2") wide smooth finish.
 - 1.5mm (½16") thick
 Per mtr

 3mm (½8") thick
 Per mtr

 6mm (½4") thick
 Per mtr
- 300S Self Adhesive Black Sponge SHEET 1mtr (39%") wide. Skinned on 2 sides but closed-cell and virtually non-absorbent (refer p15 and 16 for full details + 22 different sizes of STRIP). Take care when peeling off backing, only peel backing and not sticky layer as well. 3mm (1/6") thick Per mtr 8mm (5/16") thick Per mtr



150 Universal Fitting Tool. For filler inserts in windscreen sections on page 19. Good, grippable synthetic rubber handle. Supplied with a

RUBBER TUBING, MATTING & SHEET

- 301 Hollow Rubber Drain Tubing. Best quality black rubber. All sizes have 3mm (1/8") thick walls. Also useful as a 'core' for large draught excluder piping:
- 10mm (%") bore 16mm (%") OUTSIDE dia. Per mtr 13mm (½") bore 19mm (¾") OUTSIDE dia. Per mtr Hollow Rubber Tubing. 8mm (5/16") OUTSIDE dia. with 4.7mm (3/16") 372
- hole. Useful as a small drain tube or 'inner' for pipings Per mtr Loctite Super Glue. Ideal for our rubber/sponge extrusions 281
- onto metal, painted surfaces, wood, plus some fabrics and plastics. (NOT glass.) Gives a good bond in seconds, with full strength after approx. 6 hours. Apply SPARINGLY to one surface only. Careful use could give up to 120-152cm (4-5ft) run per 1 gram of gluePer 3grm tubePer 5grm bottle




- 85 Black Rubber Sheet, Broad rib. 4 flat-topped ribs per 25mm (1"). (11¾") wide (23½") wide (35½") wide Per running mtr × 30cm Per running mtr × 60cm Per running mtr × 90cm
- Black Rubber Sheet. Narrow rib. 8 point-topped ribs per 25mm (1"). 86 (231/2") wide Per running mtr x 120cm (471/2") wide

Both ribbed mattings are supplied to us in 10mtr rolls × 120cm wide (approx. 33ft × 4ft) with ribs running along the roll. Please enquire for full roll Trade discount.

- 104 Black Pyramid Pattern Matting. Neoprene/Rubber. Approx. 3mm (1/8") thick. Pyramids are diagonal along the roll (DIAMOND shaped), giving 4 per 25mm (1"). Rolls approx. 32mtr (105ft) long and 915mm
- 386 **HEAVY Black Pyramid Pattern Matting.** 6mm (1/4") thick. Pyramids are SQUARE along the roll, giving approx. 4 per 25mm (1"). Per mtr Supplied to NEAREST 33cm (13") x 1.2mtr widePrice pro rata
- Flat Black Rubber Strip for glazing or packing: 88


 $(3'' \times 1/8'')$ Per mtr 75mm × 3mm

PIPINGS




- 54 Wing Piping. Grained dull black leathercloth 6mm (¼") dia. cord with 32mm (1¼") flange Per mtr
- 248 **Wing Piping.** As 54 but 4.7mm (¾16") dia. cord Per mtr
- 56 Interior Piping, PVC. 3mm (1/4") dia. bead. 10mm (3/4") flange. Exstock in black, red, white, grey, yellow, brown and blue Per mtr
- 29 **Piping cord.** 3mm (1/6") dia. For seat piping or making hidem ie. can be covered with headlining material or thin leathercloth Per mtr

ALUMINIUM STRIP



Please allow for carriage when ordering the above lengths.



256 62	Guttering. Lip folds down to hide screw heads Per 2.13mtr (7ft) Running board edging. 6 rib fluted top. 19mm sides $(\sqrt[3]{4})$
157	
63 65 66 158 159	Per 2mtr (6½ft) Offset tee. 22mm (7½") wide. 19mm (¾") flange Per 2mtr (6½ft) Half round 19mm (¾") wide (shown oversize) Per 5mtr (16.4ft) Half round 16mm (½") wide Per 4mtr (13ft) Half round 13mm (½") wide Per 4mtr (13ft) Cope moulding 24mm (½") wide overall. 20mm × 6mm inside Per 2mtr (6½ft)

Aluminium Running Board Tread with Black Rubber Filler

67 22mm (7/6") wide tread complete with domed filler .. Per 1.83mtr (6ft) 16mm (5/6") wide. Domed or 3-rib filler as shown.... Per 1.83mtr (6ft) (Other profiles can be used with 68 tread: SRS24 (pg16) is a tight fit. Rubber filler available SEPARATELY: Large domed as 67... Per mtr 3-rib as 68

3-rib as 68 Per mtr

Aluminium also available SEPARATELY without filler: 67 aluminium only Per 1.83mtr (6ft)


68 aluminium only Per 1.83mtr (6ft)

Please allow for carriage or arrange collection of all aluminium strips. Alternatively, we can cut items down to 1.45mtr long or less for posting.


Federation of British Historic Vehicle Clubs We are pleased to be members of the Trade

Support Scheme of the FBHVC, who strive to "ensure that club members and their vehicles continue to enjoy the freedom of the use of the roads in the United Kingdom and Europe".

SCREWS AND BONNET TAPE




297	Dished Cup Washers. Nickel on brass. For counter-sunk screws to
	give that finishing touch on trim and interior cappings.
	Size 4 (overall dia. 7mm) Pkt 10 Per box 200
	Size 6 (overall dia. 8.5mm)
	Size 8 (overall dia. 10.5mm) Pkt 10 Per box 200
43	Raised Cup Washers. Nickel on brass.
	Size 4 (overall dia. 8mm)
	Size 6 (overall dia. 10mm) Pkt 10 Per box 200
	Size 8 (overall dia. 12mm) Pkt 10
293	Captive Nut. Tempered steel. For push-fit onto edge of panel or
	similar. Suitable for size 6 and 8 screws only Pkt 10
298	Double Sided Edge Clip. Tempered steel. 11mm tall. 1.3mm gaps
	Pkt 10
299	Self Tapping Countersunk Raised Slot-head Screws. Stainless
	steel. Dia. of screw head: 4 = 5.5mm, 6 = 6.5mm and 8 = 8mm.
	½" (13mm) × size 4 Pkt 10 Per box 200
	5%" (16mm) × size 4 Pkt 10 Per box 200
	3/4" (19mm) × size 4 Pkt 10 Per box 200
	1" (25mm) × size 4 Pkt 10 Per box 200
	½" (13mm) × size 6 Pkt 10 Per box 200
	5%" (16mm) × size 6 Pkt 10 Per box 200
	3/4" (19mm) × size 6 Pkt 10 Per box 200
	1" (25mm) × size 6 Pkt 10 Per box 200
	11/4" (32mm) × size 6
	5%" (16mm) × size 8 Pkt 10 Per box 200
	3/4" (19mm) × size 8 Pkt 10 Per box 200
	1" (25mm) × size 8 Pkt 10 Per box 200
	11/4" (32mm) × size 8 Pkt 10 Per box 200
44	Wood Screws. Raised slot-head countersunk woodscrews nickel
	on brass. Dia. of screw head: 4 = 5.5mm, 6 = 6.5mm and 8 = 8mm.
	5/8" (16mm) × size 4 Pkt 10 Per box 200
	3/4" (19mm) × size 4 Pkt 10 Per box 200
	½" (13mm) × size 6 Pkt 10 Per box 200
	3/4" (19mm) × size 6 Pkt 10 Per box 200
	11/4" (32mm) × size 6 Pkt 10 Per box 200
	3/4" (19mm) × size 8 Pkt 10 Per box 200
	11/4" (32mm) × size 8 Pkt 10 Per box 200



Bonnet Tape

	Woven FLAT type for threading through holes in radiator or bulkho	ead.
77	10mm (¾") wide Per	mtr
78	13mm (½") wide Per	mtr
79	16mm (5%") wide Per	mtr
80	22mm (7/8") wide Per	mtr
	Woven DOUBLE BEADED type for riveting.	
81	16mm (5%") wide Per	mtr
82	22mm (7/8") wide Per	mtr
84	19mm (¾") wide Per	mtr
184	Bifurcated Brass Plated Rivets. 8mm (5/16") heads. 3mm shou	
	then 13mm (1/2") leas Suit 81 and 82 above Pk	d 10

LOCKS AND HANDLES



- 216 **Grab Handle.** Chrome on brass. 4 screw mounting. Hole centres 102mm (4") Each
- 215 **Grab Handle.** Chrome on brass. 2 screw mounting. Hole centres 102mm (4"), but may vary slightly. Please enquire. Each



- 346 **Bonnet/Panel Lock.** Chrome bezel 25mm (1") dia. Threaded body 19mm (¾") long, fits into 19mm (¾") dia. hole. Supplied with 2 removable keys Each




- 280 Over Centre Catch. Chrome on steel. Overall 89mm (3½") tall as shown Each
- 361 Over Centre Catch. Chrome on steel. Overall 73mm (27/6") tall as shown. With extra lug for securing with a padlock Each

Items 209, 211 and 213 are sometimes available in unplated state as POLISHED BRASS. Please enquire.

For all the latest product information and secure on-line ordering visit our website www.woolies-trim.co.uk






- 294 **Locking Exterior Handle.** Chrome 108mm (4½") long. Mounting hole centre 37mm (1½6"). 8mm (5½6") square steel shaft 127mm (5") long that can be cut down to size. Raised rib design Each
- 295 Non-Locking Exterior Handle. Chrome. To match No. 294 above Each
- 227 **Window Winder.** Chrome. 120mm (4¾") long. Spring loaded escutcheon. Raised rib design to complement 294/5. Will need 289 to fit snugly onto the 8mm (5½") shaft Each
- 395 Spring loaded escutcheon. For 227 and 283 supplied separately... Each
- 289 Spring Steel Adaptor. Converts the 10mm (%") hole in 227 and 283 to accept an 8mm (5/16") square shaft, as on the exterior handles 294/5/6 above Each
- 224 **Door Lock.** Zinc plated finish. Body 87mm × 50mm (3⁷/16" × 2"). Long tongue. Shaped handle 89mm (3¹/₂") long. Handed Each
- 225 Single Striker Plate. 50mm × 22mm (2" × 7/8"). Cast Each
- 226 **Double Striker Plate.** 30mm × 38mm (13/16" × 11/2"). Cast Each 218 **Interior Handle.** VDP type solid brass casting chrome plated. Approx.
- 218 Interior Handle. VDP type solid brass casting chrome plated. Approx. 95mm long (3¾") to fit 8mm (5¼6") shaft at 90° angle Each
- 217 Interior Handle. Vintage type chrome on brass. Approx. 82mm (31/4") long to fit 8mm (5/16") shaft at 45° angle Each

For all the latest product information and secure on-line ordering visit our website www.woolies-trim.co.uk




- 209 **Bonnet Catch.** Chrome on brass. 108mm (4½") long as shown with approx. 13mm (½") of spring lift. Rubber buffer mounted on the rear of the barrel. Complete with catch plate as shown Each
- 345 Bonnet Catch. Exposed-spring type in stainless steel. 127mm (5") overall length. Complete with catch plate as shown Per pair

ACCESSORIES




83 Aeroscreen. This is the Brooklands pattern aeroscreen fitted with Triplex laminated glass suitable for RAC competition. Polished aluminium frame with chrome fittings and mounting legs. Mounting spigots are offset allowing variable distance between bodywork and the bottom of the screen. Frame width 305mm (12") and overall width 406mm (16")



- 318 Badge Bar Complete with 4 clips. Chrome-on-brass legs, clips and end caps. Slightly cranked stainless steel bar as shown. Bar is 19mm (34") dia and 559mm (22") overall length. Per bar with 4 clips.
- 110 **Badge Bar Clips** Chrome-on-brass for 19mm bar (¾") as above. Extra clips can be purchased separately...... Each



Wooden handle. Choice of SOFT or HEAVY bristle Each Key Hole Cover. Chrome on brass. Top swings to one side and is 123 spring loaded. Mounting hole centres 38mm (11/2") Each 124 Key Hole Cover. Chrome. Spring loaded lift-up-top hides screw holes. Mounting hole centres 20.5mm (13/16") Each Enamel Union Jacks. Well made in jeweller's enamel. Chrome. 125 $57\text{mm}\times35\text{mm}$ (2½" \times 1%). Supplied in pairs complete with fixing screws Per pair 125a St George Cross. Well made in jeweller's enamel. Chrome. 57mm × 35mm ($2^{1/4}$ " × 1%). Supplied in pairs complete with fixing screws Per pair Budget Locks. All steel. Left and right handed. Mounting hole centres 126 67mm (25/8") Each Budget Lock Striker Plate. Zinc plated steel. Use in conjunction with 425 the 126 budget locks. Overall size 13mm \times 76mm ($^{11}/_{16}$ " \times 3"). Countersunk hole centres 60mm (23/8"). Slot size 6mm × 44mm (1/4" x 13/4") (not shown) Each Carriage Key. Tapered square shaft to suit above budget lock. 100mm 127 (4") tall. Unplated Each 128 Door Check Straps. Brown leather approx. 178mm (7") long with black enamel staples Each Staples. Black on steel for 32mm (11/4") wide strapping Each 129 130 Staples. Black on steel for 38mm (11/2") wide strapping Each 130a Staples. BRASS for 38mm (11/2") wide strapping Each Staples. Chrome on brass for 38mm (11/2") wide strapping Each 131 132 Door Buffers. 'D' shaped 29mm (11/8") long x 13mm (1/2") thick complete with zinc plated shoe and brass eyelet Each 112 Horn Bulb 82mm (31/4") approx. dia. A good medium sized bulb that will suit any straight or bugle-type horn. Made in synthetic rubber to give a good firm feel. Complete with chrome ferrule. Hole 14mm (9/16") dia. Each 'GB' Letters in Chrome. Separate 'GB' letters 84mm (35/16") tall 354



- 182 Lucas Chrome Reflector. Spun brass rim. Rubber base. Screw fitting. 50mm (2") dia. Can be stripped to polished brass Each
- 320 Chrome Reflector. 50mm (2") dia. Brass rim. Self tapping screw fitting Each
- 320b As 320 in brass (not shown) Each




Federation of British Historic Vehicle Clubs

We are pleased to be members of the Trade Support Scheme of the FBHVC, who strive to "ensure that club members and their vehicles continue to enjoy the freedom of the use of the roads in the United Kingdom and Europe".







230	Sidescreen Mounting Peg. 8mm ($\%$ 6") dia. 54mm (2% 6") long. Hole centres 35mm (1% 6"). Chrome on brass Each
231	Sidescreen Socket to accept above peg. 35mm (1%") long. Chrome on brass Each
232	Hood Fastener. Chrome on brass. To suit 16mm (5%") dia. peg. Mounting hole centres 49mm ($1^{15/16"}$) Each
228	Round Lifting Ring. 50mm (2") dia. Chrome on brass. Shown with ring raised
	Clevis Pins. Case hardened and zinc plated.
105	5mm dia. \times 16mm long ($3/16$ " dia. \times $5/8$ " long) Each
106	6mm dia. \times 19mm long (1/4" dia. \times 3/4" long) Each
107	8mm dia. \times 24mm long ($5/16''$ dia. \times $15/16''$ long) Each
108	10mm dia. \times 32mm long ($\%$ 8" dia. \times 1 $\%$ 1" long) Each
97	Mudguard Bolts. Domed head 20mm (1% 16") × 37mm (11% 1") long with 1/4" BSF thread. Steel. Supplied black complete with nut Each
	Bumper Bolts in Chrome
98	25mm (1") long under head × $\$/16"$ BSF supplied with nut. Head dia. 14mm ($\$/16"$) Each
99	38mm (1½") long under head × $\%$ " UNF supplied with nut. Head dia. 16mm (5%") Each
111	Bonnet Corner Rubbers. Made from the original Holdtite mould. For right angle corners only Each
	Hex. Grease Nipples in Brass
101	$\%$ " BSF thread. 15mm (19 %2") across the hex. flats Each
102	$1\!/\!8''$ BSP thread. 15mm (19/32") across the hex. flats Each
165a	Grease gun adaptor in brass to fit the above hex. nipples. 1/4" gas thread Each

LEATHER RENOVATION



155 Leather Renovation Kits. The purpose of this well-tried kit is to restore leather to its original colour with uniform finish and WITHOUT giving the 'just been painted' appearance. Shown above is the No. 2 kit for 4/5 seaters.

Send a specimen of the original leather colour, and we will supply a kit of cleaner, colour matched renovator, sealing paste, cloth and instructions. (When sending a snippet of the old, original leather, [or matching vinyl], make sure that it is CLEANED so that the colour can be matched correctly.) Each kit is individually colour matched and is given a unique colour code. We require a sample by first post on a Tuesday to despatch the kit on Thursday of the same week. (TO BE SAFE, TRY TO ENSURE SAMPLES ARE WITH 'WOOLIES' AT THE BEGINNING OF THE WEEK.) We do have some popular colours in stock for a speedier despatch and when a specific colour match is not required e.g. red, dark blue, beige and magnolia.

In the event of a heavily grained or mottled sample (showing a darker shade in the grain and lighter hue on the high areas) we will supply an **OVERALL MATCH**, unless advised otherwise. We always endeavour to match accurately to the customer's sample, but must insist on the acceptance of 'ARTISTIC TOLERANCE' (ie. slight variance of shade). Rematches can be tricky in this respect.

Kit No. 1 (for 2/3 seaters): 1 × 1/4 litre colour renovator 1 × 100ml sealing paste 1 × 1/2 litre cleaner Cloth ALL-IN price UK post paid	
Kit No. 2 (for 4/5 seaters): As above except: 1 × ½ litre colour renovator ALL-IN price UK post paid	
'Jensen' kit (for 4 seats + trim panels): As above except: 1 × 1 litre colour renovator Cloths ALL-IN price UK post paid	
'Limousine' kit (whole interior): 2½ litre colour renovator 3 × ½ litre cleaner 2 × 100ml sealing paste Extra cloths	
ALL-IN price UK post paid We can supply individual bottles of renovator P P P Pe Pe	Per 1/4 litre Per 1/2 litre Per 1 litre er 21/2 litre

Important: PROTECT LEATHER KITS FROM FROST. Do NOT leave the kit in a cold garage during the winter months.

AVERAGE SHELF LIFE 6 MONTHS.



INSTRUCTIONS

General Guidance:

The keynote to all leather renovation is to obtain adhesion between the leather itself and the first coat of renovator. For upholstery that is well worn, a thorough cleaning with our water based cleaner should be all that is required. However, there COULD be an advantage in using a fine grade steel wool with the cleaner, particularly where the leather has a very smooth, fast finish. This would disturb the surface to give a better 'kev'.

STAGE 1

CLEANER – water based, deeply penetrating liquid supplied ready to use. Do <u>NOT</u> dilute. Not only cleans but gives deep penetration into the fibres, softening, feeding and therefore increasing the strength of the leather. Apply using a soft cloth rubbing lightly. Avoid flooding and change the surface of the cloth frequently. A small brush can be used to remove the ingrained dirt. It is ESSENTIAL that after cleaning, ALL SURFACES are thoroughly wiped over with a clean, damp cloth to remove excess build-up of cleaner and dirt.

NB: Thorough cleaning is essential to enable the renovating dye to penetrate the hide.

STAGE 2

COLOUR RENOVATOR — based on materials used in original finishing of upholstery hides in the tannery, and as such is compatible with the leather being restored (5 resins, micronised pigments and water emulsified cellulose lacquer). STIR WELL BEFORE USE. Supplied ready to use. Do NOT dilute. Pour a small quantity into a saucer. Apply lightly with a soft cloth (NOT a brush) rubbing well into the cracks and crevices, doing small areas at a time. Allow this film to dry out (at least 30 minutes MINIMUM at room temperature) and apply a second coat to level off.

Bearing in mind the cost of new leather, it is well worth putting some effort into the task of 'working in' the first coat of renovator. The second coat can be applied by cloth, **OR**, as some customers prefer, by spraying, applying very light coats in order to avoid a rapid, heavy build-up finish.

STAGE 3

SEALING PASTE – to seal the renovator. Apply sparingly and then buff with a soft cloth. TOO MUCH elbow grease will tend to remove some of the renovator. Finished surface will have a water resistant wax sheen. 100% cotton cloth supplied with each kit for applying colour and cleaning/buffing.

We feel that it is worth mentioning again that the finished job will retain the original character of the leather and NOT have the 'just been painted' appearance. The surface of the leather has not been completely sealed and Hide Care can still be used sparingly after the colour renovation, say every 6 months, to maintain suppleness.

While we do not recommend this kit for completely CHANGING the leather colour, this will depend entirely on the colours concerned, ie., light to dark or black will usually result in a good job. We would suggest that a test area be tackled initially.

With some really LIGHT shades (off-white, magnolia etc.) the pale pigment may struggle to give good coverage and a special BASE COAT or 'foundation' might help. Cost is much the same as colour renovator. Please contact us **BEFORE** ordering to discuss the project.

We are aware of the problems in getting uniform colour into interiors where seating is LEATHER and trim panels in LEATHERCLOTH/PVC. However, we have found that the leather renovator will sometimes key onto old, original leathercloths where the surface has been broken down either by wear or cleaning agents. It is certainly worth doing a 'test' piece.

THESE INSTRUCTIONS ARE BASED ON RESEARCH AND PRACTICAL EXPERIENCE. ALTHOUGH WE HAVE EVERY CONFIDENCE IN OUR PRODUCTS, NO GUARANTEE CAN BE GIVEN DUE TO THE WIDE VARIETY OF 'FOREIGN' TREATMENTS TO WHICH THE LEATHER MAY HAVE BEEN PREVIOUSLY SUBJECTED.

Below is a before and after photo from a customer who used the leather renovation kit to renovate his Ferrari seats.



"Having purchased your leather renovation kit and not really expecting brilliant results, if any at all, I was dumbfounded at what I ended up with. I have two new seats for my Ferrari, they honestly look like they have been re-leathered and my friends think the same. If I was a salesman I could go to work happily knowing that what I sell does exactly what it is supposed to."









For all the latest product information and secure on-line ordering visit our website www.woolies-trim.co.uk

HOUSEHOLD Leather Renovation Kit. For this application, a more 221 permanent finish is required to cope with general wear-and-tear plus spillages. The Stage 3 Sealing Paste is replaced by a bottle of liquid dressing, giving a semi-gloss finish. This special dressing should be applied with a soft sponge and 2 coats are usually required. Please contact us with details of the renovation project and we will be pleased to quote accordingly.

A ROUGH GUIDE to the us	age and contents of the kit as follows:
Household Kit No. 1 (for si	mall/medium chair)
½ litre cleaner	
1/4 litre colour renovator	Per kit
1/4 litre semi-dressing	
	ALL-IN UK post paid
Household Kit No. 2 (for 2	seater settee or 2 chairs)
½ litre cleaner	
½ litre colour renovator	Per kit
1/4 litre semi-dressing	
	ALL-IN UK post paid
Household Kit No. 3 (for 3	seater settee plus chair)
½ litre cleaner	

......ALL-IN UK post paid Quantities will depend on the colour and the condition of the surface to be renovated. (Darker, solid shades cover much better, using less renovator than pale, creamy hues). We cannot reproduce mottled

1 litre colour renovator ½ litre semi-dressing

in this respect.

or shady finishes and dramatic COLOUR CHANGES are not recommended.... PLEASE CONTACT US WITH DETAILS OF THE PROJECT BEFORE ORDERING

WOOLIES always endeavours to match accurately to the customer's sample, but must INSIST on the acceptance of 'ARTISTIC TOLERANCE' (ie slight variance of shade). Rematches can be tricky

VINYL RENOVATION



- - Colour matching available, minimum of 4 aerosols, please enquire.
- 375 Vinyl Primer. Spirit based solution that primes the surface and removes any previous old or 'artificial' coatings. It is <u>essential</u> that these are removed first for a good permanent result from Vinyl Paint. Vinyl Primer is fairly potent, so please <u>USE SPARINGLY</u>. We suggest doing a <u>TEST</u> area before plunging-in on the whole project!

..... Per 250ml bottle. Each



MOTOR TRADE

We are keen to develop our Trade business particularly with motor trade and upholstery companies. Overall 10% discount on prices but <u>ALWAYS</u> enquire for the best ROLL / BULK DISCOUNTS. Particularly good deals on bonnet tapes and selected rubbers/sponge extrusions and wing pipings.

Please enquire tel 01778 347347

BRASS TAPS AND FITTINGS

Copper Tube. All sizes of this annealed tube are outside dia.

89 1/6" dia. (3mm) Per mtr 90 3/6" dia. (4.7mm) Per mtr 91 1/4" dia. (6.3mm) Per mtr 92 5/6" dia. (8mm) Per mtr 93 3/6" dia. (9.5mm) Per mtr 94" dia. (6.3mm) Per mtr



All taps and fittings on this page are shown above with solder type nuts and nipples for $\frac{1}{4}$ " (6.3mm) pipe.

	Drain Plugs
185	1/8" BSP thread Each
186	1/4" BSP thread Each
187	%" BSP thread Each
188	1/2" BSP thread Each
	Double Ended Unions complete with solder nuts and nipples
189	1/8" BSP thread for 1/8" tube (3mm) Each
190	1/8" BSP thread for 3/16" tube (4.7mm) Each
191	1/4" BSP thread for 1/4" tube (6.3mm) Each
192	1/4" BSP thread for 5/16" tube (8mm) Each
193	3/8" BSP thread for 3/8" tube (9.5mm) Each
194	Straight Fuel Tap. $1/4"$ BSP thread supplied with solder nuts/nipples for $1/4"$ or $5/16"$ tube (6.3mm or 8mm). PLEASE SPECIFY Each
257	Straight Fuel Tap. $\%''$ BSP thread at each end. Supplied complete with nuts and nipples for $\%''$ tube (9.5mm) Each
195	Straight Fuel Tap. $\%$ " BSP thread with $\%$ " BSP thread holding nut/nipple for $\%$ " or $\%$ 6" tube (6.3mm or 8mm). PLEASE SPECIFY
	Each
196	Each Straight Drain Taps. 1/8" BSP thread Each
196 197	Straight Drain Taps. 1/8" BSP thread Each
197	Straight Drain Taps. 1/8" BSP thread Each Straight Drain Taps. 1/4" BSP thread Each
197 198	Straight Drain Taps. 1/8" BSP thread Each Straight Drain Taps. 1/8" BSP thread Each Curved Drain Taps. 1/8" BSP thread Each
197	Straight Drain Taps. 1/8" BSP thread Each Straight Drain Taps. 1/4" BSP thread Each Curved Drain Taps. 1/4" BSP thread Each Curved Drain Taps. 1/4" BSP thread Each
197 198 199	Straight Drain Taps. 1/8" BSP thread Each Straight Drain Taps. 1/4" BSP thread Each Curved Drain Taps. 1/4" BSP thread Each Curved Drain Taps. 1/4" BSP thread Each Tee Pieces. Complete with 3 solder nuts and nipples.
197 198 199 163	Straight Drain Taps. ⅓" BSP thread Each Straight Drain Taps. ⅓" BSP thread Each Curved Drain Taps. ⅓" BSP thread Each Curved Drain Taps. ¼" BSP thread Each Tee Pieces. Complete with 3 solder nuts and nipples. For ⅓" tube (3mm) Each
197 198 199 163 164	Straight Drain Taps. ⅓" BSP thread Each Straight Drain Taps. ⅓" BSP thread Each Curved Drain Taps. ⅙" BSP thread Each Curved Drain Taps. ¼" BSP thread Each Tee Pieces. Complete with 3 solder nuts and nipples. For ⅙" tube (3mm) Each For ⅙" tube (4.7mm) Each
197 198 199 163 164 203	Straight Drain Taps. 1/6" BSP thread Each Straight Drain Taps. 1/4" BSP thread Each Curved Drain Taps. 1/6" BSP thread Each Curved Drain Taps. 1/4" BSP thread Each Tee Pieces. Complete with 3 solder nuts and nipples. For 1/6" tube (3mm) Each For 3/6" tube (4.7mm) Each For 1/4" tube (6.3mm) Each
197 198 199 163 164	Straight Drain Taps. 1/6" BSP thread Each Straight Drain Taps. 1/4" BSP thread Each Curved Drain Taps. 1/6" BSP thread Each Curved Drain Taps. 1/4" BSP thread Each Tee Pieces. Complete with 3 solder nuts and nipples. For 1/6" tube (3mm) Each For 3/16" tube (4.7mm) Each For 1/4" tube (6.3mm) Each For 5/16" tube (8mm) Each
197 198 199 163 164 203 204	Straight Drain Taps. 1/6" BSP thread Each Straight Drain Taps. 1/4" BSP thread Each Curved Drain Taps. 1/4" BSP thread Each Curved Drain Taps. 1/4" BSP thread Each Tee Pieces. Complete with 3 solder nuts and nipples. For 1/6" tube (3mm) Each For 3/16" tube (4.7mm) Each For 1/4" tube (6.3mm) Each For 5/16" tube (8mm) Each For 3/6" tube (9.5mm) Each
197 198 199 163 164 203 204 205	Straight Drain Taps. 1/8" BSP thread Each Straight Drain Taps. 1/8" BSP thread Each Curved Drain Taps. 1/8" BSP thread Each Curved Drain Taps. 1/4" BSP thread Each Tee Pieces. Complete with 3 solder nuts and nipples. For 1/8" tube (3mm) Each For 3/16" tube (4.7mm) Each For 1/4" tube (6.3mm) Each For 5/16" tube (8mm) Each For 3/1" tube (9.5mm) Each Elbows. Complete with 2 solder nuts and nipples. Each
197 198 199 163 164 203 204	Straight Drain Taps. 1/8" BSP thread Each Straight Drain Taps. 1/8" BSP thread Each Curved Drain Taps. 1/8" BSP thread Each Curved Drain Taps. 1/4" BSP thread Each Tee Pieces. Complete with 3 solder nuts and nipples. Each For 1/8" tube (3mm) Each For 1/4" tube (4.7mm) Each For 1/4" tube (6.3mm) Each For 5/6" tube (8mm) Each For 3/8" tube (9.5mm) Each Elbows. Complete with 2 solder nuts and nipples. For 1/8" tube (3mm) Each
197 198 199 163 164 203 204 205	Straight Drain Taps. ⅓" BSP thread Each Straight Drain Taps. ⅓" BSP thread Each Curved Drain Taps. ⅓" BSP thread Each Curved Drain Taps. ⅓" BSP thread Each Tee Pieces. Complete with 3 solder nuts and nipples. For ⅓" tube (3mm) Each For ¾" tube (4.7mm) Each For ⅓" tube (6.3mm) Each For ⅓" tube (8mm) Each For ¾" tube (9.5mm) Each Elbows. Complete with 2 solder nuts and nipples. For ¾" tube (3mm) Each For ¾" tube (4.7mm) Each
197 198 199 163 164 203 204 205 169 170	Straight Drain Taps. 1/8" BSP thread Each Straight Drain Taps. 1/8" BSP thread Each Curved Drain Taps. 1/8" BSP thread Each Curved Drain Taps. 1/4" BSP thread Each Tee Pieces. Complete with 3 solder nuts and nipples. Each For 1/8" tube (3mm) Each For 1/4" tube (4.7mm) Each For 1/4" tube (6.3mm) Each For 5/6" tube (8mm) Each For 3/8" tube (9.5mm) Each Elbows. Complete with 2 solder nuts and nipples. For 1/8" tube (3mm) Each

208 For 3/8" tube (9.5mm)

PRICES

All prices include VAT at the current rate.

See the separate easy-to-read price list which is regularly updated. We keep our prices keen, but they may be altered at ANY TIME due to material or manufacturer's increases. You can use the website www.woolies-trim.co.uk to get an all-inclusive price for an order or alternatively telephone or e-mail us.

ORDERING









We accept all major credit and debit cards and PayPal. You can order securely on the website, telephone us on 01778 347347 (0044 1778 347347 for overseas customers) or e-mail us info@woolies-trim.co.uk

CARRIAGE COSTS

Orders which are under 2 kilos in weight and not too valuable will usually be sent by Royal Mail 1st class post. Larger and heavier items will be sent by courier where a signature is required. Postage prices vary and start at £3.90 for a small 1st class order. Please contact us to get an accurate price for your order or use the website, if you put items in your shopping basket on the website it will calculate the cost of postage.

Please note if you need express delivery we can do timed deliveries e.g. Next Day before 12 noon or 10.30am, please enquire.

DELIVERY

All items (except colour matched leather kits) are usually in stock and we endeavour to despatch all orders received by 2.30pm the same day. We will inform you by return if any goods ordered are currently unavailable. It may be possible to despatch orders received after 2.30pm the same day, it is dependent on how busy we are. If you require an order urgently it is advisable to telephone us to see if it can be despatched same day.

GUARANTEE


We will replace or refund for any goods returned, but will make a MINIMUM 15% handling charge, unless we make alternative arrangements. Specifically ordered CUT lengths are DIFFICULT to re-sell and therefore NOT welcome as returns! No goods will be accepted for credit unless returned to us within 14 days of the date of invoice. We have tried to give a brief but accurate description of all items in this brochure to comply with the Trade Descriptions Act. Should any customers think that there is any misrepresentation at all, will they please advise us so that the matter can be amended for future editions.

SHOWS AND AUTOJUMBLES

We attend a select number of Shows and Autojumbles each year, please look at the website for an up to date listing of where you can find us. We can bring orders to the event for collection saving you the cost of postage.



HOW TO FIND WOOLIES...



Access to the Northfields Industrial Estate is directly from the Market Deeping bypass. From the northern roundabout take the exit signed for Northfields Ind. Estate. This leads into Blenheim Way and Whitley Way is the first left. Woolies is the first building on the left.

FROM THE NORTH (on A15 south from Bourne) ... pass through Langtoft village. In approx. 1 mile, take <u>2nd</u> exit from the roundabout, then as above.

FROM THE WEST (on A16 from Stamford) ... turn left at the new Welland Gate roundabout and onto the dual carriageway section of the Market Deeping bypass. At next roundabout take 3rd exit, then as above.

FROM THE SOUTH (on A15 from Peterborough) ... take the A15/A16

Market Deeping bypass from the Northborough roundabout. Continue straight on at the next (Welland Gate) roundabout, onto the dual carriageway section. At the next roundabout take 3rd exit, then as above.

FROM THE EAST (on A16 from Spalding) ... take the left turn onto Northfields Industrial Estate, then turn right at the roundabout. Continue along Whitley Way and Woolies is on the right just before the T junction.



WOOLIES (I & C Woolstenholmes Ltd) Whitley Way, Northfields Industrial Estate, MARKET DEEPING, PETERBOROUGH, **England, PE6 8AR**

Tel: (01778) 347347 www.woolies-trim.co.uk info@woolies-trim.co.uk

Printed in England by Fisherprint Ltd., Padholme Road East, Peterborough, PE1 5UL Telephone: 01733 341444 Fax: 01733 349416 www.fisherprint.co.uk