WOOLIES



TRIM AND UPHOLSTERY FOR VINTAGE AND CLASSIC MOTOR ENTHUSIASTS WORLDWIDE

Open 0900-1600 Monday to Friday (closed lunch 1300-1400).



WOOLIES (I & C Woolstenholmes Ltd)
Whitley Way, Northfields Industrial Estate,
MARKET DEEPING, PETERBOROUGH,
England, PE6 8AR

Tel: (01778) 347347 www.woolies-trim.co.uk info@woolies-trim.co.uk

23rd Edition



Hello and welcome to the 23rd edition of the WOOLIES catalogue. We have been supplying the Trade and the individual enthusiast for over 46 years with upholstery, trimmings and body fittings for vehicles dating back from early Vintage and Veteran right through to modern Classics and Kit Cars. More recently we have been supplying other non motoring sectors such as the film industry; our products can be used for all sorts of applications.

A large amount of business is now through the easy to use, secure website. This is kept right up to date so has the very latest products and news and is a great tool to use in conjunction with the catalogue. If you have not used the website please go to www.woolies-trim.co.uk and have a look, you can get prices including postage and can order when the office is closed!

In addition to our Worldwide mail order service you can see us at selected Shows and Autojumbles during the year, please visit the website for information on the shows we will be attending. You can also visit us in person, we offer a 'counter service' and are open Monday-Friday 9.00am until 4.00pm but are CLOSED between 1.00-2.00pm for lunch.

WOOLIES was started by Ian and Caroline Woolstenholmes in October 1976 from a double garage with a nominal stock, ultra keen prices and lots of enthusiasm. The Company now has a dedicated small team lead by Directors Duncan Allen and Louise Woolstenholmes Green.

We trust you will find the catalogue easy to use and informative and we look forward to helping all customers both old and new.



Oct 2022



INDEX

Adhesives 11 Aeroscreen 26 Aluminium sections 21/22	Key hol
Aluminised heat mat & tape10/11	Leather Leather
Badge bar and clips	Millboa Moquett Mudgua
Bonnet corners	Over ce Override
Boot seals	Pin bea Piping co Pirelli we
Calico and platform cloth 9 Carriage key 27 Carpets and binding 12 Celluloid 7 Chalk 8 Chrome strips (self adhesive) 5 Clevis pins 29 Coach lacing 4 Comp. boot/bonnet pins 24 Copper tube 35	Reflector Renovo Rubber of Smooth Running Screws Shears (Self-adh
Door buffers 27 Door draught excluders 3/4 Door handles 25 Door locks and strikers 25 Drain tubing 20	Sound d Spoke c Sponge Spring b Staples Staple g
Eyelets (brass)	Storvic h
Fasteners/clips1/2/12/14/23 Felt strips (black)14 Floor lifting ring29 Foam cushion/sheet+scrim9	Thread Tools (fit
Gasket materials13	Union ja Upholste
GB letters 27 Gimp pins 8 Glue gun 11 Grease nipples (hex only) 29 Guttering 22	Velvet (Vinyl pai Vinyls Vybak
Hardura felts 10 Hammer (magnetic) 2 Hog rings and pliers 2 Headlinings (wool, PVC 2 Headlinings (wool, PVC 3 And nylon) 7 Hide Food 32 Hide Food 32 Hide Food 8 Hood fastener 29 Hood frame (hollow bar) 21 Hood Proofings 6/7 Hoodings (Duck, 'Mohair' and Leathercloth) 6 Hook and loop tape 8 Horn Bulb 27 Horsehair (rubberised) 9	Waddir Webbing Window Window Windscr Wing pip Zips
Interior pipings21 Interior handles25	

Key hole covers27
Leathercloths
Millboard (for trim panels)
Over centre catches24 Overrider beading21
Pin beading 21 Piping cord 21 Pirelli webbing 9
Reflectors 28 Renovo hood products 6/7 Rubber mattings 20 Rubber extrusions/strip/tubing/flat 18/19/20 Running board treads 22
Screws (wood & self-tap)
Tacks and escutcheon pins
Underfelts
Velvet (thin black) 14 Vinyl paint 34 Vinyls 5/6 Vybak 7
Wadding 9 Webbing 6/9 Window channels 13/14 Window weatherstrips 14 Window winder 25 Windscreen filler inserts 19 Wing pipings 21 Zips 8

ALL RIGHTS RESERVED. No part of this catalogue may be reproduced or transmitted in any form without the permission of I & C Woolstenholmes Ltd t/a "WOOLIES"



	Lift the Dot Fasteners (Plated)	
07	Socket with backplate	Pkt 10
07a	Long-pronged socket with backplate (NOT shown)	Pkt 10
80	Single thickness screw base stud	Each
09	Double thickness screw base stud	Each
10	Single thickness wood screw stud	Pkt 10
10a	As 10 but shorter thread approx. 10mm (%")	Pkt 10
11	Double thickness wood screw/self tapper stud	Each
12	Single thickness metal stud	Pkt 10
13	Double thickness metal stud	Each
14	Single clinch stud (cloth mounted) with backplate	Pkt 10



 Durable Dot Fasteners (Plated)

 15
 Button and socket 13mm (½") dia.
 Pkt 10

 15a
 Button and socket 15mm (¾") (NOT shown)
 Pkt 10

 15b
 As 15a but LONGER shank for thicker fabric
 Pkt 10

 15c
 As 15a but black PVC coated button top
 Pkt 10


 16
 Stud for wood or metal
 Pkt 10

 17
 Stud and eyelet for cloth mounting. 6mm shank
 Pkt 10

 17a
 As 17 but 9mm shank for thicker fabric
 Pkt 10




	Turnbuckle Fasteners (Plated)
01	Single thickness screw base stud Pkt 10
02	Double thickness screw base stud Pkt 10
03	Single clinch stud (cloth mounted) with backplate Pkt 10
04	Socket with backplate Pkt 10



•	-		₩	22	Ψ	23	21		333a
20 20a 21 22 23 332 333	Tenax Spring Extra Key for Wood Metal Wood Metal As 33 Single Platfor Platfor	x Snap Faste g loaded sock length socket or tightening a l screw stud v screw stud V screw stud V screw stud V 3 with thread e clinch stud (orm stud WITF orm stud With	tet with the formal terms of the formal terms of the following terms	(Plate the number of the numbe	ted) it KER der' a der' a sho sho nted bulde as s	fabricas sho as sho ulder' ulder' ng) with er'	wnbwn backplate	wn)	. Pkt 10 . Pkt 10 Each Each Each Pkt 10 . Pkt 10 . Pkt 10 . Pkt 10 . Pkt 10
239	simila belov	e metal screar and we ca v). nuts and spri	n sup	ply	supp	oly nu	ts/washer	s to suit (s	see 239
	0.001	a.c and opin	9 ""		(10



TOOLS & EYELETS




236	Turnbuckle Punch for fitting 04 Each
237	Lift-the-Dot Punch for fitting 07 and 07a Each
238	Durable-Dot double sided bed and punch. One side is used for the 15 and 15a button and the other for the 17 stud Per set
324	Magnetic Hammer. 26.7cm $(10\frac{1}{2})$ overall length. Wooden shaft. 13mm $(\frac{1}{2})$ dia. head. For 'tacking' the professional way Each
364	Hog Ring Pliers. Angled head. Spring-loaded, grooved jaws grip the hog ring. A firm squeeze clamps the ring Each
365	Hog Rings. Supplied in sticks of approx. 60 Per stick
	Per 10 sticks
	Per bulk box approx. 8800
	Refer to page 20 for Universal Fitting Tool for windscreen rubbers




389	Brass Eyelet Kits. Complete with punch and die. 25 brass eyelets & rings 10mm (%") dia. hole
390	Brass Eyelets ONLY.
	25 brass eyelets & rings 10mm (%") dia. hole Per pack
	15 brass eyelets & rings 13mm (½") dia. hole Per pack
391	5/16" Hole Cutting Punch for 3/8" dia. eyelets or No. 20 Tenax Each
	7/16" Hole Cutting Punch for 1/2" dia. eyelets Each
392	Heavy Duty Staple Gun Tacker Rapid 33 Each
393	Staples to suit above gun. 4mm leg length
394	Tailors Shears as used by the Trade. 10"


DOOR/BOOT SEALS & EDGE TRIMS




- 139a LARGER Plush Snappon Edge Trim. 22mm (1/6") overall height and 17mm (11/16") overall width. Same 'U' shaped steel as 139 plus integral rubber padding. Stocked in black and beige. NOT shown Per mtr
- 26 Furflex Draught Excluder. Plush wool moquette covered bead approx. 16mm (%") OD with canvas flange 24mm (15/n") wide. Used on Vintage cars and Classics like the Jaguar MkII saloon. Stocked in black, red, mulberry, brown, dark and suede green, Jaguar navy, standard blue, light beige, dark beige, cinnamon and grey Per mtr




- 265A Rubber covered Snappon with Sponge Flap protruding 11mm (7/16"). Useful for tight fitting doors, as flap will crush easily .. Per mtr
- 266 PVC Snappon with Sponge Bead 16mm (5/6") dia. Black herringbone pattern embossed PVC carrier Per mtr
- 113 Miniature rubber covered door seal 6mm (1/4") dia. bead. Self gripping. Very bendable for tight corners Per mtr




- 306A **Heavy Cotton Lacing.** 54mm (21/8") wide. Black, grey and red only. Ideal for making pipings, using 29 piping cord on page 21 or 254 sponge cord on page 17, even covering the bead on R123.. Per mtr



- 302 Jaguar XJ6 Draught Excluder for fitting onto horizontal flange. Ex-stock in black, light beige, grey, blue and cinnamon Per mtr
- 288 Mud flap push-on (or tall boot seal). Rubber covered. Vertical flange protrudes 29mm (11/6") Per mtr
- 268 **Rubber and Sponge Boot Seal.** Inner spring wire carrier covered in black rubber. Bead standing up 13mm (½") Per mtr



- 303 Woven Snappon Edge Trim. 'U' shaped steel inner covered in woven cotton type repp material. Stocked in black, grey and red. Can be used with 263 Ramsey sponge (see page 3) to make complete door seal.
 Per mtr
- 304 Titanfast Black Edge Trim. Only 10mm (%") tall. Miniature version of 267 that will bend round a 19mm (¾") radius Per mtr
- 267A Wider PVC Edge Trim. Embossed black only. Squarer carrier to cope with up to 4mm thick flange Per mtr



387	'Chrome' Plastic Edge Trim in 2 sizes: 4.7mm (¾16") tall for 1mm thick flange
397	Mini Wheelarch plastic edge trims'Chrome' finish Per mtr Black finish Per mtr
430	'Chrome' Self Adhesive Edge Trim. High shine finish. 9mm (11/32") tall for up to 3mm (1/4") thick flange. Small "tacky" strip inside to help it grip onto edge
431	Self Adhesive 'Chrome' Plastic Strip. 4mm (5/32") wide. High shine finish
432	Self Adhesive 'Chrome' Plastic Strip. 9mm (11/32") wide. High shine finish Per mtr
433	Self Adhesive 'Chrome' Plastic Strip. 12mm (½") wide. High shine finish



Larger Black PVC Edge Trims. SQUARER carrier and different grained finish to other PVC edge trims.

401	12.5mm (½") tall to fit 6.3mm (¼") thick flange	Per mtr
402	16.5mm (11/16") tall to fit 8mm (5/16") thick flange	Per mtr
403	15mm (19/32") tall to fit 12.5mm (1/2") thick flange	Per mtr

VINYLS & LEATHERCLOTHS

HOODING MATERIALS

24 Exterior Quality Leathercloth for hooding, tonneau covers and body fabric 137cm (54") wide. Stocked with grained finish in black, red,dark blue, very dark green, beige, biscuit, grey, maroon, off-white, cream and brown.
Black only
Black only
Ber mtr

Colours — Per mtr
The grain and texture of 24 exterior quality are comparable to some

- The grain and texture of 24 exterior quality are comparable to some of the early rexine-type materials and customers with earlier vehicles may prefer to use this for interior work.

- - NOTE THAT SHRINKAGE ON THE COTTON DUCK HOODINGS IS LIABLE TO BE 2%, so please make allowance when fitting.
- 179 TWILLFAST Convertible Acrylic Hooding. 150cm (59") wide. Solution dyed 100% acrylic exterior fabric with twill weave giving superior fade resistance, combined with beige Dobby lining. Black, blue, fawn and green. Also black with black dobby lining Per mtr

HOODCARE, WEBBING & WINDOWS

- 407 Twillfast Hood Binding. 32mm (11/4") wide. Single thickness Twillfast without the herringbone backing in black, blue and fawn Per mtr
- 408 **Black Duck Binding.** 32mm (11/4") wide. Single thickness Duck cotton binding for edging or bindingPer mtr
- 31 Hood Webbing. 50mm (2") wide. Black and beige Per mtr





- 404 **Renovo VINYL Soft Top Cleaner.** For PVC hoods/tonneaus. Needs 405 Ultra Proofer to complete the renovation Per 500ml

Vvbak, Flexible window sheeting. Durable, heavy-duty clear material

34

HEADLININGS

- 270 PVC Headlining. 137cm (54") wide. Light grey and white with lightly embossed pattern as used on Morris Minors and similar Per mtr
- 285 Nylon Headlining Foam backed. As used on Jaguars and similar from the 50's and on. Stocked in dove grey (mid grey), cream, oatmeal, beige and cashmere. Width can vary between 127cm and 150cm (50" and 59") so please ask before ordering Per mtr

SEATING CLOTHS

143 Heavy All Wool Cloth. Heavy enough for seating AND headlining quality.
Beige, grey, dark green and light green 190cm (75") wide.

.....Per mtr

Plain Seating Cloth 'Moleskin'. 152cm (60") wide. All cotton, very 322 hard wearing fabric for seating or headlining with nap on one side only. Stocked in light beige Per mtr 271 Bedford Cord. Heavy pre-war seating quality 152cm (60") wide. Exstock in beige and grey Per mtr It is worth mentioning that this Bedford Cord has been successfully used 'upside down', both as a plain seating cloth and as a robust headlining. In this way, a matching combination of ribbed and plain cloth can be successfully achieved. Moquette. Plush wool pile 127cm (50") wide. As used on seat backs, 247 trim panels, rear wheel arches of Classic Cars. A good range of colours. Suede green, grey, dark blue, mulberry, black, beige and red Per mtr Brushed Nylon Foam Backed. 137cm (54") wide. Plain 272 plush upholstery material available in dark blue and black ... Per mtr TRIMMING SUNDRIES 148 Zip. Heavy duty 107cm (42") zip with closed end. Nickel on brass. Black and fawn Each 148a **Zip.** As above but 92cm (36") long Each Piping Cord. 3mm (1/8") dia. For seat piping or making hidem ie. can be covered with headlining material or thin leathercloth Per mtr 273 Hook and Loop 'Touch and Close Fastener'. An alternative to conventional fasteners where two overlapping surfaces need a positive location and yet be easily detachable ie., tonneau cover, carpet, inspection flaps. 16mm (5/8") wide. Black Per mtr 25mm (1") wide. Black Per mtr 50mm (2") wide. Black Per mtr 273a Self Adhesive Hook and Loop. As above, but with good quality pressure sensitive adhesive suitable for a wide range of surfaces. Sample snippets can be supplied for TESTING adhesion. 16mm (5%") wide. Black Per mtr 25mm (1") wide. Black Per mtr 50mm (2") wide. Black Per mtr Chalk. Tailor's marking chalk white and various colours Each 149 **Tacks.** Blue cut 13mm (1/2") Per 35g (11/20z) bag 147 219 Escutcheon Pins. 13mm (1/2") long. 16g. Nickel/Brass Pkt/10 220 Escutcheon Pins. 19mm (3/4") long. 16g. Nickel/Brass Pkt/10 396 **Gimp pins.** 13mm (1/2") Per 100grm bag 19mm (¾") Per 100grm bag 45 Upholstery Needle. Curved Each Thread. Grade 36 poly-cotton. 800mtr spool. Good range of colours 39c for all work, please enquire Each 412 Thread. Thick heavy grade 20 bonded nylon. Large spool ideal for trade users. 1500mtr. Stocked in black, beige and grey Each HIDEM BANDING HIDEM BANDING END CAP 27 Hidem Banding 16mm (5/8") wide. Grained leathercloth. Stocked in biscuit, black, red, maroon, brown, green, doeskin, blue, grey, magnolia and white Per mtr Hidem Banding 13mm (1/2") wide. Grained leathercloth finish, colours 140 vary please enquire for current stock Per mtr 418 Duck Hidem Banding. Black Cotton Duck. Used as a finisher across the front of hoods. 16mm (5%") wide Per mtr Hidem Banding Cloth Covered. 16mm (5%") wide. Beige,camel and 240 grey that complement No. 32 and 142 headlinings Per mtr Hidem End Caps to suit 16mm (5/8") hidem only. Nickel plated on 28 BRASS so suitable for exterior work Each

28a

Brass Hidem End Caps as 28 but brass finish Each

PIRELLI WEBBING



422	Pirelli Webbing. Beige rubberised strip used for seat bases. Approx. 10% stretch. Can be tacked, stapled or use wire clips, see
	423 and 424 below.
	38mm (1½") wide Per mtr
	50mm (2") wide Per mtr
423	Pirelli Webbing Wire Clips. Use in conjunction with 424 staple/
	plates. Wire clips fix to holes in seat frame.
	38mm (1½") wide Pkt/10
	50mm (2") wide
424	Pirelli Webbing Staple/Plates. Wire staple and plastic plates. Use
	in conjunction with 423 wire clips. Each packet has 10 x staples and
	20 v plates Per pkt



Federation of British Historic Vehicle Clubs

We are pleased to be members of the Trade Support Scheme of the FBHVC, who strive to "ensure that club members and their vehicles continue to enjoy the freedon of the use of the roads in the United Kingdom and Europe"

	members and their vehicles continue to enjoy the freedom of the use of the roads in the United Kingdom and Europe".
	FILLINGS, FOAM & MILLBOARD
37	Wadding. In 10mtr × 46cm (11yd × 18") bundles. White cotton wool type material. Used as single or multiple layers and for stuffing seat flutes
38	Hessian. 183cm (72") wide for covering seat frames or similar before trimming
244	Calico. 137cm (54") wide. Off-white colour
94	Platform Cloth. 137cm (54") wide. Thin BLACK calico-type fabric for covering non-wearing surfaces ie. under seats
328	$\begin{array}{llll} \textbf{High Resilient Foam Sheeting.} & \textbf{Combustion Mod. to BS} & 5852. \\ \textbf{Available in full sheets approx.} & 229cm \times 198cm & (90" \times 78") \text{ and in } 13mm, 25mm, 38mm, 50mm, 75mm and 100mm thickness. Half AND quarter sheets available $pro-rata.$ & \text{Makes a very good combination of firmness plus comfort when used with our No. 36 rubberised horsehair.} \\ 229cm \times 198cm \times 13mm & (90" \times 78" \times 12") & \text{Per sheet } \\ 229cm \times 198cm \times 25mm & (90" \times 78" \times 1") & \text{Per sheet } \\ 229cm \times 198cm \times 38mm & (90" \times 78" \times 11") & \text{Per sheet } \\ 229cm \times 198cm \times 50mm & (90" \times 78" \times 2") & \text{Per sheet } \\ 229cm \times 198cm \times 75mm & (90" \times 78" \times 2") & \text{Per sheet } \\ 229cm \times 198cm \times 75mm & (90" \times 78" \times 3") & \text{Per sheet } \\ 229cm \times 198cm \times 100mm & (90" \times 78" \times 4") & \text{Per sheet } \\ \text{CUSHIONS } 56cm \times 51cm \times 100mm & (22" \times 20" \times 4") & \text{Each This foam should NOT be confused with the average 'market' quality.} \\ \text{Please ALLOW FOR CARRIAGE if ordering full sheets of foam.} \\ \end{array}$
133	Foam Sheeting. $6mm (1/4")$ thick and approx. $2.1mtr (84")$ wide. A very collapsible foam ideal for nominal padding Per mtr
380	Scrim Foam. Foam with a thin backing so suitable for stitching. 3mm (½") thick, 137cm (54") wide Per mtr 6mm (½") thick, 137cm (54") wide Per mtr 12mm (½") thick, 137cm (54") wide Per mtr
48	Millboard. 2.3mm ($\%$ 2") thick. Compressed card consistency with one side faced black and lightly grained. Ideal for trim panels . Stocked in sheets approx. 155cm × 122cm (61 " × 48 ")
36	Rubberised Horsehair. Synthetic preparation that gives a 'firm seat' without the lumpiness of the genuine horsehair. Flame retardant. Stocked in sheets $183\text{cm} \times 91.5\text{cm} \times 2.5\text{cm}$ (6' × 3' × 1") Per sheet

FELTS & SOUND DAMPING

- 137 **Felt.** 11mm (7/16") thick for sound deadening as above. 137cm (54") wide and unbacked Per mtr

- 292 Sound Deadening Felt. Approx. 13mm (½") thick, 137cm (54") wide. One side coated in black latex solution. Fire resistant to FMVSS 302. A really good dense felt Per mtr

HEAT RETENTION & DEFLECTION



379 Exhaust Insulating Wrap. 1.5mm (1/16") thick. For wrapping around exhaust manifolds and down pipes. Asbestos free, silicon based wrap. 6mm (1/4") overlap recommended. Reduces under bonnet heat by up to 75%, increasing power and fuel efficiency. Will withstand up to 2000°F. Available in beige and black.

A guide to coverage per 30cm (1ft) of pipe as follows: 38mm (1½") dia. pipe uses 1.83m (6ft) of 25mm (1") wrap 50mm (2") dia. pipe uses 2.5m (8ft 2") of 25mm (1") wrap 50mm (2") dia. pipe uses 1.12m (44") of 50mm (2") wrap 75mm (3") dia. pipe uses 1.45m (57") of 50mm (2") wrap

- Aluminised Heat Barrier. Flexible high temperature insulation. 367 Used as a heat shield, the barrier should be installed with highly reflective metallic surface facing the heat source. To RETAIN heat, position with FABRIC side facing the heat. 1mtr (39") wideper mtr Thermo Shield Self Adhesive Tape. Roll 38mm (11/2") wide × 4.57mtr 368 (15ft) long x approx. 1mm thick. Very flexible high silica fibre with metallised mirror finish. For wrapping/protecting any hoses, fuel lines, wiring etc. from damaging engine/exhaust heat. Can be fitted insitu without removal/disconnection of components. Per roll 428 Acoustic Heatshield. Long strand glass fibre needlemat faced on one side with reinforced aluminium foil and self adhesive backing on reverse side. Approx. 7mm thick. Provides both thermal and acoustic insulation. The reflective face can withstand radiant heat up to 250°C while the adhesive backing can be used at continuous temperatures up to 180°C. Pad approx. 40cm × 50cm (16" × 20") Each Half sheet 80cm × 1mtr (311/2" × 39") Each Full sheet 1.6mtr × 1mtr (63" × 39") Each **ADHESIVES** 329 Aerosol Adhesive, 500ml aerosol tin ideal for all upholstery, felts and 328 foam sheeting. Adjustable nozzle for fine, medium or heavy spray coating Per can Aerosol High Heat Adhesive. 500ml. Remains effective up to 120°C 376 (248°F). Adjustable nozzle for fine, medium or heavy spray coating. Ideal for the high temperatures experienced in automotive use (headlinings, bulkheads etc). A useful alternative to our 259 high heat 1 litre tins Per can Adhesive Thixofix/AF172. Slow contact adhesive ie. can be 52 manoeuvred into position. For cloth to metal/wood Per 1 litre tin Adhesive S758/AF176. General purpose contact, for PVC, leathercloth, rubber to metal/wood Per 1/2 litre tin Adhesive S1358/AF178. High 259 heat resistant, ie. ideal for vinyl roofs. The STRONGEST of our adhesives Per 1 litre tin Glue Gun. As used by the 366 trade. Suitable for all above adhesives EXCEPT 52 Thixofix. Approx. capacity 0.25ltr Each 366b Spare Brush for glue gun Each
- 476 Aerosol Solvent Cleaner. 500ml. Designed to remove excess adhesive/oil/grease. Works on carpet, fabrics, trim and most other surfaces. Do A TEST area first to determine suitability Per can


CARPETS

57a Carpet 150cm (59") wide. Rubber backed tufted carpet with a good pile. Needs binding. A good range of colours: black, red, fawn/sand, maroon, dark blue, beige, dark green, brown and grey Per mtr

- 290a Wool Pile Carpet. 107cm (42") wide. Close 100% wool pile in a firm but pliable rubber backing, original quality produced for Jaguar and similar in the 1950s. Stocked in light and dark beige, black, light and dark blue, cinnamon, red, dark and suede green, brown, mulberry and grey
- 291 Rotproof Non-Fray Carpet black. 2mtr (78¾") wide. Closely woven short pile, approx. 5mm (¾16") thick. Polypropylene carpet, non-fray type with synthetic backing. Please allow for carriage due to width of roll

CARPET SUNDRIES/ACCESSORIES

- 59 Carpet Fastener Socket. Black metal ring is pushed down through the pile into the socket and the points folded over. Invisible when carpet is in position .. Pkt 10
- 60 Carpet Fastener Stud. For fitting to floorboards or side panels with screw. The other part of No. 59 Pkt 10




- - Per mtr off the roll, widths vary please enquire Per mtr
- 246 Carpet Binding. 38mm (1½") wide non-stretch leathercloth. One side folded over for neat top edge. Available in dark blue, black, brown, biscuit, cream, doeskin, green, grey, mulberry and red Per mtr

GASKET MATERIALS

70R	Rubberised cork sheet 1.5mm (1/16") approx. 3' × 2' Each
71R	Rubberised cork sheet 3mm (1/8") × approx. 3' × 2' Each
72	Paper jointing 0.4mm (1/64") × approx. 3' × 2' Each
73	Paper jointing 0.80mm (1/32") × approx. 3' × 2' Each
75	Asbestos free graphited sheet 0.75mm ($1/32''$) × approx. 2' × 1' Each
76	Asbestos free graphited sheet 1.5mm (1/16") × approx. 2' × 1' Each

WINDOW CHANNELS



- 151R Rigid Single Track Window Channel. 14mm (%16") overall width. Same as 151 but TOTALLY RIGIDPer 2mtr (78%1") length
- 50 **Window Channel.** Single track velvet covered rubber for 4.7mm (3/16") glass. Approx. 10mm (3/8") wide, so our SMALLEST channel!

- 337 **Double Velvet Covered Rubber Window Channel.** For 6mm (¹/⁴") glass. Overall width 22mm (³/₺") Per mtr
- 336 Double Velvet Covered Rubber Window Channel. For 4.7mm (¾6") glass. Overall width 20.5mm (approx. ¹¾6") Per mtr


Stainless Bead Channel. 16mm wide (5%") Semi rigid metal channel with stainless steel beading. Rubber coated and lined with felt and plush material. As used on Morris Traveller sliding side windows, Rovers and similar Per 1.4mtr (55") length

BLACK VELVET AND BLACK FELT

378 Thin Black Velvet Fabric. 1.38m (541/4") wide. Ideal for re-covering window channels or horizontal weatherstrip on early vehicles ie wrapped around R181 or R97 black rubbers on p18 (useful for surfaces adjacent to glass where non friction is preferable... even glove box lining). Per 10cm (4") wide strip × 1.37mtr (54") long Each Per mtr off the roll 1.37mtr (54") wide Per mtr Black Felt for window channels or fitting between bodywork and 87 chassis. Specify size when ordering: (2" × 1/8") Per 1.83mtr (6ft) length 50mm × 3mm (2" × 1/4") Per 1.83mtr (6ft) length 50mm × 6mm (3" × 1/8") Per 1.83mtr (6ft) length 75mm × 3mm (3" × 1/4") Per 1.83mtr (6ft) length 75mm × 6mm

WINDOW WEATHERSTRIP

Bulk Black Felt 3mm (1/8") thick from roll approx. 183cm (72") wide for lining tool boxes etc Per approx. square 30.5cm (1ft)Per 25cm off the roll




- 255 Window Weatherstrip. This is the exterior waistseal in rubber with PVC vertical insert. Black velvet covering on inner face that fits against the glass. Would seal up to 11mm (7/16") gap between glass and window frame, but minimum 6mm (1/4") gap unless the leading edge is trimmed down. Per 1mtr (391/4") length Per length
- Window Weatherstrip. Small exterior weatherstrip in rubber with 95a PVC vertical insert. Black velvet covering on inner face that fits against the glass. Seals up to 10mm (%") gap. Useful where space is limited. 15mm across top of "T". Leg is approx. 10mm long. A smaller alternative to the 255 weatherstrip above (NOT SHOWN).
 - Window Weatherstrip. 15mm (9/16") tall. Metal insert. One side
- 152 covered in plush material that rubs against the glass. Both interior and exterior use. Please advise if weatherstrip can be cut down for posting. Per 2mtr (78¾") length Per length
- 152a Window Weatherstrip. 11.5mm (7/16") tall. Approx 6mm thick (1/4") Metal insert. One side covered in plush material. A smaller alternative to the 152. (NOT SHOWN) Per 2mtr (78 3/4") length
- Spring Clip for 152. The weatherstrip must be drilled to accept this 261 clip (as used on Morris Minors) Pkt 10
- 276 Spring Clip that fits onto the bottom bead of 152 weatherstrip (as used on Jaguar MkII saloons and similar) Pkt 10
- 'U' Spring Clip with 4.7mm (3/16") gap. Can be used with 255 262 weatherstrip Pkt 10
- Ford Spring Clip. External weatherstrip clip. Long 'U' section pushes onto metal edge of door and small 'u' set at 90° holds the weatherstrip Pkt 10
- Weatherstrip Clip. Long "U" section pushes onto metal edge of door and small "u" set at 90° holds the weatherstrip. Widely used by Fords as an internal weatherstrip clip Pkt 10






300 Self-Adhesive Black Sponge Strip. Skinned on 2 SIDES ONLY, but closed-cell and virtually non-absorbent (technically only 5% absorbent). Special blend of synthetic polymers, giving good resistance to weather ageing and oil contamination. Self-extinguishing when the source of ignition is removed. Surface must be CLEAN and DRY before applying with finger pressure.

The drawings below show the basic widths and thicknesses available, providing a useful range of 22 different sizes.





Black Neoprene Sponge Extrusions (shown approx. life size)










3mm × 16mm


6mm × 13mm

10mm × 19mm



Skinned Sponge Extrusions (shown approx. life size)






- 363 Hollow Self Adhesive 'D' Sponge. Very collapsible. Please note extra adhesive may need to be applied Approx. 13mm (½") wide Per may need to be applied Approx.


For all the latest product information and secure on-line ordering visit our website www.woolies-trim.co.uk

Black Rubber Extrusions from Stock

The following are shown as APPROX. LIFE SIZE END SECTIONS.

PRICES PER METRE unless stated otherwise. We are always prepared to accept customer's samples and will give a quick and positive answer as to availability.







- page 18Per mtr

SURFACE PREPARATION FOR STICKING RUBBER AND SPONGE EXTRUSIONS. All adhesives work best on a clean dry surface. We suggest that the 'sticking surface' should be nominally roughed-up with a fine abrasive paper to ensure a good key.



Per pack of 10 strips, $6mm \times 300mm$ (approx. $\frac{1}{4}" \times 12"$) Each Per box of 60 strips, $6mm \times 300mm$ (approx. $\frac{1}{4}" \times 12"$) Each Flat Black Neoprene Rubber SHEET 1.36mtr ($53\frac{1}{2}"$) wide smooth


6mm (1/4") thick Per mtr

385

3005	2 sides but closed-cell a for full details + 22 diffe off backing, only peel b 3mm (1/8") thick	ponge SHEET 1mtr (39%") wide. Skinned on and virtually non-absorbent (refer p15 and 16 rent sizes of STRIP). Take care when peeling acking and not sticky layer as well. Per mtr
	150	
150	Universal Fitting Teel	For filler incerte in windowsen costions on
150	page 19. Good, grippal	. For filler inserts in windscreen sections on ole synthetic rubber handle. Supplied with a tools as shownPer set
	RUBBER TUB	ING, MATTING & SHEET
301	Hollow Rubber Drain have 3mm (1/6") thick w excluder piping: 6mm (1/4") bore	Tubing. Best quality black rubber. All sizes alls. Also useful as a 'core' for large draught 3mm (½") OUTSIDE dia Per mtr
	10mm (3/8") bore 1	5mm ($\%$ 6") OUTSIDE dia
372	Hollow Rubber Tubing	. 8mm (5/16") OUTSIDE dia. with 4.7mm (3/16") drain tube or 'inner' for pipings Per mtr


	85	86
85		
85	Black Rubber Sheet.	Broad rib. 4 flat-topped ribs per 25mm (1") Per running mtr × 30cm (11¾") wide Per running mtr × 60cm (23½") wide Per running mtr × 90cm (35½") wide
85	Black Rubber Sheet.	Broad rib. 4 flat-topped ribs per 25mm (1"). ———————————————————————————————————
	Black Rubber Sheet.	Broad rib. 4 flat-topped ribs per 25mm (1"). ———————————————————————————————————
	Black Rubber Sheet. Black Rubber Sheet. N Both ribbed mattings at (approx. 33ft × 4ft) with full roll Trade discount. Black Pyramid Patter (1/6") thick. Pyramids are giving 4 per 25mm (1"). (3ft) wide	Broad rib. 4 flat-topped ribs per 25mm (1"). ———————————————————————————————————
86	Black Rubber Sheet. Black Rubber Sheet. N Both ribbed mattings at (approx. 33ft × 4ft) with full roll Trade discount. Black Pyramid Patter (1/6") thick. Pyramids are giving 4 per 25mm (1"). (3ft) wide HEAVY Black Pyramic are SQUARE along the	Broad rib. 4 flat-topped ribs per 25mm (1"). ———————————————————————————————————

PIPINGS




- 54 Wing Piping. Grained dull black leathercloth 6mm (¼") dia. cord with 32mm (1¼") flange Per mtr
- 248 **Wing Piping.** As 54 but 4.7mm (¾16") dia. cord Per mtr
- 56 Interior Piping, PVC. 3mm (½") dia. bead. 10mm (¾") flange. Exstock in black, red, white, grey, yellow, brown and blue Per mtr
- 29 **Piping cord.** 3mm (1/6") dia. For seat piping or making hidem ie. can be covered with headlining material or thin leathercloth Per mtr
- - e black i vo overrider. Only 4.7111111 (716) dia I er

ALUMINIUM STRIP



Please allow for carriage when ordering the above lengths.



256 62	Guttering. Lip folds down to hide screw heads Per 2.13mtr (7ft) Running board edging. 6 rib fluted top. 19mm sides (3/4")
157	Running board edging. 9 rib fluted top. 25mm sides (1") Per 2mtr (6½ft) Per 2mtr (6½ft)
63 64 65 66 158	Offset tee. 22mm (7/6") wide. 19mm (3/4") flange Per 2mtr (6½ft) Equal tee. 16mm (5/6") wide. 19mm (3/4") flange Per 2mtr (6½ft) Half round 19mm (3/4") wide (shown oversize) Per 5mtr (16.4ft) Half round 16mm (5/6") wide Per 4mtr (13ft) Half round 13mm (1/2") wide Per 4mtr (13ft)
159	Cope moulding 24mm (15%6") wide overall. 20mm × 6mm inside
	Aluminium Running Board Tread with Black Rubber Filler

67 22mm (7/8") wide tread complete with domed filler .. Per 1.83mtr (6ft) 68 16mm (5/8") wide. Domed or 3-rib filler as shown ... Per 1.83mtr (6ft) (Other profiles can be used with 68 tread: SRS24 (pg16) is a tight fit. Rubber filler available SEPARATELY: Large domed as 67 .. Per mtr Small domed as 68 .. Per mtr

3-rib as 68 Per mtr Aluminium also available SEPARATELY without filler:

67 aluminium only Per 1.83mtr (6ft) 68 aluminium only Per 1.83mtr (6ft) Please allow for carriage or arrange collection of all aluminium strips.

Alternatively, we can cut items down to 1.45mtr long or less for posting. 166 Alloy End Cap. Approx. 22mm wide to fit No. 67 alloy Each NB: ... COULD be 'squeezed' to reduce width to 16mm for use with narrower No. 68, but would also need approx. 1.5mm fettling OFF the base ...!




Federation of British Historic Vehicle Clubs

We are pleased to be members of the Trade Support Scheme of the FBHVC, who strive to "ensure that club members and their vehicles continue to enjoy the freedom of the use of the roads in the United Kingdom and Europe".

SCREWS AND BONNET TAPE



give that finishing touch on tri Size 4 (overall dia. 7mm) Size 6 (overall dia. 8.5mm) Size 8 (overall dia. 10.5mm) Mixed box of all 3 sizes of dis	Per box 200 Pkt 10 Per box 200
Size 6 (overall dia. 10mm) Size 8 (overall dia. 12mm)	on brass.
293 Captive Nut. Tempered stee	el. For push-fit onto edge of panel or d 8 screws onlyPkt 10
298 Double Sided Edge Clip. Te	mpered steel. 11mm tall. 1.3mm gaps
299 Self Tapping Countersunk steel. Dia. of screw head: 4 = ½" (13mm) × size 4	Raised Slot-head Screws. Stainless 5.5mm, 6 = 6.5mm and 8 = 8mm. Pkt 10 Per box 200




Bonnet Tape

	Woven FLAT type for threading through holes in radiator	or bulkhead.
77	10mm (¾") wide	Per mtr
78	13mm (½") wide	Per mtr
79	16mm (5%") wide	Per mtr
QΛ	22mm (7/6") wido	Dor mtr

	Woven DOUBLE BEADED type for riveting.
81	16mm (5/8") wide
82	22mm (7/8") wide
	19mm (3/4") wide

LOCKS AND HANDLES




- 216 **Grab Handle.** Chrome on brass. 4 screw mounting. Hole centres 102mm (4") Each
- 215 **Grab Handle.** Chrome on brass. 2 screw mounting. Hole centres 102mm (4"), but may vary slightly. Please enquire Each
- 214 **Bonnet Handle.** Chrome on brass. 3-legged to 'spread the load'. Horizontal hole centres 120mm (4¾") and diagonally approx. 75mm (3") Each All three handles above are sometimes available in unplated state as





- 280 Over Centre Catch. Chrome on steel. Overall 89mm (3½") tall as shown Each
- 361 Over Centre Catch. Chrome on steel. Overall 73mm (27/6") tall as shown. With extra lug for securing with a padlock Each

POLISHED BRASS. Please enquire.




- 294 **Locking Exterior Handle.** Chrome 108mm (4½") long. Mounting hole centre 37mm (1½6"). 8mm (5½6") square steel shaft 127mm (5") long that can be cut down to size. Raised rib design Each
- 295 Non-Locking Exterior Handle. Chrome. To match No. 294 above Each
- 227 Window Winder. Chrome. 120mm (4¾") long. Spring loaded escutcheon. Raised rib design to complement 294/5. Will need 289 to fit snugly onto the 8mm (5½") shaft Each
- 395 Spring loaded escutcheon. For 227 and 283 supplied separately Each
- 289 Spring Steel Adaptor. Converts the 10mm (%") hole in 227 and 283 to accept an 8mm (5/16") square shaft, as on the exterior handles 294/5/6 above Each
- 224 **Door Lock.** Zinc plated finish. Body 87mm × 50mm (37/16" × 2"). Long tongue. Shaped handle 89mm (31/2") long. Handed Each
- 225 Single Striker Plate. $50 \text{mm} \times 22 \text{mm} (2^{"} \times 7\%")$. Cast Each
- 226 **Double Striker Plate.** 30mm × 38mm (13/16" × 11/2"). Cast Each
- 218 Interior Handle. VDP type solid brass casting chrome plated. Approx. 95mm long (3¾") to fit 8mm (5/16") shaft at 90° angle Each
- 217 Interior Handle. Vintage type chrome on brass. Approx. 82mm (3¹¼") long to fit 8mm (5¹₁6") shaft at 45° angle Each

For all the latest product information and secure on-line ordering visit our website www.woolies-trim.co.uk




- 209 **Bonnet Catch.** Chrome on brass. 108mm (4½") long as shown with approx. 13mm (½") of spring lift. Rubber buffer mounted on the rear of the barrel. Complete with catch plate as shown Each
- 345 Bonnet Catch. Exposed-spring type in stainless steel. 127mm (5") overall length. Complete with catch plate as shown Per pair

ACCESSORIES




83 Aeroscreen. This is the Brooklands pattern aeroscreen fitted with Triplex laminated glass suitable for RAC competition. Polished aluminium frame with chrome fittings and mounting legs. Mounting spigots are offset allowing variable distance between bodywork and the bottom of the screen. Frame width 305mm (12") and overall width 406mm (16")



- 318 Badge Bar Complete with 4 clips. Chrome-on-brass legs, clips and end caps. Slightly cranked stainless steel bar as shown. Bar is 19mm (34") dia and 559mm (22") overall length. Per bar with 4 clips
- 110 **Badge Bar Clips** Chrome-on-brass for 19mm bar (¾") as above. Extra clips can be purchased separately Each



- 124 **Key Hole Cover.** Chrome. Spring loaded lift-up-top hides screw holes. Mounting hole centres 20.5mm (19/16") Each
- 126 **Budget Locks.** All steel. Left and right handed. Mounting hole centres 67mm (25%") Each
- 425 **Budget Lock Striker Plate.** Zinc plated steel. Use in conjunction with the 126 budget locks. Overall size 13mm \times 76mm ($^{11/16''} \times 3''$). Countersunk hole centres 60mm ($^{23/6''}$). Slot size 6mm \times 44mm ($^{1/4''} \times 1^{3/4''}$) (not shown) Each
- 127 Carriage Key. Tapered square shaft to suit above budget lock. 100mm (4") tall. Unplated Each
- 129 Staples. Black on steel for 32mm (11/4") wide strapping Each
- 130 **Staples.** Black on steel for 38mm (1½") wide strapping Each
- 130a **Staples.** BRASS for 38mm ($1\frac{1}{2}$ ") wide strapping Each
- 131 Staples. Chrome on brass for 38mm (1½") wide strapping Each
- 132 **Door Buffers.** 'D' shaped 29mm (11/8") long x 13mm (1/2") thick complete with zinc plated shoe and brass eyelet Each
- 112 Horn Bulb 82mm (3¹/4") approx. dia. A good medium sized bulb that will suit any straight or bugle-type horn. Made in synthetic rubber to give a good firm feel. Complete with chrome ferrule. Hole 14mm (9/6") dia.



- 320 Chrome Reflector. 50mm (2") dia. Brass rim. Self tapping screw fitting Each
- 320b As 320 in brass (not shown) Each



Federation of British Historic Vehicle Clubs
We are pleased to be members of the Trade
Support Scheme of the FBHVC, who strive
to "ensure that club members and their
vehicles continue to enjoy the freedom of
the use of the roads in the United Kingdom
and Europe".







232	Hood Fastener. Chrome on brass. To suit 16mm (5% ") dia. peg. Mounting hole centres 49mm ($1^{15}\%$ e") Each
228	Round Lifting Ring. 50mm (2") dia. Chrome on brass. Shown with ring raised
	Clevis Pins. Case hardened and zinc plated.
105	5mm dia. × 16mm long (3/16" dia. × 5/8" long) Each
106	6mm dia. × 19mm long (1/4" dia. × 3/4" long) Each
107	8mm dia. × 24mm long (5/16" dia. × 15/16" long) Each
108	10mm dia. × 32mm long (%" dia. × 11/4" long) Each
97	Mudguard Bolts. Domed head 20mm ($^{13}/_{6}$ ") \times 37mm ($^{1}/_{2}$ ") long with $^{1}/_{4}$ " BSF thread. Steel. Supplied black complete with nut Each
	Bumper Bolts in Chrome
98	25mm (1") long under head × 5/16" BSF supplied with nut. Head dia. 14mm (9/16") Each
99	38mm (1½") long under head × ½" UNF supplied with nut. Head dia. 16mm (5½") Each
111	Bonnet Corner Rubbers. Made from the original Holdtite mould. For right angle corners only Each
	Hex. Grease Nipples in Brass
101	3/8" BSF thread. 15mm (19/32") across the hex. flats Each
102	$1\!/\!8''$ BSP thread. 15mm (19/32") across the hex. flats Each
165a	Grease gun adaptor in brass to fit the above hex. nipples. ½" gas thread Each

LEATHER RENOVATION



155 Leather Renovation Kits. The purpose of this well-tried kit is to restore leather to its original colour with uniform finish and WITHOUT giving the 'just been painted' appearance. Shown above is the No. 2 kit for 4/5 seaters.

Send a specimen of the original leather colour, and we will supply a kit of cleaner, colour matched renovator, sealing paste, cloth and instructions. (When sending a snippet of the old, original leather, [or matching vinyl], make sure that it is CLEANED so that the colour can be matched correctly.) Each kit is individually colour matched and is given a unique colour code. We require a sample by first post on a Tuesday to despatch the kit on Thursday of the same week. (TO BE SAFE, TRY TO ENSURE SAMPLES ARE WITH 'WOOLIES' AT THE BEGINNING OF THE WEEK.) We do have some popular colours in stock for a speedier despatch and when a specific colour match is not required e.g. red, dark blue, beige and magnolia.

In the event of a heavily grained or mottled sample (showing a darker shade in the grain and lighter hue on the high areas) we will supply an **OVERALL MATCH**, unless advised otherwise. We always endeavour to match accurately to the customer's sample, but must insist on the acceptance of 'ARTISTIC TOLERANCE' (ie. slight variance of shade). Rematches can be tricky in this respect.

Kit No. 1 (for 2/3 seaters): 1 × 1/4 litre colour renovator 1 × 100ml sealing paste 1 × 1/2 litre cleaner Cloth ALL-IN price UK post paid	
Kit No. 2 (for 4/5 seaters): As above except: 1 × ½ litre colour renovator ALL-IN price UK post paid	
'Jensen' kit (for 4 seats + trim panels): As above except: 1 × 1 litre colour renovator Cloths ALL-IN price UK post paid	
'Limousine' kit (whole interior): 2½ litre colour renovator 3 × ½ litre cleaner 2 × 100ml sealing paste Extra cloths	
ALL-IN price UK post paid We can supply individual bottles of renovator P P P Pe Pe	Per 1/4 litre Per 1/2 litre Per 1 litre er 21/2 litre

Important: PROTECT LEATHER KITS FROM FROST. Do NOT leave the kit in a cold garage during the winter months.

AVERAGE SHELF LIFE 6 MONTHS.



INSTRUCTIONS

General Guidance:

The keynote to all leather renovation is to obtain adhesion between the leather itself and the first coat of renovator. For upholstery that is well worn, a thorough cleaning with our water based cleaner should be all that is required. However, there COULD be an advantage in using a fine grade steel wool with the cleaner, particularly where the leather has a very smooth, fast finish. This would disturb the surface to give a better 'kev'.

STAGE 1

CLEANER – water based, deeply penetrating liquid supplied ready to use. Do <u>NOT</u> dilute. Not only cleans but gives deep penetration into the fibres, softening, feeding and therefore increasing the strength of the leather. Apply using a soft cloth rubbing lightly. Avoid flooding and change the surface of the cloth frequently. A small brush can be used to remove the ingrained dirt. It is ESSENTIAL that after cleaning, ALL SURFACES are thoroughly wiped over with a clean, damp cloth to remove excess build-up of cleaner and dirt.

NB: Thorough cleaning is essential to enable the renovating dye to penetrate the hide.

STAGE 2

COLOUR RENOVATOR — based on materials used in original finishing of upholstery hides in the tannery, and as such is compatible with the leather being restored (5 resins, micronised pigments and water emulsified cellulose lacquer). STIR WELL BEFORE USE. Supplied ready to use. Do NOT dilute. Pour a small quantity into a saucer. Apply lightly with a soft cloth (NOT a brush) rubbing well into the cracks and crevices, doing small areas at a time. Allow this film to dry out (at least 30 minutes MINIMUM at room temperature) and apply a second coat to level off.

Bearing in mind the cost of new leather, it is well worth putting some effort into the task of 'working in' the first coat of renovator. The second coat can be applied by cloth, **OR**, as some customers prefer, by spraying, applying very light coats in order to avoid a rapid, heavy build-up finish.

STAGE 3

SEALING PASTE – to seal the renovator. Apply sparingly and then buff with a soft cloth. TOO MUCH elbow grease will tend to remove some of the renovator. Finished surface will have a water resistant wax sheen. 100% cotton cloth supplied with each kit for applying colour and cleaning/buffing.

We feel that it is worth mentioning again that the finished job will retain the original character of the leather and NOT have the 'just been painted' appearance. The surface of the leather has not been completely sealed and Hide Care can still be used sparingly after the colour renovation, say every 6 months, to maintain suppleness.

While we do not recommend this kit for completely CHANGING the leather colour, this will depend entirely on the colours concerned, ie., light to dark or black will usually result in a good job. We would suggest that a test area be tackled initially.

With some really LIGHT shades (off-white, magnolia etc.) the pale pigment may struggle to give good coverage and a special BASE COAT or 'foundation' might help. Cost is much the same as colour renovator. Please contact us **BEFORE** ordering to discuss the project.


We are aware of the problems in getting uniform colour into interiors where seating is LEATHER and trim panels in LEATHERCLOTH/PVC. However, we have found that the leather renovator will sometimes key onto old, original leathercloths where the surface has been broken down either by wear or cleaning agents. It is certainly worth doing a 'test' piece.

THESE INSTRUCTIONS ARE BASED ON RESEARCH AND PRACTICAL EXPERIENCE. ALTHOUGH WE HAVE EVERY CONFIDENCE IN OUR PRODUCTS, NO GUARANTEE CAN BE GIVEN DUE TO THE WIDE VARIETY OF 'FOREIGN' TREATMENTS TO WHICH THE LEATHER MAY HAVE BEEN PREVIOUSLY SUBJECTED.

Below is a before and after photo from a customer who used the leather renovation kit to renovate his Ferrari seats.



"Having purchased your leather renovation kit and not really expecting brilliant results, if any at all, I was dumbfounded at what I ended up with. I have two new seats for my Ferrari, they honestly look like they have been re-leathered and my friends think the same. If I was a salesman I could go to work happily knowing that what I sell does exactly what it is supposed to."










For all the latest product information and secure on-line ordering visit our website www.woolies-trim.co.uk

221 HOUSEHOLD Leather Renovation Kit. For this application, a more permanent finish is required to cope with general wear-and-tear plus spillages. The Stage 3 Sealing Paste is replaced by a bottle of liquid dressing, giving a semi-gloss finish. This special dressing should be applied with a soft sponge and 2 coats are usually required. Please contact us with details of the renovation project and we will be pleased to quote accordingly.

A ROUGH GUIDE to the usage and contents of the kit as follows: Household Kit No. 1 (for small/medium chair) 1/2 litre cleaner 1/4 litre colour renovator 1/4 litre semi-dressina ALL-IN UK post paid Household Kit No. 2 (for 2 seater settee or 2 chairs) 1/2 litre cleaner 1/2 litre colour renovator 1/4 litre semi-dressing ALL-IN UK post paid Household Kit No. 3 (for 3 seater settee plus chair) ½ litre cleaner 1 litre colour renovator Per kit 1/2 litre semi-dressing ALL-IN UK post paid

Quantities will depend on the colour and the condition of the surface to be renovated. (Darker, solid shades cover much better, <u>using less</u> renovator than pale, creamy hues). We cannot reproduce mottled or shady finishes and dramatic COLOUR CHANGES are not recommended.... PLEASE CONTACT US WITH DETAILS OF THE PROJECT BEFORE ORDERING.

WOOLIES always endeavours to match accurately to the customer's sample, but must INSIST on the acceptance of 'ARTISTIC TOLERANCE' (ie slight variance of shade). Rematches can be tricky in this respect.



VINYL RENOVATION



Colour matching available, minimum of 4 aerosols, please enquire.

- 375 Vinyl Primer. Spirit based solution that primes the surface and removes any previous old or 'artificial' coatings. It is <u>essential</u> that these are removed first for a good permanent result from Vinyl Paint. Vinyl Primer is fairly potent, so please <u>USE SPARINGLY</u>. We suggest doing a <u>TEST</u> area before plunging-in on the whole project!

.. Per 250ml bottle. Each



MOTOR TRADE


We are keen to develop our Trade business particularly with motor trade and upholstery companies.

Overall 10% discount on prices but <u>ALWAYS</u> enquire for the best ROLL / BULK DISCOUNTS. Particularly good deals on bonnet tapes and selected rubbers/sponge extrusions and wing pipings.

Please enquire tel 01778 347347

BRASS TAPS AND FITTINGS

Copper Tube. All sizes of this annealed tube are outside dia.			
89	½" dia. (3mm) F	Per mtr	
90	3/16" dia. (4.7mm) F	Per mtr	
91	1/4" dia. (6.3mm) F	Per mtr	
92	5/16" dia. (8mm) F	er mtr	
93	3/8" dia. (9.5mm) F		
	Or enquire for roll sizes.		



1/8 3/16 1/4 5/16 3/8	Nipples Brass solder nipple for 1/8" (3mm) diameter pipe	Each Each Each
1/4 1/8 3/8	Nuts Brass 1/4" BSP thread. For 1/4" & 5/16" solder nipples Brass 1/6" BSP thread. For 1/6" & 3/16" solder nipples Brass 3/6" BSP thread. For 3/6" solder nipples	Each
185 186 187 188	Drain Plugs 1/8" BSP thread 1/4" BSP thread 3/8" BSP thread 1/2" BSP thread	Each Each
189 190 191 192 193	Double Ended Unions complete with solder nuts and nipples 1/8" BSP thread for 1/6" tube (3mm)	Each Each Each
196	Straight Drain Taps. 1/8" BSP thread	Each
197	Straight Drain Taps. 1/4" BSP thread	Each
198	Curved Drain Taps. 1/8" BSP thread	Each
199	Curved Drain Taps. 1/4" BSP thread	Each
163 164 203 204 205	Tee Pieces. Complete with 3 solder nuts and nipples. For ½″ tube (3mm) For ¾6″ tube (4.7mm) For ¼″ tube (6.3mm) For 5/6″ tube (8mm) For ¾6″ tube (9.5mm)	Each Each Each
169 170 206 207 208	Elbows. Complete with 2 solder nuts and nipples. For 1/6" tube (3mm) For 3/16" tube (4.7mm) For 1/4" tube (6.3mm) For 5/16" tube (8mm) For 3/8" tube (9.5mm)	Each Each Each Each

PRICES

All prices include VAT at the current rate.

See the separate easy-to-read price list which is regularly updated. We keep our prices keen, but they may be altered at ANY TIME due to material or manufacturer's increases. You can use the website www.woolies-trim.co.uk to get an all-inclusive price for an order or alternatively telephone or e-mail us.

ORDERING









We accept all major credit and debit cards and PayPal. You can order securely on the website, telephone us on 01778 347347 (0044 1778 347347 for overseas customers) or e-mail us info@woolies-trim.co.uk

CARRIAGE COSTS

Orders which are under 2 kilos in weight and not too valuable will usually be sent by Royal Mail 1st class post. Larger and heavier items will be sent by courier where a signature is required. Postage prices vary, please contact us to get an accurate price for your order or use the website, if you put items in your shopping basket on the website it will calculate the cost of postage.

Please note if you need express delivery we can do timed deliveries e.g. Next Day before 12 noon or 10.30am, please enquire.

DELIVERY

All items (except colour matched leather kits) are usually in stock and we endeavour to despatch all orders received by 2.30pm the same day. We will inform you by return if any goods ordered are currently unavailable. It may be possible to despatch orders received after 2.30pm the same day, it is dependent on how busy we are. If you require an order urgently it is advisable to telephone us to see if it can be despatched same day.

GUARANTEE


We will replace or refund for goods returned providing they are unused and in the same condition we sent them but will make a minimum 15% handling charge, unless we make alternative arrangements. Specifically ordered **CUT** lengths are DIFFICULT to re-sell and therefore NOT welcome as returns! No goods will be accepted for credit unless returned to us within 14 days of the date of invoice. We have tried to give a brief but accurate description of all items in this brochure to comply with the Trade Descriptions Act. Should any customers think that there is any misrepresentation at all, will they please advise us so that the matter can be amended for future editions.

SHOWS AND AUTOJUMBLES

We attend a select number of Shows and Autojumbles each year, please look at the website for an up to date listing of where you can find us. We can bring orders to the event for collection saving you the cost of postage.



HOW TO FIND WOOLIES . . .



Access to the Northfields Industrial Estate is directly from the Market Deeping bypass. From the northern roundabout take the exit signed for Northfields Ind. Estate. This leads into Blenheim Way and Whitley Way is the first left. Woolies is the first building on the left.

FROM THE NORTH (on A15 south from Bourne) ... pass through Langtoft village. In approx. 1 mile, take <u>2nd</u> exit from the roundabout, then as above.

FROM THE WEST (on A1175 from Stamford) ... turn left at the Welland Gate roundabout and onto the dual carriageway section of the Market Deeping bypass. At next roundabout take 3rd exit, then as above.

FROM THE SOUTH (on A15 from Peterborough) ... take the A15/A16 Market Deeping bypass from the Northborough roundabout. Continue straight on at the next (Welland Gate) roundabout, onto the dual

carriageway section. At the next roundabout take 3rd exit, then as above.

FROM THE EAST (on A1175 from Spalding) ... take the left turn onto Northfields Industrial Estate, then turn right at the roundabout. Continue along Whitley Way and Woolies is on the right just before the T junction.



WOOLIES (I & C Woolstenholmes Ltd) Whitley Way, Northfields Industrial Estate, MARKET DEEPING, PETERBOROUGH, **England, PE6 8AR**

> Tel: (01778) 347347 www.woolies-trim.co.uk info@woolies-trim.co.uk