

WOOLIES



**TRIM AND UPHOLSTERY
FOR VINTAGE AND CLASSIC MOTOR
ENTHUSIASTS WORLDWIDE**



**WOOLIES (I & C Woolstenholmes Ltd)
Whitley Way, Northfields Industrial Estate,
MARKET DEEPING, PETERBOROUGH,
England, PE6 8AR**

Tel: (01778) 347347
www.woolies-trim.co.uk
info@woolies-trim.co.uk

24th Edition



Hello and welcome to the Special 50th Anniversary Edition of the Woolies Catalogue. We are very proud to be celebrating our 50th Anniversary this year.

WOOLIES was started in October 1976 by Ian and Caroline Woolstenholmes from a double garage with nominal stock, ultra keen prices and lots of enthusiasm. The Company remains a family business and has a small dedicated team lead by Directors Duncan Allen and Louise Woolstenholmes Green, we offer excellent customer service and pride ourselves on the service we give our customers.

We have been supplying the Motor Trade and the individual enthusiast for 50 years with upholstery, trimmings and body fittings for vehicles dating back from early Vintage and Veteran through to modern Classics and Kit Cars. We also sell for many other applications including boats, planes, trains, buses and coaches...namely all sorts of transport and more recently have been supplying the film industry and companies selling Pilates equipment. Our products have many different uses and it's great finding new ones.

A large amount of our business is now through our website, this has the very latest products and news so it is great to use it in addition to the catalogue. We are equally as happy for you to telephone us with orders and enquiries. It's the best of both worlds at Woolies, good value for money, quality products and speedy despatch of orders supported by good 'old fashioned' customer service. These are the qualities that have driven the business forward for the last 50 years and will continue to do so in the future.

You can visit us in person, we offer a 'counter' service where we can look at your samples/requirements and show you products before you buy. We also attend a select number of Classic Car shows during the year, please look at the website for more information.

We really look forward to helping customers old and new in the coming years and thank you for your support of Woolies over the last 50 years and in to the future, it means a great deal to us.

Duncan


Louise

January 2026

INDEX


A Adhesives.....	11
Aeroscreen.....	27
Aluminium sections.....	22/23
Aluminised heat mat & tape.....	10/11
B Badge bar and clips.....	27
Battery master switch.....	29
Bedford cord.....	8
Body caulking.....	19
Bonnet catches/handles.....	25/26/27
Bonnet tape and rivets.....	24/25
Boot handle.....	26
Boot seals.....	4
Brass taps and fittings.....	31
Brushed nylon seating.....	8
Budget locks and key.....	28
Bumper bolts.....	30
C Calico and platform cloth.....	9
Carriage key.....	28
Carpets and binding.....	12
Celluloid.....	7
Chalk.....	8
Chrome strips (self adhesive).....	5
Clevis pins.....	30
Coach lacing.....	4
Comp. boot/bonnet pins.....	25
Copper tube.....	31
D Door buffers.....	27
Door draught excluders.....	3/4
Door handles.....	26
Door locks and strikers.....	26
Drain tubing.....	20
E Eyelets (brass).....	2
Exhaust insulating wrap.....	10
F asteners/clips.....	1/2/14/24
Felt strips (black).....	14
Floor lifting ring.....	30
Foam cushion/sheet+scrim.....	9
G asket materials.....	13
GB letters.....	28
Gimp pins.....	8
Glue gun.....	11
Grease nipples (hex only).....	30
Guttering.....	22
H ardura felts.....	10
Hammer (magnetic).....	2
Hog rings and pliers.....	2
Headlinings (wool, PVC and nylon).....	7
Herim.....	23
Hessian.....	9
Hidem banding and caps.....	8
Hood fastener.....	30
Hood frame (hollow bar).....	21
Hood Proofings.....	6/7
Hoodings (Duck, 'Mohair' and Leathercloth)	6
Hook and loop tape.....	8
Horn Bulb.....	28
Horsehair (rubberised).....	9
I nterior pipings.....	21
Interior handles.....	26
K ey hole covers.....	28
L eathercloths.....	5/6
M illboard (for trim panels).....	9
Moquette.....	8
Mudguard bolts.....	30
O ver centre catches.....	25
Overrider beading.....	21
P iping cord.....	21
Pirelli webbing.....	9
R eflectors.....	29
Renovo hood products.....	6/7
Rubber mattings.....	20
Rubber extrusions/strip/tubing/ flatsmooth rubber.....	18/19/20
Running board treads.....	22
S crews (wood & self-tap).....	24
Shears (scissors).....	2
Self-adhesive sponge sheeting and strip.....	15/16/17
Sound damping sheet/pads.....	10
Spoke cleaning brushes.....	28
Sponge extrusions.....	16/17
Spring binding tape.....	30
Staples (for strapping).....	28
Staple gun.....	2
Storvic heel pads.....	12
T acks and escutcheon pins.....	8
Thread.....	8
Tools (fitting).....	2/20
U nderfelts.....	10
Union jacks.....	28
Upholstery needles.....	8
V elvet (thin black).....	14
Vinyls.....	5/6
Vybak.....	7
W adding.....	9
Webbing.....	6/9
Window channels.....	13/14
Window weatherstrips.....	14
Window winder.....	26
Windscreen filler inserts.....	19
Wing pipings.....	21
Z ips.....	8

ALL RIGHTS RESERVED. No part of this catalogue may be reproduced or transmitted in any form without the permission of I & C Woolstenholmes Ltd t/a "WOOLIES"




Lift the Dot Fasteners (Plated)

07	Socket with backplate	Pkt 10
07a	Long-pronged socket with backplate (NOT SHOWN)	Pkt 10
08	Single thickness screw base stud	Each
09	Double thickness screw base stud	Each
10	Single thickness wood screw stud	Pkt 10
10a	As 10 but shorter thread approx. 10mm (3/8")	Pkt 10
11	Double thickness wood screw/self tapper stud	Each
12	Single thickness metal stud	Pkt 10
13	Double thickness metal stud	Each
14	Single clinch stud (cloth mounted) with backplate	Pkt 10




Durable Dot Fasteners (Plated)

15	Button and socket 13mm (1/2") dia.	Pkt 10
15a	Button and socket 15mm (19/32") (NOT shown)	Pkt 10
15b	As 15a but LONGER shank for thicker fabric	Pkt 10
15c	As 15a but black PVC coated button top	Pkt 10
16	Stud for wood or metal	Pkt 10
17	Stud and eyelet for cloth mounting. 6mm shank	Pkt 10
17a	As 17 but 9mm shank for thicker fabric	Pkt 10



Turnbuckle Fasteners (Plated)

01	Single thickness screw base stud	Pkt 10
02	Double thickness screw base stud	Pkt 10
03	Single clinch stud (cloth mounted) with backplate	Pkt 10
04	Socket with backplate	Pkt 10




Tenax Snap Fasteners (Plated)

20	Spring loaded socket with nut	Pkt 10
20a	Extra length socket for THICKER fabric (NOT shown)	Pkt 10
21	Key for tightening above	Each
22	Wood screw stud with 'shoulder' as shown	Each
23	Metal screw stud with 'shoulder' as shown	Each
332	Wood screw stud WITHOUT 'shoulder'	Pkt 10
333	Metal screw stud WITHOUT 'shoulder'	Pkt 10
333a	As 333 with thread 25mm (1") long	Pkt 10
351	Single clinch stud (cloth mounted) with backplate	Pkt 10
41	Platform stud WITHOUT 'shoulder'	Pkt 10
42	Platform stud with 'shoulder' as shown	Pkt 10

All the metal screw studs on this page have a 2BA thread or similar and we can supply nuts/washers to suit (see 239 below).

239	Steel nuts and spring washers (NOT shown)	Pkt 10
-----	---	--------




331	Black plastic trim button. 15mm ($\frac{9}{16}$ ") dia. head with serrated body 16mm ($\frac{5}{8}$ ") long. For thin or nominally padded panels	Pkt 10
260	For hole or edge fitting 15mm ($\frac{9}{16}$ ") reach, green	Pkt 10
261	Spring Clip 11mm ($\frac{7}{16}$ ") reach for weatherstrips etc.	Pkt 10
262	'U' Spring Clip 4.7mm ($\frac{3}{16}$ ") gap	Pkt 10
314	'U' Spring clip. 2mm ($\frac{13}{64}$ ") gap	Pkt 10
480	For hole or edge fitting 15mm ($\frac{9}{16}$ ") reach, black	Pkt 10

TOOLS & EYELETS



236	Turnbuckle Punch for fitting 04	Each
237	Lift-the-Dot Punch for fitting 07 and 07a	Each
238	Durable-Dot double sided bed and punch. One side is used for the 15 and 15a button and the other for the 17 stud	Per set
324	Magnetic Hammer. 26.7cm (10½") overall length. Wooden shaft. 13mm (½") dia. head. For 'tacking' the professional way	Each
364	Hog Ring Pliers. Angled head. Spring-loaded, grooved jaws grip the hog ring. A firm squeeze clamps the ring	Each
365	Hog Rings. Supplied in sticks of approx. 60	Per stick
		Per 10 sticks
		Per bulk box approx. 8800



389	Brass Eyelet Kits. Complete with punch and die. 25 Brass eyelets & rings 10mm (3/8") dia. hole	Per kit
	15 brass eyelets & rings 13mm (1/2") dia. hole	Per kit
390	Brass Eyelets ONLY. 25 brass eyelets & rings 10mm (3/8") dia. hole	Per pack
	15 brass eyelets & rings 13mm (1/2") dia. hole	Per pack
391	5/16" Hole Cutting Punch for 3/8" dia. eyelets or No. 20 Tenax..	Each
	7/16" Hole Cutting Punch for 1/2" dia. eyelets	Each
392	Heavy Duty Staple Gun Tacker Rapid 33	Each
393	Staples to suit above gun. 4mm leg length	Per box 5000
	6mm leg length	Per box 5000
	8mm leg length	Per box 5000
394	Tailors Shears as used by the Trade. 10"	Each
	12"	Each

DOOR/BOOT SEALS & EDGE TRIMS



139



263



26

139 **Plush Snappon Edge Trim.** 'U' shaped steel covered in plush material. Tight push-on fit. Stocked in black, red, navy, grey, mid-green, suede green, dark brown, blue, cinnamon, light beige and mulberry..... Per mtr

139a **LARGER Plush Snappon Edge Trim.** 22mm ($\frac{7}{8}$) overall height and 17mm ($\frac{11}{16}$) overall width. Same 'U' shaped steel as 139 plus integral rubber padding. Stocked in black. NOT shown Per mtr

263 **Ramsey Sponge Door Seal.** As fitted to the Jaguar XK150 and MkVII saloons. Supplied 'hollow' to make it more collapsible. Needs 139 plush edge or 303 woven edge (see page 4) to complete. (We suggest that samples be requested for trials initially) Per mtr

SPECIAL TRADE PRICES ON 100mtr (328ft) ROLLS.

26 **Furflex Draught Excluder.** Plush wool moquette covered bead approx. 16mm ($\frac{5}{8}$) OD with canvas flange 24mm ($\frac{15}{16}$) wide. Used on Vintage cars and Classics like the Jaguar MkII saloon. Stocked in black, red, mulberry, brown, dark and suede green, Jaguar navy, standard blue, light beige, dark beige, cinnamon and grey .. Per mtr



113



454



264



265A



266



266A

264 **Plush and Sponge Snappon** with 18mm ($\frac{11}{16}$) OD sponge piping attached. Inner spring wire 'U' carrier for a tight push-on fit. Black, ask about other colours Per mtr


265A **Rubber covered Snappon with Sponge Flap** protruding 11mm ($\frac{7}{16}$). Useful for tight fitting doors, as flap will crush easily .. Per mtr

266 **PVC Snappon with Sponge Bead** 16mm ($\frac{5}{8}$) dia. Black herringbone pattern embossed PVC carrier Per mtr

266A **Rubber covered Snappon with Very Large Sponge Bead** 19mm ($\frac{3}{4}$) dia. Similar to 266 but with larger sponge bead and 'squarer' push-on that will cope with up to a 4mm thick flange Per mtr

113 **Miniature rubber covered door seal** 6mm ($\frac{1}{4}$) dia. bead. Self gripping. Very bendable for tight corners Per mtr

454 **Rubber covered Snappon with Sponge Bead for 6mm flange** 14mm ($\frac{9}{16}$) sponge bead with 2 small lips on outer side of bead. Overall width 25mm x 17mm tall. Will push onto edge from 4mm to 6mm thick. Ideal for thicker edges such as fibre glass ..Per mtr




363 **Hollow Self Adhesive 'D' Sponge.** Very collapsible. May need extra adhesive applying. Approx. 13mm (½") wide Per mtr

R123 **Split Tube Rubber Draught Excluder.** As used on the MG 'Y' type, Morris series 'E' and similar. Shown with beige coach lacing. Supplied under this part number as RUBBER ONLY Per mtr

306 **Beige Coach Lacing.** Approx. 75mm (3") wide. Cotton-type woven lacing available in beige only. Can be dyed to choice. For making pipings, edgings or to cover the R123 as shown Per mtr

306A **Heavy Cotton Lacing.** 54mm (2¼") wide. Black, grey and red only. Ideal for making pipings, using 29 piping cord on page 21 or 254 sponge cord on page 17, even covering the bead on R123.. Per mtr




288 **Mud flap push-on (or tall boot seal).** Rubber covered. Vertical flange protrudes 29mm (1⅛") Per mtr

268 **Rubber and Sponge Boot Seal.** Inner spring wire carrier covered in black rubber. Bead standing up 13mm (½") Per mtr

268a **Rubber and Sponge Smaller Boot Seal.** Inner spring wire carrier covered in black rubber. Small sponge bead standing up 8mm (5/16"). Per mtr

40 **Flap and Bead Sponge Boot Seal.** Self gripping. Flap 16mm (5/8") tall Per mtr




303 **Woven Snappon Edge Trim.** 'U' shaped steel inner covered in woven cotton type repp material. Stocked in black, grey and red. Can be used with 263 Ramsey sponge (see page 3) to make complete door seal..... Per mtr

267 **PVC Edge Trim.** Herringbone embossed PVC. Black..... Per mtr
Colours (green, red, very light grey, mid grey, white and mid blue) Per mtr

304 **Titanfast Black Edge Trim.** Only 10mm (5/16") tall. Miniature version of 267 that will bend round a 19mm (¾") radius Per mtr

267A **Wider PVC Edge Trim.** Embossed black only. Squarer carrier to cope with up to 4mm thick flange Per mtr



387 **'Chrome' Plastic Edge Trim** in 2 sizes:
 4.7mm ($\frac{3}{16}$ ") tall for 1mm thick flange Per mtr
 11mm ($\frac{7}{16}$ ") tall for 2.5mm thick flange Per mtr


397 **Mini Wheelarch plastic edge trims**....'Chrome' finish Per mtr
Black finish Per mtr

430 **'Chrome' Self Adhesive Edge Trim.** High shine finish. 9mm ($\frac{11}{32}$ ") tall for up to 3mm ($\frac{1}{8}$ ") thick flange. Small "tacky" strip inside to help it grip onto edge Per mtr

431 **Self Adhesive 'Chrome' Plastic Strip.** 4mm ($\frac{6}{32}$ ") wide. High shine finish Per mtr

432 **Self Adhesive 'Chrome' Plastic Strip.** 9mm ($\frac{11}{32}$ ") wide. High shine finish Per mtr

433 **Self Adhesive 'Chrome' Plastic Strip.** 12mm ($\frac{1}{2}$ ") wide. High shine finish Per mtr



Larger Black PVC Edge Trims. SQUARER carrier and different grained finish to other PVC edge trims.

401 12.5mm ($\frac{1}{2}$ ") tall to fit 6.3mm ($\frac{1}{4}$ ") thick flange..... Per mtr
 402 16.5mm ($\frac{11}{16}$ ") tall to fit 8mm ($\frac{5}{16}$ ") thick flange..... Per mtr
 403 15mm ($\frac{19}{32}$) tall to fit 12.5mm ($\frac{1}{2}$ ") thick flange..... Per mtr

VINYLS & LEATHERCLOTHS

25 **Expanded Vinyl.** 137cm (54") wide. For all interior work, with just the right amount of stretch. Stocked in black, red, maroon, brown, grey, dark blue, magnolia, doeskin, light blue, navy blue, green, beige, biscuit, barley, cream and off-white..... Per mtr

25a **Black 'Clearance' Expanded Vinyl.** 137cm (54") wide. A good value product but stock can vary..... Per mtr

242 **Non-stretch Vynide.** 127cm (50") wide. Ideal for trim panels and thin enough for pipings. Stocked in morello (very dark maroon) and black grained..... Per mtr

242a **Black smooth grain non-stretch Vynide.** 127cm (50") wide Per mtr

18 **Special Jaguar non-stretch Vinyl.** 127cm (50") wide with a good grain. Stocked in magnolia, old beige, dark buckskin, navy blue, biscuit, mid grey, flecked grey, tan, barley, doeskin, blue/grey, cinnamon, mulberry, red, suede green, dark green, cream, white and black Per mtr

19 **Special Jaguar Ambla,** colour coded to the above vinyl. 127cm (50") wide. Stocked in beige, suede green, cinnamon and tan Per mtr.

250 **Old Fashioned vinyl leathercloth** Non-stretch. Mottled green (Evergreen) and a mottled brown (Spice). 127cm (50") wide Per mtr

286 **Antique Grained Leathercloth.** 127cm (50") wide. A really firm, rexine-type of leathercloth with heavy grain. Can be used for some exterior applications. In black only Per mtr

100 **Special Mini Cooper Light Green Vinyl.** 127cm (50") wide Per mtr

370 **Basketweave Black Expanded Vinyl.** 141cm (55½") wide. Ideal for Classic seat inserts Per mtr

HOODING MATERIALS

24 **Exterior Quality Leathercloth** for hooding, tonneau covers and body fabric 137cm (54") wide. Stocked with grained finish in black, red, dark blue, very dark green, beige, biscuit, grey, maroon, off-white, cream and brown. Black only Per mtr
Colours Per mtr

The grain and texture of 24 exterior quality are comparable to some of the early rexine-type materials and customers with earlier vehicles may prefer to use this for interior work.

183 **CABRIO VINYL HOODING IN BLACK.** 150cm (59") wide. Heavy vinyl coated hooding with fine pebble grain. Water repellent black underside of cotton-based cloth Per mtr

269 **Heavy Double Duck hooding** 175cm (69") wide. Stocked in black. Comparable to the pre-war quality duck Per mtr

Fawn 170-178 cm (67"-70") wide, ex stock Per mtr

30 **Wigan Weave Double Duck hooding** 178/183cm (70/72") wide. Finer weave and generally lighter weight than No. 269. Stocked in black only Per mtr

Both Duck hoodings are produced from vat-dyed cloth therefore a certain amount of shade variation and general fading may occur. FAWN duck is particularly prone to sun fading.

NOTE THAT SHRINKAGE ON THE COTTON DUCK HOODINGS IS LIABLE TO BE 2%, so please make allowance when fitting.

179 **TWILLFAST Convertible Acrylic Hooding.** 150cm (59") wide. Solution dyed 100% acrylic exterior fabric with twill weave giving superior fade resistance, combined with beige Dobby lining. Black, blue, fawn and green. Also black with black dobby lining Per mtr

287 **Dobby Lining.** 150cm (59") wide. Beige thin lining material with herringbone pattern as used on underside of 179 hoodings Per mtr

HOODCARE, WEBBING & WINDOWS

407 **Twillfast Hood Binding.** 32mm (1¼") wide. Single thickness Twillfast without the herringbone backing in black, blue and fawn Per mtr

408 **Black Duck Binding.** 32mm (1¼") wide. Single thickness Duck cotton binding for edging or binding Per mtr

31 **Hood Webbing.** 50mm (2") wide. Black and beige Per mtr



381 **Renovo Hood Reviver.** Re-colours and re-conditions canvas, Double Duck and Mohair hoods (NOT VINYL hoods). Best results when used with 382 pre-cleaner/shampoo. Works very well on really old and faded hoods.

Available in black, dark blue, and brown Per ½ litre bottle

..... Per 1 litre bottle



382 **Renovo Pre-cleaner/Shampoo.** For preparation of canvas hood BEFORE Hood Reviver application and for regular cleaning. Removes grime and ingrained dirt without impairing appearance of the fabric Per 500ml bottle

383 **Renovo Ultra Proofer.** Re-establishes original waterproof weather barrier and helps prevent road grime, salt, leaf gum and bird dirt from harmful penetration deep into fibres of hood material. Contains UV additive and anti-mould agent. Leaves the double duck and mohair both water AND stain repellent Per ½ litre bottle
..... Per 1 litre bottle



384 **Renovo Plastic Window Polish.** Restores transparency, reduces scratches and staining and cleans and conditions. Rub in with soft cotton cloth, allow to dry then polish off Per 50ml bottle
..... Per 100ml bottle

404 **Renovo VINYL Soft Top Cleaner.** For PVC hoods/tonneaus. Needs 405 Ultra Proofer to complete the renovation Per 500ml

405 **Renovo VINYL Ultra Proofer.** Helps prevent build-up of road grime, salt, leaf gum and bird dirt and resists weathering with UV inhibitor. Ideally needs 404 cleaner to prepare surface Per 500ml

35 **Celluloid.** A rigid clear material that gives minimum distortion when used for sidescreens. Stocked in sheets. 127cm x 66cm x 0.75mm (50" x 26" x .030") Per sheet

34 **Vybak.** Flexible durable, heavy-duty window sheeting for rear windows in folding hoods. 137cm (54") wide 0.75mm (0.030") thick Per mtr

HEADLININGS

270 **PVC Headlining.** 137cm (54") wide. Light grey and white with lightly embossed pattern as used on Morris Minors and similar Per mtr

334 **Perforated PVC Headlinings.** 137cm (54") wide. Choice of off-white, grey and black Per mtr

285 **Nylon Headlining Foam backed.** As used on Jaguars and similar from the 50's and on. Stocked in dove grey (mid grey), cream, oatmeal, beige and cashmere. Width can vary between 127cm and 150cm (50" and 59") so please ask before ordering Per mtr

32 **Headlining.** A good, basic quality Union Melton cloth 150cm (59") wide. 80% wool 20% nylon mix. Open weave with sparse nap. Stocked in beige, grey, and black Per mtr

142 **Headlining.** All wool 'West of England' type cloth 150cm (59") wide. One of our better quality plain cloths available from stock in beige and grey Per mtr

33a **Headlining.** All wool cloth in dark red 2mtr (78¾") wide. A really top quality cloth Per mtr

SEATING CLOTHS

143 **Heavy All Wool Cloth.** Heavy enough for seating AND headlining quality. Beige, grey, dark green and light green 190cm (75") wide. Per mtr

271 **Bedford Cord.** Heavy pre-war seating quality 152cm (60") wide. Exstock in beige and grey Per mtr
It is worth mentioning that this Bedford Cord has been successfully used 'upside down', both as a plain seating cloth and as a robust headlining. In this way, a matching combination of ribbed and plain cloth can be successfully achieved.

247 **Moquette.** Plush wool pile 127cm (50") wide. As used on seat backs, trim panels, rear wheel arches of Classic Cars. A good range of colours. Suede green, grey, dark blue, mulberry, black, beige and red Per mtr

272 **Brushed Nylon Foam Backed.** 137cm (54") wide. Plain plush upholstery material available in dark blue and black Per mtr

TRIMMING SUNDRIES

148 **Zip.** Heavy duty 107cm (42") zip with closed end. Nickel on brass. Black and fawn Each

148a **Zip.** As above but 92cm (36") long Each

29 **Piping Cord.** For seat piping or making hidem ie can be covered with headlining material or thin leathercloth. Available in 2mm, 2½mm, 3mm, 3½mm, 5mm and 7mm diameter Per mtr

273 **Hook and Loop 'Touch and Close Fastener'.** An alternative to conventional fasteners where two overlapping surfaces need a positive location and yet be easily detachable ie., tonneau cover, carpet, inspection flaps.
16mm (½") wide. Black Per mtr
25mm (1") wide. Black Per mtr
50mm (2") wide. Black Per mtr

273a **Self Adhesive Hook and Loop.** As above, but with good quality pressure sensitive adhesive suitable for a wide range of surfaces. Sample snippets can be supplied for TESTING adhesion.
16mm (½") wide. Black Per mtr
25mm (1") wide. Black Per mtr
50mm (2") wide. Black Per mtr

149 **Chalk.** Tailor's marking chalk white and various colours Each

147 **Tacks.** Blue cut 13mm (½") Per 35g (1½oz) bag

219 **Escutcheon Pins.** 13mm (½") long. 16g. Nickel/Brass Pkt/10

220 **Escutcheon Pins.** 19mm (¾") long. 16g. Nickel/Brass Pkt/10

396 **Gimp pins.** 13mm (½") Per 100grm bag
19mm (¾") Per 100grm bag

45 **Upholstery Needle.** Curved Each

39c **Thread.** Grade 36 poly-cotton. 800mtr spool. Good range of colours for all work, please enquire Each

412 **Thread.** Thick heavy grade 20 bonded nylon. Large spool ideal for trade users. 1500mtr. Stocked in black, beige and grey Each

HIDEM BANDING



HIDEM BANDING



END CAP

27 **Hidem Banding** 16mm (½") wide. Grained leathercloth. Stocked in biscuit, black, red, maroon, brown, green, doeskin, blue, grey, magnolia and white Per mtr

140 **Hidem Banding** 13mm (½") wide. Grained leathercloth finish, colours vary please enquire for current stock Per mtr


418 **Duck Hidem Banding.** Black and Fawn Cotton Duck. Used as a finisher across the front of hoods. 16mm (½") wide Per mtr

240 **Hidem Banding Cloth Covered.** 16mm (½") wide. Beige and grey that complement No. 32 and 142 headlinings Per mtr

28 **Hidem End Caps** to suit 16mm (½") hidem only. Nickel plated on BRASS so suitable for exterior work Each

28a **Brass Hidem End Caps** as 28 but brass finish Each

PIRELLI WEBBING



422 **Pirelli Webbing.** Beige rubberised strip used for seat bases. Approx. 10% stretch. Can be tacked, stapled or use wire clips, see 423 and 424 below.

38mm (1½") wide..... Per mtr
50mm (2") wide..... Per mtr

423 **Pirelli Webbing Wire Clips.** Use in conjunction with 424 staple/plates. Wire clips fix to holes in seat frame.

38mm (1½") wide..... Pkt/10
50mm (2") wide..... Pkt/10

424 **Pirelli Webbing Staple/Plates.** Wire staple and plastic plates. Use in conjunction with 423 wire clips. Each packet has 10 x staples and 20 x plates..... Per pkt



Federation of British Historic Vehicle Clubs

We are pleased to be members of the Trade Support Scheme of the FBHVC, who strive to "ensure that club members and their vehicles continue to enjoy the freedom of the use of the roads in the United Kingdom and Europe".

FILLINGS, FOAM & MILLBOARD

37 **Wadding.** In 10mtr x 46cm (11yd x 18") bundles. White cotton wool type material. Used as single or multiple layers and for stuffing seat flutes..... Per bundle

38 **Hessian.** 183cm (72") wide for covering seat frames or similar before trimming..... Per mtr

244 **Calico.** 137cm (54") wide. Off-white colour..... Per mtr

94 **Platform Cloth.** 137cm (54") wide. Thin BLACK calico-type fabric for covering non-wearing surfaces ie. under seats..... Per mtr

328 **High Resilient Foam Sheeting.** Combustion Mod. to BS 5852. Available in full sheets approx. 229cm x 198cm (90" x 78") and in 13mm, 25mm, 38mm, 50mm, 75mm and 100mm thickness. Half AND quarter sheets available *pro-rata*. Makes a very good combination of firmness plus comfort when used with our No. 36 rubberised horsehair.

229cm x 198cm x 13mm (90" x 78" x ½")..... Per sheet
229cm x 198cm x 25mm (90" x 78" x 1")..... Per sheet
229cm x 198cm x 38mm (90" x 78" x 1½")..... Per sheet
229cm x 198cm x 50mm (90" x 78" x 2")..... Per sheet
229cm x 198cm x 75mm (90" x 78" x 3")..... Per sheet
229cm x 198cm x 100mm (90" x 78" x 4")..... Per sheet
CUSHIONS 56cm x 51cm x 100mm (22" x 20" x 4") Each
This foam should NOT be confused with the average 'market' quality.
Please ALLOW FOR CARRIAGE if ordering full sheets of foam.

133 **Foam Sheeting.** 6mm (¼") thick and approx. 2.1mtr (84") wide. A very collapsible foam ideal for nominal paddingPer mtr

380 **Scrim Foam.** Foam with a thin backing so suitable for stitching. 3mm (⅛") thick, 137cm (54") wide..... Per mtr
6mm (½") thick, 137cm (54") wide..... Per mtr
12mm (½") thick, 137cm (54") wide..... Per mtr

48 **Millboard.** 2.3mm (⅓") thick. Compressed card consistency with one side faced black and lightly grained. Ideal for trim panels. Stocked in sheets approx. 157cm x 123cm (61¾" x 48½") Per sheet

36 **Rubberised Horsehair.** Synthetic preparation that gives a 'firm seat' without the lumpiness of the genuine horsehair. Flame retardant. Stocked in sheets 183cm x 91.5cm x 2.5cm (6' x 3' x 1")

FELTS & SOUND DAMPING

136 **Felt.** 6mm ($\frac{1}{4}$ ") thick for sound deadening under carpet or trim. 137cm (54") wide Per mtr

137 **Felt.** 11mm ($\frac{7}{16}$ ") thick for sound deadening as above. 137cm (54") wide and unbacked Per mtr

241 **Hardura Felt.** 137cm (54") wide felt coated on one side with tough, durable PVC with an embossed finish. Approx. 3mm ($\frac{1}{8}$ ") thick. Original equipment for lining luggage space in many classic cars. Ex-stock in black, dark blue, red, biscuit, 'suede green', beige and grey Per mtr

241a **Heavy Hardura Felt.** Approx. 137cm (54") wide. Varies 6mm-10mm ($\frac{1}{4}$ " - $\frac{3}{8}$ ") thick with tough, durable PVC coating with an embossed finish. As used on the early Jaguar XJ6 and Minis. Can be used under bonnet, engine bulkheads or extra noisy areas where a wipe-clean surface is preferred. Stocked in black only Per mtr
Allow for CARRIAGE due to BULK of this Heavy Hardura.

349 **Ribbed Hardura Felt.** 137cm (54") wide. Black PVC coated felt with ribs 3mm ($\frac{1}{8}$ ") wide running across the roll. Approx. 3mm ($\frac{1}{8}$ ") thick Per mtr
Colours also available in dark blue, red and biscuit 137cm (54") wide Per mtr

292 **Sound Deadening Felt.** Approx. 13mm ($\frac{1}{2}$ ") thick, 137cm (54") wide. One side coated in black latex solution. Fire resistant to FMVSS 302. A really good dense felt Per mtr

135 **Sound and Vibration Damping Pads.** 1.6mm thick (just under $\frac{1}{16}$ "). Self Adhesive. For inside doors, roofs, bulkheads and floors. Cut to size/shape BEFORE backing paper is removed. Make sure surface to be applied is completely clean. Peel backing and press firmly into place. Both pad and adhesive can withstand temperatures between -30°C and +120°C and are highly resistant to aging. For best results the temperature of the pad and application surface should NOT be below room temperature. Product is VERY FRAGILE WHEN COLD. Pad approx. 51cm x 18cm (20" x 7") Each
Half sheet 75cm x 1mtr (29 $\frac{1}{2}$ " x 39") Each
Full sheet 1.5mtr x 1mtr (59" x 39") Each

HEAT RETENTION & DEFLECTION



379 **Exhaust Insulating Wrap.** 1.5mm ($\frac{1}{16}$ ") thick. For wrapping around exhaust manifolds and down pipes. Asbestos free, silicon based wrap. 6mm ($\frac{1}{4}$ ") overlap recommended. Reduces under bonnet heat by up to 75%, increasing power and fuel efficiency. Will withstand up to 2000°F. Available in beige and black.
25mm (1") x 15.23mtr (50ft) long Per roll
50mm (2") x 15.23mtr (50ft) long Per roll
A guide to coverage per 30cm (1ft) of pipe as follows:
38mm (1 $\frac{1}{2}$) dia. pipe uses 1.83m (6ft) of 25mm (1") wrap
50mm (2") dia. pipe uses 2.5m (8ft 2") of 25mm (1") wrap
50mm (2") dia. pipe uses 1.12m (44") of 50mm (2") wrap
75mm (3") dia. pipe uses 1.45m (57") of 50mm (2") wrap

367 **Aluminised Heat Barrier.** Flexible high temperature insulation. Used as a heat shield, the barrier should be installed with highly reflective metallic surface facing the heat source. To RETAIN heat, position with FABRIC side facing the heat. 1mtr (39") wide..... per mtr

368 **Thermo Shield Self Adhesive Tape.** Roll 38mm (1½") wide x 4.57mtr (15ft) long x approx. 1mm thick. Very flexible high silica fibre with metallised mirror finish. For wrapping/protecting any hoses, fuel lines, wiring etc. from damaging engine/exhaust heat. Can be fitted insitu without removal/disconnection of components..... Per roll

428 **Acoustic Heatshield.** Long strand glass fibre needlemat faced on one side with reinforced aluminium foil and self adhesive backing on reverse side. Approx. 7mm thick. Provides both thermal and acoustic insulation. The reflective face can withstand radiant heat up to 250°C while the adhesive backing can be used at continuous temperatures up to 180°C.
Pad approx. 40cm x 50cm (16" x 20")..... Each
Half sheet 80cm x 1mtr (31½" x 39")..... Each
Full sheet 1.6mtr x 1mtr (63" x 39")..... Each

ADHESIVES

329 **Aerosol Adhesive.** 500ml aerosol tin ideal for all upholstery, felts and 328 foam sheeting. Adjustable nozzle for fine, medium or heavy spray coatingPer can

376 **Aerosol High Heat Adhesive.** 500ml. Remains effective up to 120°C (248°F). Adjustable nozzle for fine, medium or heavy spray coating. Ideal for the high temperatures experienced in automotive use (headlinings, bulkheads etc). A useful alternative to our 259 high heatPer can

52 **Adhesive Thixofix/AF172.** Slow contact adhesive ie. can be manoeuvred into position. For cloth to metal/woodPer ½ litre tin
..... Per 1 litre tin

277 **Adhesive S758/AF176.** General purpose contact, for PVC, leather - cloth, rubber to metal/woodPer ½ litre tin

259 **Adhesive S1358/AF178** High heat resistant, ie. ideal for vinyl roofs. The STRONGEST of our adhesives.....Per 1 litre tin

366 **Glue Gun.** As used by the trade. Suitable for all above adhesives EXCEPT 52 Thixofix. Approx. capacity 0.25ltrEach

366b **Spare Brush** for glue gun.Each

281 **Locite Super Glue.** Ideal for our rubber/sponge extrusions on to metal, painted surfaces, wood plus some fabrics and plastics. Careful use could give up to 120-152cm (4-5ft) run per 1 gram of gluePer 3grm tube
..... Per 5grm bottle

476 **Aerosol Solvent Cleaner.** 500ml. Designed to remove excess adhesive/oil/grease. Works on carpet, fabrics, trim and most other surfaces. Do A TEST area first to determine suitabilityPer can



CARPETS

57a **Carpet** 150cm (59") wide. Rubber backed tufted carpet with a good pile. Needs binding. A good range of colours: black, red, fawn/sand, maroon, dark blue, beige, dark green, brown and grey Per mtr

413 **Rotproof Lining Carpet.** 2mtr (78") wide. Loop pile, soft, very flexible lining carpet. Not suitable for heavy wear areas but ideal for e.g. side walls, approx. 5mm (3/16") thick. Polypropylene, non-fray type. Stocked in black, blue and red Per mtr

442 **Hi-Flex Lining Carpet.** 2mtr (78") wide. Soft, very flexible, unbacked, 4 way stretch roof and sidewall lining carpet. Stocked in black and grey Per mtr

290a **Wool Pile Carpet.** 107cm (42") wide. Close 100% wool pile in a firm but pliable rubber backing, original quality produced for Jaguar and similar in the 1950s. Stocked in light and dark beige, black, light and dark blue, cinnamon, red, dark and suede green, brown, mulberry and grey Per mtr

291 **Rotproof Non-Fray Carpet black.** 2mtr (78 3/4") wide. Closely woven short pile, approx. 5mm (3/16") thick. Polypropylene carpet, non-fray type with synthetic backing. Please allow for carriage due to width of roll Per mtr

154a **'Thin-Ribbed' Carpet.** Rotproof polypropylene. 2mtr (78 3/4") wide. Non-fray. Narrow 3mm (1/8") ribs running for length of the roll. Thin and pliable, so needs a good underfelt to give it some 'body'. Stocked in light beige, mid grey, black, light grey and brown Per mtr
154a carpet is ideal for side and roof linings on campers and van conversions.

61 **Karvel Carpet.** 150cm (59") wide. Newly produced tight polypropylene pile with discreet 'ribbed' effect as original. Hessian backing makes Karvel virtually non-fraying, ribs run across roll. Stocked in black, dark blue and red Per mtr

441 **'Wilton' Type Carpet.** 1.5mtr (59") wide. A good quality 80% wool deep pile 'Wilton' type carpet, latex rubber backed. The natural spring in the wool gives it a luxurious feel. Available in beige, black, grey, red, blue and green. A good width for a wool carpet which may allow for less joins Per mtr

CARPET SUNDRIES/ACCESSORIES


59 **Carpet Fastener Socket.** Black metal ring is pushed down through the pile into the socket and the points folded over. Invisible when carpet is in position.....Pkt 10

60 **Carpet Fastener Stud.** For fitting to floorboards or side panels with screw. The other part of No. 59Pkt 10

278 **Storvic Heel Pad.** Tough, pliable PVC. Approx. 1mm thick. Original classic car heel-mat material. Black, red, navy, beige and grey. For sewing into high-wear areas of the carpet.
Per piece approx. 28cm x 18cm (11" x 7") Each
Per mtr off the roll, widths vary please enquire Per mtr

234 **Carpet Binding.** 38mm (1 1/2") wide cotton webbing in black and beige Per mtr


246 **Carpet Binding.** 38mm (1 1/2") wide non-stretch leathercloth. One side folded over for neat top edge. Available in dark blue, black, brown, biscuit, cream, doeskin, green, grey, mulberry and red Per mtr



GASKET MATERIALS

70R Rubberised cork sheet 1.5mm (1/16") approx. 3' x 2' Each
 71R Rubberised cork sheet 3mm (1/8") x approx. 3' x 2' Each
 72 Paper jointing 0.4mm (1/64") x approx. 3' x 2' Each
 73 Paper jointing 0.80mm (1/32") x approx. 3' x 2' Each

WINDOW CHANNELS



151 **Window Channel.** Single track flexible metal covered in felt/rubber. Can take 4.7mm or 6mm (5/16" or 1/4") glass. Approx. 14mm (19/16") overall width. This channel will hold its shape when bent. Can be coiled for posting Per mtr
 151R **Rigid Single Track Window Channel.** 14mm (9/16") overall width. Same as 151 but TOTALLY RIGID Per 2mtr (78 3/4") length
 51 **Window Channel.** Single track velvet covered rubber for 6mm (1/4") glass. Approx. 13mm (1/2") overall width Per mtr
 50 **Window Channel.** Single track velvet covered rubber for 4.7mm (3/16") glass. Approx. 10mm (3/8") wide, so our SMALLEST channel! Per mtr
 317 **Universal Window Channel.** Single track velvet covered rubber. Approx. 12mm (1/2") overall at base, but sides have natural tendency to 'lean-out', making it very adaptable. Inner flanges can cope with varying thicknesses of glass Per mtr
 319 **Universal Window Channel.** Larger version of 317. Approx. 16mm (5/8") overall width at base. Sides 'lean-out' and inner flanges cope with varying thicknesses of glass Per mtr
 337 **Double Velvet Covered Rubber Window Channel.** For 6mm (1/4") glass. Overall width 22mm (7/8") Per mtr
 336 **Double Velvet Covered Rubber Window Channel.** For 4.7mm (3/16") glass. Overall width 20.5mm (approx. 13/16") Per mtr
 233 **Rigid Alloy Window Channel.** Highly polished. 15mm (1 1/16") overall width 15mm tall with inner width 11mm (7/16"). Supplied as basic channel WITHOUT insert Per 1.5mtr (59") length
 116 **Special Window Channel for 233.** Single track velvet covered rubber for 4.7mm (3/16") glass to fit snugly into 233 rigid alloy. (NOT shown) Per mtr
 117 **Special Window Channel for 233.** Single track velvet covered rubber for 6mm (1/4") glass to fit snugly into 233 rigid alloy. (NOT shown) Per mtr


311 **Stainless Bead Channel.** 16mm wide ($\frac{5}{8}$ "') Semi rigid metal channel with stainless steel beading. Rubber coated and lined with felt and plush material. As used on Morris Traveller sliding side windows, Rovers and similar..... Per 1.4mtr (55") length

BLACK VELVET AND BLACK FELT

378 **Thin Black Velvet Fabric.** 1.38m (54 $\frac{1}{4}$ ") wide. Ideal for re-covering window channels or horizontal weatherstrip on early vehicles ie wrapped around R181 or R97 black rubbers on p18 (useful for surfaces adjacent to glass where non friction is preferable... even glove box lining).
Per 10cm (4") wide strip \times 1.37mtr (54") long Each
Per mtr off the roll 1.37mtr (54") wide Per mtr

87 **Black Felt** for window channels or fitting between bodywork and chassis. Specify size when ordering:
25mm \times 3mm (1" \times $\frac{1}{8}$ "). Per 1.83mtr (6ft) length
50mm \times 1.5mm (2" \times $\frac{1}{16}$ "). Per 1.83mtr (6ft) length
50mm \times 3mm (2" \times $\frac{1}{8}$ "). Per 1.83mtr (6ft) length
50mm \times 6mm (2" \times $\frac{1}{4}$ "). Per 1.83mtr (6ft) length
75mm \times 3mm (3" \times $\frac{1}{8}$ "). Per 1.83mtr (6ft) length
75mm \times 6mm (3" \times $\frac{1}{4}$ "). Per 1.83mtr (6ft) length
Bulk Black Felt 3mm ($\frac{1}{8}$) thick from roll approx. 183cm (72") wide for lining tool boxes etc Per approx. square 30.5cm (1ft) Per 25cm off the roll

WINDOW WEATHERSTRIP



255 **Window Weatherstrip.** This is the exterior waistseal in rubber with PVC vertical insert. Black velvet covering on inner face that fits against the glass. Would seal up to 11mm ($\frac{7}{16}$ ") gap between glass and window frame, but minimum 6mm ($\frac{1}{4}$) gap unless the leading edge is trimmed down. Per 1mtr (39 $\frac{1}{4}$) length Per length

95a **Window Weatherstrip.** Small exterior weatherstrip in rubber with PVC vertical insert. Black velvet covering on inner face that fits against the glass. Seals up to 10mm ($\frac{3}{8}$) gap. Useful where space is limited. 15mm across top of "T". Leg is approx. 10mm long. A smaller alternative to the 255 weatherstrip above (NOT SHOWN).
Per 1mtr (39 $\frac{1}{4}$) length Per length

152 **Window Weatherstrip.** 15mm ($\frac{1}{16}$) tall. Metal insert. One side covered in plush material that rubs against the glass. Both interior and exterior use. Please advise if weatherstrip can be cut down for posting. Per 2mtr (78 $\frac{3}{4}$) length Per length

152a **Window Weatherstrip.** 11.5mm ($\frac{7}{16}$) tall. Approx 6mm thick ($\frac{1}{4}$) Metal insert. One side covered in plush material. A smaller alternative to the 152. (NOT SHOWN) Per 2mtr (78 $\frac{3}{4}$) length

261 **Spring Clip for 152.** The weatherstrip must be drilled to accept this clip (as used on Morris Minors) Pkt 10

276 **Spring Clip** that fits onto the bottom bead of 152 weatherstrip (as used on Jaguar MkII saloons and similar) Pkt 10

262 **'U' Spring Clip** with 4.7mm ($\frac{3}{16}$) gap. Can be used with 255 weatherstrip Pkt 10

420 **Ford Spring Clip.** External weatherstrip clip. Long 'U' section pushes onto metal edge of door and small 'u' set at 90° holds the weatherstrip Pkt 10

300 **Self-Adhesive Black Sponge Strip.** Skinned on 2 SIDES ONLY, but closed-cell and virtually non-absorbent (technically only 5% absorbent). Special blend of synthetic polymers, giving good resistance to weather ageing and oil contamination. Self extinguishing when the source of ignition is removed. Surface must be CLEAN and DRY before applying with finger pressure.

The drawings below show the basic widths and thicknesses available, providing a useful range of 22 different sizes.



For Self-Adhesive Black Sponge SHEET 3mm ($\frac{1}{8}$ ") and 8mm ($\frac{5}{16}$ ") thick refer to 300s on page 20.


3mm x 13mm ($\frac{1}{8}$ " x $\frac{1}{2}$ ")	Per mtr
3mm x 25mm ($\frac{1}{8}$ " x 1")	Per mtr
3mm x 38mm ($\frac{1}{8}$ " x $\frac{1}{2}$ ")	Per mtr
3mm x 50mm ($\frac{1}{8}$ " x 2")	Per mtr
3mm x 75mm ($\frac{1}{8}$ " x 3")	Per mtr

} Per approx. 30mtr (98ft) rolls LESS Special 15% Trade Discount




5mm x 16mm ($\frac{3}{16}$ " x $\frac{1}{2}$ ")	Per mtr
	}

Per approx. 30mtr (98ft) rolls LESS Special 15% Trade Discount




8mm x 25mm ($\frac{5}{16}$ " x 1")	Per mtr
8mm x 38mm ($\frac{5}{16}$ " x $\frac{1}{2}$ ")	Per mtr
8mm x 50mm ($\frac{5}{16}$ " x 2")	Per mtr
8mm x 75mm ($\frac{5}{16}$ " x 3")	Per mtr

} Per approx. 20mtr (65ft) rolls LESS Special 15% Trade Discount




13mm x 25mm ($\frac{1}{2}$ " x 1")	Per mtr
13mm x 38mm ($\frac{1}{2}$ " x $\frac{1}{2}$)	Per mtr
13mm x 50mm ($\frac{1}{2}$ " x 2")	Per mtr
13mm x 75mm ($\frac{1}{2}$ " x 3")	Per mtr

} Per approx. 14mtr (45ft) rolls LESS Special 15% Trade Discount




19mm x 25mm ($\frac{3}{4}$ " x 1")	Per mtr
19mm x 38mm ($\frac{3}{4}$ " x $\frac{1}{2}$)	Per mtr
19mm x 50mm ($\frac{3}{4}$ " x 2")	Per mtr
19mm x 75mm ($\frac{3}{4}$ " x 3")	Per mtr

} Per approx. 10mtr (32ft) rolls LESS Special 15% Trade Discount



Black Neoprene Sponge Extrusions (shown approx. life size)






3mm x 16mm



6mm x 13mm



10mm x 19mm

160 Moulded Sponge Strip (Skinned on all 4 sides).

3mm x 16mm (1/8" x 5/8")..... Per mtr

6mm x 13mm (1/4" x 1/2")..... Per mtr

10mm x 19mm (3/8" x 3/4")..... Per mtr



SRS10



SRS12



SRS17

Skinned Sponge Extrusions (shown approx. life size)

254b



254a



254



254c

254b **Neoprene Sponge Cord** 3mm (1/8") dia..... Per mtr254a **Neoprene Sponge Cord** 6mm (1/4") dia..... Per mtr254 **Neoprene Sponge Cord** 10mm (3/8") dia., ideal for making draught excluder piping..... Per mtr254c **Neoprene Sponge Cord** 13mm (1/2") dia..... Per mtr

427



470



363



469

427 **Self Adhesive Bead with Lip.** Approx. 16mm (5/8") tall. Foot approx. 11mm (7/16") wide..... Per mtr470 **Self Adhesive Round Bead with Foot.** Approx. 19mm (3/4") tall and foot approx. 14mm (9/16") wide Per mtr363 **Hollow Self Adhesive 'D' Sponge.** Very collapsible. Please note extra adhesive may need to be applied Approx. 13mm (1/2") wide Per mtr469 **Self Adhesive 3 Ribbed Sponge.** Approx. 5mm tall and 10mm (3/8") wide Per mtr

For all the latest product information and on-line

ordering visit our website:

www.woolies-trim.co.uk

Black Rubber Extrusions from Stock

The following are shown as APPROX. LIFE SIZE END SECTIONS.

PRICES PER METRE unless stated otherwise. We are always prepared to accept customer's samples and will give a quick and positive answer as to availability.



R156



R405



R137



R273



R10



R117



R636



R513



R909



R555a



R644



R615



R679



R250



R942



R40



R216



R97



R693 3.05mtr
(10ft) lengths only



R990



R1181 +
FILLER



R678




R36



R181




R315



358 **Plastic 'Chrome' Filler Insert.** An alternative to the black filler supplied with the sections shown above..... Per mtr
 1181 **Plastic 'Chrome' Filler Insert,** as supplied with R1181 shown on page 18..... Per mtr


SURFACE PREPARATION FOR STICKING RUBBER AND SPONGE EXTRUSIONS. All adhesives work best on a clean dry surface. We suggest that the 'sticking surface' should be nominally roughed-up with a fine abrasive paper to ensure a good key.



434 **Body Caulking.** For sealing wherever it is necessary to prevent the passage of air and moisture between metal, wood, glass and plastic. Surfaces must be well cleaned. Product is non-hardening, will not shrink, is waterproof and can be painted. Dark grey in colour.
 Per pack of 10 strips, 6mm x 300mm (approx. $\frac{1}{4}$ " x 12") Each
 Per box of 60 strips, 6mm x 300mm (approx. $\frac{1}{4}$ " x 12") Each

385 **Flat Black Neoprene Rubber SHEET** 1.36mtr (53½") wide smooth finish.
 1.5mm ($\frac{1}{16}$ ") thick Per mtr
 3mm ($\frac{1}{8}$ ") thick Per mtr
 6mm ($\frac{1}{4}$ ") thick Per mtr

300S **Self Adhesive Black Sponge SHEET** 1mtr (39 $\frac{3}{8}$ "') wide. Skinned on 2 sides but closed-cell and virtually non-absorbent (refer p15 and 16 for full details + 22 different sizes of STRIP). Take care when peeling off backing, only peel backing and not sticky layer as well.
 3mm ($\frac{1}{8}$ ") thick Per mtr
 8mm ($\frac{5}{16}$ ") thick Per mtr



150 **Universal Fitting Tool.** For filler inserts in windscreens sections on page 19. Good, grippable synthetic rubber handle. Supplied with a selection of detachable tools as shown..... Per set

RUBBER TUBING, MATTING & SHEET

301 **Hollow Rubber Drain Tubing.** Best quality black rubber. All sizes have 3mm ($\frac{1}{8}$ ") thick walls. Also useful as a 'core' for large draught excluder piping:
 6mm ($\frac{1}{4}$ ") bore 13mm ($\frac{1}{2}$ ") OUTSIDE dia. Per mtr
 8mm ($\frac{5}{16}$ ") bore 15mm ($\frac{1}{4}$ ") OUTSIDE dia. Per mtr
 10mm ($\frac{3}{8}$ ") bore 16mm ($\frac{5}{16}$ ") OUTSIDE dia. Per mtr
 13mm ($\frac{1}{2}$ ") bore 19mm ($\frac{3}{4}$ ") OUTSIDE dia. Per mtr

372 **Hollow Rubber Tubing.** 8mm ($\frac{5}{16}$ ") OUTSIDE dia. with 4.7mm ($\frac{3}{16}$ ") hole. Useful as a small drain tube or 'inner' for pipings Per mtr



85 **Black Rubber Sheet.** Broad rib. 4 flat-topped ribs per 25mm (1").
 Per running mtr x 30cm (11 $\frac{1}{4}$) wide
 Per running mtr x 60cm (23 $\frac{1}{2}$) wide
 Per running mtr x 90cm (35 $\frac{1}{2}$) wide
 Per running mtr x 120cm (47 $\frac{1}{2}$) wide

86 **Black Rubber Sheet.** Narrow rib. 8 point-topped ribs per 25mm (1").
 Per running mtr x 30cm (11 $\frac{1}{4}$) wide
 Per running mtr x 60cm (23 $\frac{1}{2}$) wide
 Per running mtr x 90cm (35 $\frac{1}{2}$) wide
 Per running mtr x 120cm (47 $\frac{1}{2}$) wide


Both ribbed mattings are supplied to us in 10mtr rolls x 120cm wide (approx. 33ft x 4ft) with ribs running along the roll. Please enquire for full roll Trade discount.

104 **Black Pyramid Pattern Matting.** Neoprene/Rubber. Approx. 3mm ($\frac{1}{8}$ ") thick. Pyramids are diagonal along the roll (DIAMOND shaped), giving 4 per 25mm (1"). Rolls approx. 32mtr (105ft) long and 915mm (3ft) wide Per running mtr x 30.5cm (1ft) wide
 Per running mtr x 61cm (2ft) wide
 Per running mtr x 91.5cm (3ft) wide

386 **HEAVY Black Pyramid Pattern Matting.** 6mm ($\frac{1}{4}$ ") thick. Pyramids are SQUARE along the roll, giving approx. 4 per 25mm (1"). Per mtr. Supplied to NEAREST 33cm (13") x 1.2mtr wide Price pro rata

88 **Flat Black Rubber Strip** for glazing or packing:
 50mm x 0.8mm (2" x $\frac{1}{32}$ ") Per mtr
 50mm x 1.5mm (2" x $\frac{1}{16}$) Per mtr
 50mm x 3mm (2" x $\frac{1}{8}$) Per mtr
 75mm x 1.5mm (3" x $\frac{1}{16}$) Per mtr
 75mm x 3mm (3" x $\frac{1}{8}$) Per mtr

PIPINGS



274 **Wing Piping, PVC.** Half round 'T' section. 6mm (1/4") wide bead with ribbed flange 16mm (5/8") long. Ex-stock in black and white Per mtr

307 **Solid Bead Wing Piping.** Approx. 6mm (1/4") dia. bead with 25mm (1") flange. Ex-stock in standard Morris Minor colours: Trafalgar Blue, Standard Grey, Smoke Grey (light blue), Almond Green, Old English White, Black, Red and Maroon Per mtr
We can offer particularly good Trade discount when purchasing full rolls of 307 at approx. 60mtr.

153 **Wing Piping, PVC.** Hollow bead 6mm (1/4") dia. with 25mm (1") flange Stocked in black only Per mtr

55 **Wing Piping.** Shiny patent finish black leathercloth 8mm (5/16") cord with 32mm (1 1/4") flange Per mtr

54a **Wing Piping.** Grained dull black leathercloth 8mm (5/16") dia. cord with 32mm (1 1/4") flange Per mtr

54 **Wing Piping.** Grained dull black leathercloth 6mm (1/4") dia. cord with 32mm (1 1/4") flange Per mtr


248 **Wing Piping.** As 54 but 4.7mm (3/16") dia. cord Per mtr

56 **Interior Piping, PVC.** 3mm (1/8") dia. bead. 10mm (3/8") flange. In black, red, white, grey, yellow, brown and blue Per mtr

29 **Piping cord.** For seat piping or making hidem ie can be covered with headlining material or thin leathercloth. Available in 2mm, 2 1/2mm, 3mm, 3 1/2mm, 5mm and 7mm diameter.... Per mtr

275 **Bumper Overrider Beading, PVC.** 10mm (3/8") wide. 1.5mm (1/16") slot. Black Per mtr

305 **Miniature Black PVC Overrider.** Only 4.7mm (3/16") dia Per mtr



315 **Hollow 'D' Section Steel Bar for Hood Frames.** 19mm (3/4") wide and 10mm (3/8") tall. Stocked in approx. 183cm (6ft) lengths. Needs a pipe-bender to get a professional, constant radius bend Per length




Federation of British Historic Vehicle Clubs

We are pleased to be members of the Trade Support Scheme of the FBHVC, who strive to "ensure that club members and their vehicles continue to enjoy the freedom of the use of the roads in the United Kingdom and Europe".

ALUMINIUM STRIP

(Sections shown approx. actual size)



Please allow for carriage or arrange collection of all aluminium strips. Alternatively, we can cut items down to 1.45mtr long or less for posting.

256	Guttering. Lip folds down to hide screw heads.....	Per 2.13mtr (7ft)
62	Running board edging. 6 rib fluted top. 19mm sides ($\frac{3}{4}$ ") Per 2mtr (6 $\frac{1}{2}$ ft)
157	Running board edging. 9 rib fluted top. 25mm sides (1") Per 2mtr (6 $\frac{1}{2}$ ft)
63	Offset tee. 22mm ($\frac{7}{8}$ ") wide. 19mm ($\frac{3}{4}$ ") flange.....	Per 2mtr (6 $\frac{1}{2}$ ft)
64	Equal tee. 16mm ($\frac{5}{8}$ ") wide. 19mm ($\frac{3}{4}$ ") flange	Per 2mtr (6 $\frac{1}{2}$ ft)
65	Half round 19mm ($\frac{3}{4}$ ") wide (shown oversize).....	Per 5mtr (16.4ft)
66	Half round 16mm ($\frac{5}{8}$ ") wide.....	Per 4mtr (13ft)
158	Half round 13mm ($\frac{1}{2}$ ") wide.....	Per 4mtr (13ft)
159	Cope moulding 24mm ($\frac{15}{16}$ ") wide overall. 20mm x 6mm inside Per 2mtr (6 $\frac{1}{2}$ ft)

Aluminium Running Board Tread with Black Rubber Filler

67	22mm ($\frac{7}{8}$ ") wide tread complete with domed filler	Per 1.83mtr (6ft)
68	16mm ($\frac{5}{8}$ ") wide. Domed or 3-rib filler as shown.....	Per 1.83mtr (6ft)
6074	19mm ($\frac{3}{4}$ ") wide tread complete with domed filler (NOT SHOWN) Per 1.83mtr (6ft)

(Other profiles can be used with 68 tread: SRS24 (pg16) is a tight fit.

Rubber filler available SEPARATELY: Large domed as 67..... Per mtr

Small domed as 68 Per mtr

3-rib as 68..... Per mtr

Medium domed as 6074.. Per mtr

Aluminium also available SEPARATELY without filler:

67 aluminium only Per 1.83mtr (6ft)

68 aluminium only Per 1.83mtr (6ft)

6074 aluminium only Per 1.83mtr (6ft)


166 **Alloy End Cap.** Approx. 22mm wide to fit No. 67 alloy..... Each

NB...COULD be 'squeezed' to reduce width to 16mm for use with narrower No. 68, but would also need approx. 1.5mm fettling OFF the base...!



166

(Sections shown approx. actual size)



17389 **Barbed T section** 14mm wide, 10mm tall. 8mm leg has a small ridge either side at approx 4mm Per 3.65mtr (12ft) length

17514 **Barbed T section** 19mm wide, 10mm tall. 8mm leg has a small ridge either side at approx 4mm Per 3.65mtr (12ft) length

14521 **Lipped Waist section** 17.5mm (5/8") wide, 16mm flat underside, can takes 112 Herzim filler Per 3.65mtr (12ft) length

801 **Aluminium Waist section** 19mm (3/4") wide, 5mm tall. Takes item 111 Herzim filler strip Per 1.83mtr (6ft) length

12583 **Lipped waist seal** 21mm wide, 19mm flat underside. Takes 112 Herzim filler strip Per 3.65mtr (12ft) length

14307 **Aluminium Waist section** 32mm wide, 6mm thick Takes item 111 Herzim filler Per 3.65mtr (12ft) length


14546 **Large Aluminium waist section** 60mm wide, 10mm thick. Anodised, no filler available Per 3.65mtr (12ft) length

111 **Herzim PVC filler Strip** 11mm wide and approx 4.5mm tall. For fitting as an infill on aluminium strips. Available in black and various colours, please ask Per mtr


112 **Herzim PVC filler Strip** 13.5mm wide and approx 6mm tall. For fitting as an infill on aluminium strips. Available in black and various colours, please ask Per mtr



SCREWS AND BONNET TAPE



297	Dished Cup Washers. Nickel on brass. For counter-sunk screws to give that finishing touch on trim and interior cappings.
	Size 4 (overall dia. 7mm) Pkt 10 Per box 200
	Size 6 (overall dia. 8.5mm) Pkt 10 Per box 200
	Size 8 (overall dia. 10.5mm) Pkt 10 Per box 200
	Mixed box of all 3 sizes of dished cup washers Per box 200
43	Raised Cup Washers. Nickel on brass.
	Size 4 (overall dia. 8mm) Pkt 10 Per box 200
	Size 6 (overall dia. 10mm) Pkt 10 Per box 200
	Size 8 (overall dia. 12mm) Pkt 10 Per box 200
	Mixed box of all 3 sizes of raised cup washers Per box 200
293	Captive Nut. Tempered steel. For push-fit onto edge of panel or similar. Suitable for size 6 and 8 screws only Pkt 10
298	Double Sided Edge Clip. Tempered steel. 11mm tall. 1.3mm gaps Pkt 10
299	Self Tapping Countersunk Raised Slot-head Screws. Stainless steel. Dia. of screw head: 4 = 5.5mm, 6 = 6.5mm and 8 = 8mm.
	1/2" (13mm) x size 4 Pkt 10 Per box 200
	5/8" (16mm) x size 4 Pkt 10 Per box 200
	3/4" (19mm) x size 4 Pkt 10 Per box 200
	1" (25mm) x size 4 Pkt 10 Per box 200
	1/2" (13mm) x size 6 Pkt 10 Per box 200
	5/8" (16mm) x size 6 Pkt 10 Per box 200
	3/4" (19mm) x size 6 Pkt 10 Per box 200
	1" (25mm) x size 6 Pkt 10 Per box 200
	1 1/4" (32mm) x size 6 Pkt 10 Per box 200
	5/8" (16mm) x size 8 Pkt 10 Per box 200
	3/4" (19mm) x size 8 Pkt 10 Per box 200
	1" (25mm) x size 8 Pkt 10 Per box 200
	1 1/4" (32mm) x size 8 Pkt 10 Per box 200
	Mixed box of all sizes of self tapping screws Per box 200
44	Wood Screws. Raised slot-head countersunk woodscrews nickel on brass. Dia. of screw head: 4 = 5.5mm, 6 = 6.5mm and 8 = 8mm.
	5/8" (16mm) x size 4 Pkt 10 Per box 200
	3/4" (19mm) x size 4 Pkt 10 Per box 200
	1/2" (13mm) x size 6 Pkt 10 Per box 200
	3/4" (19mm) x size 6 Pkt 10 Per box 200
	1" (25mm) x size 6 Pkt 10 Per box 200
	1 1/4" (32mm) x size 6 Pkt 10 Per box 200
	3/4" (19mm) x size 8 Pkt 10 Per box 200
	1 1/4" (32mm) x size 8 Pkt 10 Per box 200
	Mixed box of all sizes of woodscrews Per box 200



Bonnet Tape


Woven FLAT type for threading through holes in radiator or bulkhead.

77	10mm (3/8") wide Per mtr
78	13mm (1/2") wide Per mtr
79	16mm (5/8") wide Per mtr
80	22mm (7/8") wide Per mtr

	Woven DOUBLE BEADED type for riveting.	
81	16mm ($\frac{5}{8}$ ") wide	Per mtr
82	22mm ($\frac{7}{8}$ ") wide	Per mtr
84	19mm ($\frac{3}{4}$ ") wide	Per mtr

184 **Bifurcated Brass Plated Rivets.** 8mm ($\frac{5}{16}$ ") heads. 3mm shoulder then 13mm ($\frac{1}{2}$) legs. Suit 81 and 82 above Pkt 10

LOCKS AND HANDLES



216 **Grab Handle.** Chrome on brass. 4 screw mounting. Hole centres 102mm (4") Each

215 **Grab Handle.** Chrome on brass. 2 screw mounting. Hole centres 102mm (4"), but may vary slightly. Please enquire Each

214 **Bonnet Handle.** Chrome on brass. 3-legged to 'spread the load'. Horizontal hole centres 120mm ($4\frac{3}{4}$ ") and diagonally approx. 75mm (3") Each

All three handles above are sometimes available in unplated state as POLISHED BRASS. Please enquire.



69 **Competition Bonnet/Boot Pins.** Patented stainless steel base-plate, pin guide and finger ring. Positive, sliding over-centre action for rapid and positive location. Solid mounting pillar approx. 11mm ($\frac{7}{16}$) dia. 127mm (5") tall and threaded for 95mm (3 $\frac{3}{4}$). As used by leading competition teams Per pair

346 **Bonnet/Panel Lock.** Chrome bezel 25mm (1") dia. Threaded body 19mm ($\frac{3}{4}$) long, fits into 19mm ($\frac{3}{4}$) dia. hole. Supplied with 2 removable keys Each




280 **Over Centre Catch.** Chrome on steel. Overall 89mm (3 $\frac{1}{2}$) tall as shown Each

361 **Over Centre Catch.** Chrome on steel. Overall 73mm (2 $\frac{7}{8}$) tall as shown. With extra lug for securing with a padlock Each

213 **Over Centre Catch.** Chrome on brass. 75mm (3") long. 32mm (1 $\frac{1}{4}$) wide Each

Items 209, 211 and 213 are sometimes available in unplated state as POLISHED BRASS. Please enquire.



294	Locking Exterior Handle. Chrome 108mm (4 $\frac{1}{4}$) long. Mounting hole centre 37mm (1 $\frac{7}{16}$). 8mm ($\frac{5}{16}$) square steel shaft 127mm (5") long that can be cut down to size. Raised rib design	Each
295	Non-Locking Exterior Handle. Chrome. To match No. 294 above.....	Each
296	Locking Boot Handle. Chrome 95mm (3 $\frac{3}{4}$) long. Mounting hole centres 37mm (1 $\frac{7}{16}$). 8mm ($\frac{5}{16}$) square shaft that can be cut to size.....	Each
227	Window Winder. Chrome. 120mm (4 $\frac{3}{4}$) long. Spring loaded escutcheon. Raised rib design to complement 294/5. Will need 289 to fit snugly onto the 8mm ($\frac{5}{16}$) shaft.....	Each
283	Interior Handle. Chrome. 115mm (4 $\frac{1}{2}$) long. Matches the 227 winder. Spring loaded escutcheon. Will need 289 to fit snugly onto the 8mm ($\frac{5}{16}$) square shaft.....	Each
395	Spring loaded escutcheon. For 227 and 283 supplied separately	Each
289	Spring Steel Adaptor. Converts the 10mm ($\frac{3}{8}$) hole in 227 and 283 to accept an 8mm ($\frac{5}{16}$) square shaft, as on the exterior handles 294/5/6 above	Each
224	Door Lock. Zinc plated finish. Body 87mm x 50mm (3 $\frac{7}{16}$ x 2"). Long tongue. Shaped handle 89mm (3 $\frac{1}{2}$) long. Handed	Each
225	Single Striker Plate. 50mm x 22mm (2" x $\frac{7}{8}$). Cast.....	Each
226	Double Striker Plate. 30mm x 38mm (1 $\frac{3}{16}$ x 1 $\frac{1}{2}$). Cast	Each
218	Interior Handle. VDP type solid brass casting chrome plated. Approx. 95mm long (3 $\frac{3}{4}$) to fit 8mm ($\frac{5}{16}$) shaft at 90° angle....	Each
217	Interior Handle. Vintage type chrome on brass. Approx. 82mm (3 $\frac{1}{4}$) long to fit 8mm ($\frac{5}{16}$) shaft at 45° angle	Each

For all the latest product information and on-line ordering visit our website www.woolies-trim.co.uk




211 **Bonnet Catch.** Chrome on brass. 140mm (5½") long as shown with approx. 6mm (¼") of spring lift. Heavier than 209 with stronger tension. Ideal for larger bonnets. Complete with catch plate as shown Each

209 **Bonnet Catch.** Chrome on brass. 108mm (4¼") long as shown with approx. 13mm (½") of spring lift. Rubber buffer mounted on the rear of the barrel. Complete with catch plate as shown Each

414 **Rubber Bonnet Catches.** 127mm (5") overall length. Complete with catch plate as shown Per pair

345 **Bonnet Catch.** Exposed-spring type in stainless steel. 127mm (5") overall length. Complete with catch plate as shown Per pair

ACCESSORIES




83 **Aeroscreen.** This is the Brooklands pattern aeroscreen fitted with Triplex laminated glass suitable for RAC competition. Polished aluminium frame with chrome fittings and mounting legs. Mounting spigots are offset allowing variable distance between bodywork and the bottom of the screen. Frame width 305mm (12") and overall width 406mm (16") Each



318 **Badge Bar** Complete with 4 clips. Chrome-on-brass legs, clips and end caps. Slightly cranked stainless steel bar as shown. Bar is 19mm (¾") dia and 559mm (22") overall length. Per bar with 4 clips Each

110 **Badge Bar Clips** Chrome-on-brass for 19mm bar (¾") as above. Extra clips can be purchased separately Each



284 **Spoke Cleaning Brushes** 430mm (17") long. Flexible wire core. Wooden handle. Choice of SOFT or HEAVY bristle Each

124 **Key Hole Cover**. Chrome. Spring loaded lift-up-top hides screw holes. Mounting hole centres 20.5mm (13/16") Each

125 **Enamel Union Jacks**. Well made in jeweller's enamel. Chrome. 57mm x 35mm (2 1/4" x 1 3/8"). Supplied in pairs complete with fixing screws Per pair

126 **Budget Locks**. All steel. Left and right handed. Mounting hole centres 67mm (2 5/8") Each

425 **Budget Lock Striker Plate**. Zinc plated steel. Use in conjunction with the 126 budget locks. Overall size 13mm x 76mm (1 1/16" x 3"). Countersunk hole centres 60mm (2 3/8"). Slot size 6mm x 44mm (1/4" x 1 3/4") Each

127 **Carriage Key**. Tapered square shaft to suit above budget lock. 100mm (4") tall. Chrome. Each

129 **Staples**. Black on steel for 32mm (1 1/4") wide strapping Each

130 **Staples**. Black on steel for 38mm (1 1/2") wide strapping Each

130a **Staples**. BRASS for 38mm (1 1/2") wide strapping Each

131 **Staples**. Chrome on brass for 38mm (1 1/2") wide strapping Each

132 **Door Buffers**. 'D' shaped 29mm (1 1/8") long x 13mm (1/2") thick complete with zinc plated shoe and brass eyelet Each

112 **Horn Bulb** 82mm (3 1/4") approx. dia. A good medium sized bulb that will suit any straight or bugle-type horn. Made in synthetic rubber to give a good firm feel. Complete with brass ferrule (Not shown). Hole 14mm (9/16") dia. Each

354 **'GB' Letters in Chrome**. Separate 'GB' letters 84mm (3 5/16") tall, self adhesive. Per set 'GB'

For all the latest product information and on-line ordering visit our website www.woolies-trim.co.uk



156 **Battery Master Switch.** A very basic switch with detachable red plastic key, as shown. 2 hole mounting through the body with hole centres approx. 41mm (1½"). Controls circuits of up to 300 amps at 12 or 24 volts. To switch off and isolate circuit, turn anti-clockwise and remove key Each

182 **Chrome Reflector.** Lucas type RER Red Reflector. Spun brass rim. Rubber base. Screw fitting. 50mm (2") dia. Can be stripped to polished brass Each

320 **Chrome Reflector.** 50mm (2") dia. Brass rim. Self tapping screw fitting Each

320b As 320 in brass (not shown) Each



Federation of British Historic Vehicle Clubs

We are pleased to be members of the Trade Support Scheme of the FBHVC, who strive to "ensure that club members and their vehicles continue to enjoy the freedom of the use of the roads in the United Kingdom and Europe".



232 **Hood Fastener.** Chrome on brass. To suit 16mm ($\frac{5}{8}$ ") dia. peg. Mounting hole centres 49mm ($1\frac{15}{16}$ "). Each

228 **Round Lifting Ring.** 50mm (2") dia. Chrome on brass. Shown with ring raised Each

Clevis Pins. Case hardened and zinc plated.

105 5mm dia. x 16mm long ($\frac{3}{16}$ " dia. x $\frac{5}{8}$ " long) Each

106 6mm dia. x 19mm long ($\frac{1}{4}$ " dia. x $\frac{3}{4}$ " long) Each

107 8mm dia. x 24mm long ($\frac{5}{16}$ " dia. x $1\frac{15}{16}$ " long) Each

108 10mm dia. x 32mm long ($\frac{3}{8}$ " dia. x $1\frac{1}{4}$ " long) Each

97 **Mudguard Bolts.** Domed head 20mm ($1\frac{13}{16}$ ") x 37mm (1 $\frac{1}{2}$ ") long with $\frac{1}{4}$ " BSF thread. Steel. Supplied black complete with nut Each

Bumper Bolts in Chrome

98 25mm (1") long under head x $\frac{5}{16}$ " BSF supplied with nut. Head dia. 14mm ($\frac{9}{16}$ "). Each

99 38mm (1 $\frac{1}{2}$ ") long under head x $\frac{3}{8}$ " UNF supplied with nut. Head dia. 16mm ($\frac{5}{8}$ "). Each

Hex. Grease Nipples in Brass

101 $\frac{3}{8}$ " BSF thread. 15mm ($1\frac{19}{32}$ ") across the hex. flats Each

102 $\frac{1}{8}$ " BSP thread. 15mm ($1\frac{19}{32}$) across the hex. flats Each

165a **Grease gun adaptor** in brass to fit the above hex. nipples. $\frac{1}{8}$ " gas thread Each

119 **Spring Binding.** Grease impregnated tape 50mm (2") wide from the makers of the original Drevo tape. Provided that the springs are not over greased before applying the tape, the outer layer hardens to give the appearance of worn leather. Each large leaf spring will take a full 10mtr roll Per roll

For all the latest product information and on-line ordering visit our website www.woolies-trim.co.uk

BRASS TAPS AND FITTINGS

Copper Tube. All sizes of this annealed tube are outside dia.		
89 1/8" dia. (3mm).....	Per mtr
90 3/16" dia. (4.7mm)	Per mtr
91 1/4" dia. (6.3mm).....	Per mtr
92 5/16" dia. (8mm)	Per mtr
93 3/8" dia. (9.5mm).....	Per mtr

Or enquire for roll sizes.



Nipples

1/8	Brass solder nipple for 1/8" (3mm) diameter pipe	Each
3/16	Brass solder nipple for 3/16" (4.7mm) diameter pipe	Each
1/4	Brass solder nipple for 1/4" (6mm) diameter pipe	Each
5/16	Brass solder nipple for 5/16" (8mm) diameter pipe	Each
3/8	Brass solder nipple for 3/8" (9.5mm) diameter pipe	Each

Nuts

1/4	Brass 1/4" BSP thread. For 1/4" & 5/16" solder nipples	Each
1/8	Brass 1/8" BSP thread. For 1/8" & 3/16" solder nipples	Each
3/8	Brass 3/8" BSP thread. For 3/8" solder nipples.....	Each

Drain Plugs

185	1/8" BSP thread	Each
186	1/4" BSP thread	Each
187	3/8" BSP thread	Each
188	1/2" BSP thread	Each

Double Ended Unions complete with solder nuts and nipples

189	1/8" BSP thread for 1/8" tube (3mm)	Each
190	1/8" BSP thread for 3/16" tube (4.7mm).....	Each
191	1/4" BSP thread for 1/4" tube (6.3mm).....	Each
192	1/4" BSP thread for 5/16" tube (8mm).....	Each
193	3/8" BSP thread for 3/8" tube (9.5mm).....	Each

196	Straight Drain Taps. 1/8" BSP thread.....	Each
197	Straight Drain Taps. 1/4" BSP thread.....	Each
198	Curved Drain Taps. 1/8" BSP thread	Each
199	Curved Drain Taps. 1/4" BSP thread	Each

Tee Pieces. Complete with 3 solder nuts and nipples.

163	For 1/8" tube (3mm)	Each
164	For 3/16" tube (4.7mm).....	Each
203	For 1/4" tube (6.3mm).....	Each
204	For 5/16" tube (8mm).....	Each
205	For 3/8" tube (9.5mm).....	Each

Elbows. Complete with 2 solder nuts and nipples.

169	For 1/8" tube (3mm)	Each
170	For 3/16" tube (4.7mm).....	Each
206	For 1/4" tube (6.3mm).....	Each
207	For 5/16" tube (8mm).....	Each
208	For 3/8" tube (9.5mm).....	Each

PRICES

All prices include VAT at the current rate. See the separate easy-to-read price list which is regularly updated. We keep our prices keen, but they may be altered at ANY TIME due to material or manufacturer's increases. You can use the website www.woolies-trim.co.uk to get an all-inclusive price for an order or alternatively telephone or e-mail us.

ORDERING



We accept all major credit and debit cards and PayPal. You can order securely on the website, telephone us on 01778 347347 (0044 1778 347347 for overseas customers) or e-mail us info@woolies-trim.co.uk

CARRIAGE COSTS

Orders which are under 2 kilos in weight and not too valuable will usually be sent by Royal Mail 48 hour service. Larger and heavier items will be sent by courier where a signature is required. Postage prices vary, please contact us to get an accurate price for your order or use the website, if you put items in your shopping basket on the website it will calculate the cost of postage.

Please note if you need express delivery we can do timed deliveries e.g. Next Day before 12 noon or 10.30am, please enquire.

DELIVERY

All items are usually in stock and we endeavour to despatch all orders received by 2.30pm the same day. We will inform you by return if any goods ordered are currently unavailable. It may be possible to despatch orders received after 2.30pm the same day, it is dependent on how busy we are. If you require an order urgently it is advisable to telephone us to see if it can be despatched same day.

GUARANTEE

We will replace or refund for goods returned providing they are unused and in the same condition we sent them but will make a minimum 15% handling charge, unless we make alternative arrangements. Specifically ordered **CUT lengths** are DIFFICULT to re-sell and therefore **NOT** welcome as returns! No goods will be accepted for credit unless returned to us within 14 days of the date of invoice. We have tried to give a brief but accurate description of all items in this brochure to comply with the Trade Descriptions Act. Should any customers think that there is any misrepresentation at all, will they please advise us so that the matter can be amended for future editions.

SHOWS AND AUTOJUMBLES

We attend a select number of Shows and Autojumbles each year, please look at the website for an up to date listing of where you can find us. We can bring orders to the event for collection saving you the cost of postage.





WOOLIES (I & C Woolstenholmes Ltd)
Whitley Way, Northfields Industrial Estate,
MARKET DEEPING, PETERBOROUGH,
England, PE6 8AR
Tel: (01778) 347347

www.woolies-trim.co.uk
info@woolies-trim.co.uk